






Spare Cable Rack and Clevis

The spare cable rack is used for twining the excess cable on splicing pole/tower or terminal pole/tower.


It is used with cable joint box.




Spare Cable Rack for ADSS
ADSS光缆余缆架



Spare Cable Rack for OPGW
OPGW光缆余缆架



Clevis for Tower
余缆架塔用紧固夹具



Clevis for Pole
余缆架杆用紧固夹具

Spare Cable Rack

Catalog Number	Suitable Optical Fiber Cable Type
VYLJ 660	ADSS
VYLJ 1100	OPGW

Tightening Fitting of Spare Cable Rack for Tower

Catalog Number	Suitable Hanging Point Tower Material Dimension
XJB 125	≤125mm
XJB 145	126mm-145mm
XJB 165	146mm-165mm
XJB 200	166mm-200mm

Tightening Fitting of Spare Cable Rack for Pole

Catalog Number	Suitable Hanging Point Tower Material Dimension	Breaking Load
VGJ220 030	191mm-220mm	30kN
VGJ250 030	221mm-250mm	30kN
VGJ280 030	251mm-280mm	30kN
VGJ310 030	281mm-310mm	30kN
VGJ340 030	311mm-340mm	30kN
VGJ370 030	341mm-370mm	30kN
VGJ400 030	371mm-400mm	30kN