


www.oasishs.com



OASIS®



LET'S MAKE BATH EASIER FOR PEOPLE WE LOVE!

OASIS®

OASIS

OASIS created for the rigours and endurance of the American market. The toughest and easiest to enter Walk-In Baths in the world



Sit Down

Slide In

Its that easy!

Our patented door design
is one of the widest
opening on the
market!

Opens over a standard
toilet and allows for easy
wheelchair access

Door lever requires
minimal pressure to
operate

Lifetime warranty
on the door seal!





Walk In Tub

Monterosa 1366
Classic/Premium/Deluxe
Easy Access Out Swing Door

OASIS®

GENERAL SPECIFICATIONS

Dimensions1300x 660 x 1000mm
User Weight Capacity.....35 Stone/225 KG.
Operating Capacity 285 Litres

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 830mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels


Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs


In an effort to continually improve our specifications and configurations are subject to change without notice.



Monterosa
Premium 1366
Right Hand Shown



Front View



Top View

Classic Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and Jamb

Premium Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water jets

Deluxe Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water Jets with Ozone

Pillow

MicroBubble Technology



Chromatherapy /

Aromatherapy Heated Back &

Seat

Measurement:

1300mm x 660mm x 1000mm



Montblanc

Walk-in Tubs



Walk In Tub

Montblanc 1375
Classic/Premium/Deluxe
Easy Access Out Swing Door



Deluxe Montblanc 1375
Right Hand Shown

OASIS®

GENERAL SPECIFICATIONS

Dimensions1300 x 750 x 950mm
User Weight Capacity.....35 Stone/225 KG.
Operating Capacity 300 Litres

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 830mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.

Classic Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and Jamb

Premium Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water jets

Deluxe Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water Jets with Ozone

Pillow

MicroBubble Technology




Chromatherapy /

Aromatherapy Heated Back &


Seat

Measurement:

1300mm x 750mm x 950mm




Front View



Top View

Will require 2 people to lift.



Walk In Tub

Everest 1489

Classic/Premium/Deluxe

Easy Access Out Swing Door



Everest Premium
Right Hand Shown

OASIS®

GENERAL SPECIFICATIONS

Dimensions1350 x 890 x 1000mm
User Weight Capacity.....35 Stone/225 KG.
Operating Capacity 342 Litres

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 830mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Dual grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.

Classic Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Dual Fast Drain
- All Solid Aluminum Door and Jamb

Premium Type:



- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Dual Fast Drain
- All Solid Aluminum Door and Jamb
- Jamb Fast Fill Faucet with Shower Water jets

Deluxe Type:


- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Dual Fast Drain
- All Solid Aluminum Door and Jamb
- Jamb Fast Fill Faucet with Shower Water Jets with Ozone Pillow
- MicroBubble Technology
- Chromatherapy / Aromatherapy
- Heated Back & Seat

Measurement:

1350mm x 890mm x 1000mm



Front View



Top View

Will require 2 people to lift.

Cervino

Walk-in Tubs



Walk In Tub

Cervino 1263

Classic/Premium/Deluxe

Easy Access Out Swing Door



Cervino 1263
Right Hand Shown

OASIS®

GENERAL SPECIFICATIONS

Dimensions1200x 630 x 1000mm
User Weight Capacity.....33 Stone/210 KG.
Operating Capacity 280 Litres

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 830mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.

Classic Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and Jamb

Premium Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water jets

Deluxe Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water Jets with Ozone

Pillow

MicroBubble Technology





Chromatherapy /

Aromatherapy Heated Back &

Seat

Measurement:

1200mm x 630mm x 1000mm






Classic Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb


Measurement:

1100mm x 750mm x 1030mm



Premium Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Fast Fill Faucet with Shower Water jets



Deluxe Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Fast Fill Faucet with Shower Water Jets with Ozone
- Pillow
- MicroBubble Technology
- Chromatherapy / Aromatherapy
- Heated Back & Seat

Walk In Tub


Zermatt 1175

Classic/Premium/Deluxe


Easy Access Out Swing Door



Zermatt Premium 1175
Right Hand Shown



Front View



Top View

Will require 2 people to lift.

OASIS®

GENERAL SPECIFICATIONS

Dimensions1100x 750 x 1030mm
User Weight Capacity.....33 Stone/213 KG.
Operating Capacity 280 Litres

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 830mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.



Dolomiti 1575

Walk-in Tubs

Walk In Tub

Dolomiti 1575
Classic/Premium/Deluxe
Easy Access Out Swing Door



Deluxe Dolomiti 75 Right Hand
Shown

OASIS®

GENERAL SPECIFICATIONS

Dimensions1530x 750 x 1000mm
User Weight Capacity.....35 Stone/225 KG.
Operating Capacity 300 Litres

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 830mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.

Classic Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb

Premium Type:




- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Fast Fill Faucet with Shower Water jets

Deluxe Type:


- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Fast Fill Faucet with Shower Water Jets with Ozone
- Pillow
- MicroBubble Technology
- Chromatherapy / Aromatherapy
- Heated Back & Seat

Measurement:

1530mm x 750mm x 1000mm



Front View



Top View

Will require 2 people to lift.

Adamello

Walk-in Tubs



Walk In Tub

Adamello
1375 In Swing
Door

OASIS®

GENERAL SPECIFICATIONS

Dimensions1530x 750 x 1000mm
User Weight Capacity.....33 Stone/209 KG.
Operating Capacity 296 Litres

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 550mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest


Accessories

- Extra End Panels


Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs


In an effort to continually improve our specifications and configurations are subject to change without notice.



Adamello Classic 1375 Right
Hand Shown



Front View



Top View

Will require 2 people to lift.

Classic Type:

- Acrylic composite shell (In-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb

Premium Type:



- Acrylic composite shell (In-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Jamb Fast Fill Faucet with
- Shower Water jets


Deluxe Type:

- Acrylic composite shell (In-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Jamb Fast Fill Faucet with
- Shower Water Jets with Ozone
- Pillow
- MicroBubble Technology
- Chromatherapy /
- Aromatherapy Heated Back &
- Seat

Measurement:

1300mm x 750mm x 950mm





Walk In Tub

Sella 1579
In Swing Door



GENERAL SPECIFICATIONS

Dimensions1525x 785 x 600mm
User Weight Capacity.....9 Stone/57 KG.
Operating Capacity 189 Litres

Features:

Pop Up PVC Drain

- Size – 1.5”
- Plunger

Door

- Opening Width - 395mm

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- Acrylic Surface with Fiberglass Substrate
- Grab Bar

Options


- Left or Right Hand Door

Special


- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Air Jets or 9 Jets Water Spa
- Chromatherapy
- Aromatherapy (with water jets)
- Heated Back



Sella 1579 Left
Hand Shown



Front View



Top View

Classic Type:


- PP door panel
- PVC support feet
- Grab bar
- Fast Drain

Type Premium:

- PP door panel
- PVC support feet
- Grab bar
- Fast Drain
- Air Jets

Measurement:

1525mm x 785mm x 600mm



Will require 2 people to lift.

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.


Civetta Tall

Walk-in Tubs




Walk In Tub

Civetta Tall 1375
Classic/Premium/Deluxe
Easy Access Out Swing Door



Front View



Top View

Will require 2 people to lift.



GENERAL SPECIFICATIONS

Dimensions1320x 750 x 1050mm
User Weight Capacity.....35 Stone/225 KG.

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 455mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.

Classic Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb

Measurement:


1320mm x 750mm x 1050mm

Premium Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Jamb Fast Fill Faucet with Shower Water jets

Deluxe Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Jamb Fast Fill Faucet with Shower Water Jets with Ozone
- Pillow
- MicroBubble Technology
- Chromatherapy / Aromatherapy
- Heated Back & Seat



K2 Coming Soon Sample Now Available

Walk-in Tubs

Walk In Tub

K2

Classic/Premium/Deluxe

Easy Access Out Swing Door

OASIS®

GENERAL SPECIFICATIONS

Dimensions1520x 800 x 1050mm
User Weight Capacity.....35 Stone/225 KG.

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 1245mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories



- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.

Front View



Top View

Classic Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and Jamb

Measurement:

1520mm x 800mm x 1050mm

Premium Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water jets

Deluxe Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water Jets with Ozone

Pillow

MicroBubble Technology

Chromatherapy /

Aromatherapy Heated Back &

Seat

Will require 2 people to lift.


Majella

Walk-in Tubs




Walk In Tub

Majella 1375
Classic/Premium/Deluxe
Easy Access Out Swing Door



Front View



Top View

Will require 2 people to lift.

OASIS®

GENERAL SPECIFICATIONS

Dimensions1300x 750 x 950mm
User Weight Capacity.....35 Stone/225 KG.

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - 620mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs

In an effort to continually improve our products, specifications and configurations are subject to change without notice.

Classic Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb

Measurement:

1300mm x 750mm x 950mm

Premium Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Fast Fill Faucet with Shower Water jets

Deluxe Type:

- Acrylic composite shell (out-swing door)
- Stainless steel Frame
- Grab bars
- Fast Drain
- All Solid Aluminum Door and Jamb
- Fast Fill Faucet with Shower Water Jets with Ozone
- Pillow
- MicroBubble Technology
- Chromatherapy / Aromatherapy
- Heated Back & Seat

Ortles

Walk-in Tubs



Walk In Tub

Ortles 1366

Classic/Premium/Deluxe

Easy Access Out Swing Door

OASIS®

GENERAL SPECIFICATIONS

Dimensions1300x 660 x 950mm
User Weight Capacity.....35 Stone/225 KG.

Features:

Pop Up PVC Drain

- Size - 2"
- Plunger with Chain

Door

- Opening Width - mm
- Patented Door System Technology
- Aluminum Door and Frame

Acrylic Shell

- White
- Smooth Finish
- Anti-Slip Floor
- ADA Height Seat
- Acrylic Surface with Fiberglass Substrate
- Grab Bar
- Stainless Steel Frame
- Includes front panel and 1 end panel

Options

- Left or Right Hand Door

Plus

- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Headrest

Special



- Faucet, Taps and Shower
- Divergent Dual Flow
- 9 Jet Water Spa
- Hydrosense Micro-Bubble Technology
- Chromatherapy and Aromatherapy
- Heated Back and Seat
- Headrest

Accessories

- Extra End Panels

Compliance Certifications - Meets or Exceeds the Following Specifications:

- CE – EEC for Walk in Bathtubs



Classic Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and Jamb

Measurement:

1300mm x 660mm x 950mm

Premium Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water jets

Deluxe Type:

Acrylic composite shell (out-swing door)

Stainless steel Frame

Grab bars

Fast Drain

All Solid Aluminum Door and

Jamb Fast Fill Faucet with

Shower Water Jets with Ozone

Pillow

MicroBubble Technology

Chromatherapy /

Aromatherapy Heated Back &

Seat

Will require 2 people to lift.

In an effort to continually improve our products, specifications and configurations are subject to change without notice.

Fast Fill Faucet with Shower

- Hungarian Imported High-Flow Cartridge 59# Low Lead Brass, high pressure casting mold
Dual layer precision chrome + PVD finish
Certified with cUPC, CQC, Watermark
Up to 60L/min flow rate




Water Jets

- Whirlpool hydrotherapy brings about true physiological changes in your body by engaging the pressure receptors located deeper in the muscle's tissue. This relieves tight and stressed muscles while promoting tissue rejuvenation




MicroBubbles

- The MicroBubbles are nano bubbles which enter the pores and clean the skin. Beneficial for many skin disorders as well improving the condition of the skin and removing wrinkles.



Chromatherapy

- For centuries, it's been known that color dramatically affects our health, energy level, and inner harmony. Chromatherapy is an alternative medicine practice that embraces the use of color to positively affect well-being. The system automatically rotates through the color spectrum, creating a peaceful ambience.




Aromatherapy(CF2 is a must)

- What we smell can transport us to another time or place. Mountains, meadows, a tropical beach... a memory of childhood...or possibly romance. Scent takes us there, as it invigorates or soothes us, improves our mood and helps relieve stress.



Water Heater (Maintains Temp.) (CF2 is a must)

- Set your desired temperature and drift off.....This function will keep the water warm forever, just like being in a hot spring.



Heated Back & Seat

- At the press of a button you can activate the seat and back warmer to keep you warm while your bath is filling. Additionally, our dual valve allows you to use the hand shower & fill spout at the same time to further keep yourself warm while waiting.



OZONE (CF2 is a must)

- A natural sterilizer that keeps the water pure and hygienic.

