JIN MING MEDICAL

DYNAMIC PRECISION
EMBEDDING TRUST





Locking Plate Series

JIN MING MEDICAL

Jin Ming Medical Device Co., Ltd.

Address: Room 601, 602, 6th Floor, Building 4, No. 12 Zhicheng Road, Nexus Valley,Songshan Lake Park, Dongguan City, Guangdong Province, China
Tel: +86 769 22803823
Email: info@jinmingmed.com
Website: www.jinmingmed.com

Copyright @ 2025 Jin Ming Medical Device Co.,Ltd. All rights reserved.

Company profile

We are a China-based company dedicated to the research, development,.manufacturing, and sales of speclalized orthopedic surgicalinstruments and implants, Our product portlolio encompasses ninemajor categories: Trauma Piate Series, Locking Plate Series, Cranio-Maxillofacial Plale Series,intramedullary Nail Series, Spine Series,Exlernal Fixation System Series, Joint Series, Sporls MedicineSolutions, and Power Tools.

We cooperale with world-class medical device companies andcuslomize produclion to produce a variely of producls thal meet thelaws and regulations and requirements of different countries.

"Insisting on quality first".Pioneering,pragmatic, enterprising andinnovative, and sirive to move forward.







JIN MING MEDICAL

CONTENTS

1 HAND & FOOT PLATE SERIES

14 2.4/2.7 LOCKING PLATE SERIES

17 SMALL FRAGMENT LOCKING PLATE SERIES

22 LARGE FRAGMENT LOCKING PLATE SERIES

31 LOCKING HEAD SCREW SERIES

36 DHS/DCS LOCKING PLATE SERIES

37 TOMOFIX KNEE OSTEOTOMY SERIES

38 PROXIMAL FEMORAL P.C.C.P PLATE SERIES

39 INSTRUMENTS SET

JinMing Medical

1.5mm Locking Compression Plate,Straight



REF	Specifications	Length (mm)
JM15010001T	4holes	23mm
JM15010002T	6holes	36mm

Use 1.5mm cortical screws /1.5mm locking head screws.

1.5mm Reconstruction Locking Plate,Straight



REF	Specifications	Length (mm)
JM15020001T	12holes	59mm

Use 1.5mm cortical screws/1.5mm locking head screws

1.5mm Locking T-Plate



REF	Specifications	Length (mm)
JM15030001T	3+8holes	44.5mm
JM15030002T	4+8holes	44.5mm

Use 1.5mm cortical screws / 1.5mm locking head screws

1.5mm Adaption Locking Y-Plate



REF	Specifications	Length (mm)
JM15040001T	11holes	47mm

Use 1.5mm cortical screws /1.5mm locking head screws

1.5mm Locking Condylar Plate



REF	Specifications	Length (mm)
JM15050001T	8holes	36mm
JM15050002T	10holes	/

Use 1.5mm cortical screws/1.5mm locking head screws

1.5mm Locking Strut Plate



REF	Specifications	Length (mm)
JM15060001T	8holes L	23mm
JM15060002T	8holes R	23mm

Use 1.5mm cortical screws/1.5mm locking head screws

1.5mm Cortical Screw,Fully Threaded



REF	Specifications
JM13011506T	Φ1.5×6mm
JM13011507T	Φ1.5×7mm
JM13011508T	Φ1.5×8mm
JM13011509T	Φ1.5×9mm
JM13011510T	Φ1.5×10mm
JM13011511T	Φ1.5×11mm
JM13011512T	Φ1.5×12mm
JM13011513T	Φ1.5×13mm
JM13011514T	Φ1.5×14mm
JM13011515T	Φ1.5×15mm
JM13011516T	Φ1.5×16mm
JM13011518T	Φ1.5×18mm
JM13011520T	Φ1.5×20mm
JM13011522T	Φ1.5×22mm
JM13011524T	Φ1.5×24mm

1.5mm Locking Head Screw,self-tapping



REF	Specifications
JM13021506T	Φ1.5×6mm
JM13021507T	Φ1.5×7mm
JM13021508T	Φ1.5×8mm
JM13021509T	Φ1.5×9mm
JM13021510T	Φ1.5×10mm
JM13021511T	Φ1.5×11mm
JM13021512T	Φ1.5×12mm
JM13021513T	Φ1.5×13mm
JM13021514T	Φ1.5×14mm
JM13021515T	Φ1.5×15mm
JM13021516T	Φ1.5×16mm
JM13021518T	Φ1.5×18mm
JM13021520T	Φ1.5×20mm
JM13021522T	Φ1.5×22mm
JM13021524T	Φ1.5×24mm

2.0mm Locking Compression Plate,Straight



REF	Specifications	Length (mm)
JM15070001T	4holes	31mm
JM15070002T	5holes	38mm
JM15070003T	6holes	45mm
JM15070004T	7holes	52mm
JM15070005T	8holes	59mm

Use 2.0mm cortical screws/2.0mm locking head screws

2.0mm Reconstruction Locking Compression Plate,Straight



REF	Specifications	Length (mm)
JM15080001T	12holes	81.26mm

Use 2.0mm cortical screws/2.0mm locking head screws

2.0mm Locking Compression T-Plate



REF	Specifications	Length (mm)
JM15090001T	7holes	32.1mm
JM15090002T	8holes	38.9mm
JM15090003T	9holes	45.7mm
JM15090004T	10holes	52.5mm

Use 2.0mm cortical screws/2.0mm locking head screws

2.0mm Adaption Locking Compression T-Plate



REF	Specifications
JM15100001T	6holes
JM15100002T	7holes
JM15100003T	8holes
JM15100004T	9holes

Use 2.0mm cortical screws/2.0mm locking head screws

2.0mm Adaption Locking Compression Y-Plate



REF	Specifications
JM15110001T	7holes
JM15110002T	8holes
JM15110003T	9holes
JM15110004T	10holes

Use 2.0mm cortical screws /2.0mm locking head screws

2.0mm Locking Compression Condylar Plate



REF	Specifications	Length (mm)
JM15120001T	6holes	33.6mm
JM15120002T	7holes	40.4mm
JM15120003T	8holes	47.2mm
JM15120004T	9holes	54mm

Use 2.0mm cortical screws/2.0mm locking head screws

2.0mm Locking Compression Rotation Correction Plate



REF	Specifications	Length (mm)
JM15130001T	4+2holes	34mm
JM15130002T	5+2holes	40mm

Use 2.0mm cortical screws/ 2.0mm locking head screws

2.0mm Mini Condylar Plate



REF	Specifications	Length (mm)
JM15140001	7holes L	29mm
JM15140002	7holes R	29mm

Use 2.0mm cortical screws

2.0mm Mini H-Locking Plate



REF	Specifications	Length (mm)
JM15150001T	4holes	11×12mm

Use 2.0mm cortical screws / 2.0mm locking head screws

2.0mm Tubular Plate



REF	Specifications	Length (mm)
JM15160001T	4holes	23mm
JM15160002T	5holes	29mm
JM15160003T	6holes	35mm
JM15160004T	7holes	41mm

Use with 2.0mm cortical screws

2.0mm Mini H-Plate



REF	Specifications	Length (mm)
JM15170001T	4holes	12mm
JM15170002T	6holes	19mm

Use 2.0mm cortical screws

2.0mm L-Plate Ⅰ



REF	Specifications	Length (mm)
JM15180001T	4holes L	18mm
JM15180002T	5holes L	24mm
JM15180003T	6holes L	30mm
JM15180004T	7holes L	36mm
JM15180005T	4holes R	18mm
JM15180006T	5holes R	24mm
JM15180007T	6holes R	30mm
JM15180008T	7holes R	36mm

Use with 2.0mm cortical screws

2.0mm L-Plate Ⅱ



REF	Specifications	Length (mm)
JM15190001T	4holes L	20mm
JM15190002T	5holes L	26mm
JM15190003T	6holes L	32mm
JM15190004T	4holes R	20mm
JM15190005T	5holes R	26mm
JM15190006T	6holes R	32mm

Use 2.0mm cortical screws

2.0mm T-Plate Ⅰ



REF	Specifications	Length (mm)
JM15200001T	4holes	18mm
JM15200002T	5holes	24mm
JM15200003T	6holes	30mm
JM15200004T	7holes	36mm

Use 2.0mm cortical screws

2.0mm Cortical Screw,Fully Threaded



REF	Specifications
JM13030206T	Φ2.0×6mm
JM13030207T	Φ2.0×7mm
JM13030208T	Φ2.0×8mm
JM13030209T	Φ2.0×9mm
JM13030210T	Φ2.0×10mm
JM13030211T	Φ2.0×11mm
JM13030212T	Φ2.0×12mm
JM13030213T	Φ2.0×13mm
JM13030214T	Φ2.0×14mm
JM13030216T	Φ2.0×16mm
JM13030218T	Φ2.0×18mm
JM13030220T	Φ2.0×20mm
JM13030222T	Φ2.0×22mm
JM13030224T	Φ2.0×24mm
JM13030226T	Φ2.0×26mm
JM13030228T	Φ2.0×28mm
JM13030230T	Φ2.0×30mm
JM13030232T	Φ2.0×32mm
JM13030234T	Φ2.0×34mm
JM13030236T	Φ2.0×36mm
JM13030238T	Φ2.0×38mm
JM13030240T	Φ2.0×40mm

2.0mm Locking Head Screw,self-tapping



REF	Specifications
JM13040206T	Φ2.0×6mm
JM13040207T	Φ2.0×7mm
JM13040208T	Φ2.0×8mm
JM13040209T	Φ2.0×9mm
JM13040210T	Φ2.0×10mm
JM13040211T	Φ2.0×11mm
JM13040212T	Φ2.0×12mm
JM13040213T	Φ2.0×13mm
JM13040214T	Φ2.0×14mm
JM13040216T	Φ2.0×16mm
JM13040218T	Φ2.0×18mm
JM13040220T	Φ2.0×20mm
JM13040222T	Φ2.0×22mm
JM13040224T	Φ2.0×24mm
JM13040226T	Φ2.0×26mm
JM13040228T	Φ2.0×28mm
JM13040230T	Φ2.0×30mm

JinMing Medical

2.4mm Locking Compression Plate,Straight



REF	Specifications	Length (mm)
JM15210001T	4holes	36mm
JM15210002T	5holes	44mm
JM15210003T	6holes	52mm
JM15210004T	7holes	60mm
JM15210005T	8holes	68mm

Use with 2.4mm cortical screws and 2.4mm locking head screws

2.4mm Reconstruction Locking Compression Plate,Straight



REF	Specifications	Length (mm)
JM15220001T	12holes	87.9mm

Use 2.4mm cortical screws / 2.4mm locking head screws

2.4mm Locking Compression T-Plate



REF	Specifications	Length (mm)
JM15230001T	7holes	35.8mm
JM15230002T	8holes	43mm
JM15230003T	9holes	50.2mm
JM15230004T	10holes	57.4mm

Use 2.4mm cortical screws/2.4mm locking head screws

2.4mm Adaption Locking Compression T-Plate



REF	Specifications
JM15240001T	6holes
JM15240002T	7holes
JM15240003T	8holes
JM15240004T	9holes

Use with 2.4mm cortical screws / 2.4mm locking head screws

2.4mm Adaption Locking Compression Y-Plate



REF	Specifications	Length (mm)
JM15250001T	7	38.4mm
JM15250002T	8	45.6mm
JM15250003T	9	52.8mm
JM15250004T	10	60mm

Use 2.4mm cortical screws/2.4mm locking head screws

2.4mm Locking Compression Condylar Plate



REF	Specifications	Length (mm)
JM15260001T	6holes	37mm
JM15260002T	7holes	44.2mm
JM15260003T	8holes	51.4mm
JM15260004T	9holes	58.6mm

Use 2.4mm cortical screws /2.4mm locking head screws

2.4mm Calcaneal Locking Plate Ⅳ



REF	Specifications	Length (mm)
JM15270001T	11 holes L	26.8mm
JM15270002T	11 holes R	26.8mm

Use 2.4mm cortical screws/2.4mm locking head screws

2.4mm U Locking Plate



REF	Specifications	Length (mm)
JM15280001T	7holes	56.8mm

Use 2.4mm cortical screws / 2.4mm locking head screws

2.4mm U Locking Plate



REF	Specifications	Length (mm)
JM15290001T	6 holes	38mm

Use 2.4mm cortical screws /2.4mm locking head screws

2.4mm Reconstruction T-Plate Ⅱ



REF	Specifications	Length (mm)
JM15300001T	10 holes	54.2mm

Use 2.4mm cortical screws

2.4mm Reconstruction T-PlateⅢ



REF	Specifications	Length (mm)
JM15310001T	11 holes	54.2mm

Use 2.4mm cortical screws

2.4mm Reconstruction T-Plate IV



REF	Specifications	Length (mm)
JM15320001T	11holes	56.3mm

Use 2.4mm cortical screws

2.4mm Cortical Screw,Fully Threaded



REF	Specifications
JM13052406T	Φ2.4×6mm
JM13052407T	Φ2.4×7mm
JM13052408T	Φ2.4×8mm
JM13052409T	Φ2.4×9mm
JM13052410T	Φ2.4×10mm
JM13052411T	Φ2.4×11mm
JM13052412T	Φ2.4×12mm
JM13052413T	Φ2.4×13mm
JM13052414T	Φ2.4×14mm
JM13052416T	Φ2.4×16mm
JM13052418T	Φ2.4×18mm
JM13052420T	Φ2.4×20mm
JM13052422T	Φ2.4×22mm
JM13052424T	Φ2.4×24mm
JM13052426T	Φ2.4×26mm
JM13052428T	Φ2.4×28mm
JM13052430T	Φ2.4×30mm
JM13052432T	Φ2.4×32mm
JM13052434T	Φ2.4×34mm
JM13052436T	Φ2.4×36mm
JM13052438T	Φ2.4×38mm
JM13052440T	Φ2.4×40mm

2.4mm Locking Head Screw,self-tapping



REF	Specifications
JM13062406T	Φ2.4×6mm
JM13062407T	Φ2.4×7mm
JM13062408T	Φ2.4×8mm
JM13062409T	Φ2.4×9mm
JM13062410T	Φ2.4×10mm
JM13062411T	Φ2.4×11mm
JM13062412T	Φ2.4×12mm
JM13062413T	Φ2.4×13mm
JM13062414T	Φ2.4×14mm
JM13062416T	Φ2.4×16mm
JM13062418T	Φ2.4×18mm
JM13062420T	Φ2.4×20mm
JM13062422T	Φ2.4×22mm
JM13062424T	Φ2.4×24mm
JM13062426T	Φ2.4×26mm
JM13062428T	Φ2.4×28mm
JM13062430T	Φ2.4×30mm

2.7mm Locking Compression Plate,Straight



REF	Specifications	Length (mm)
JM15330001T	4holes	40mm
JM15330002T	5holes	49mm
JM15330003T	6holes	58mm
JM15330004T	7holes	67mm
JM15330005T	8holes	76mm

Use 2.7mm cortical screws/ 2.7mm locking head screws

2.7mm Locking Compression Condylar Plate



REF	Specifications	Length (mm)
JM15340001T	6holes	41.5mm
JM15340002T	7holes	49.5mm
JM15340003T	8holes	57.5mm
JM15340004T	9holes	65.5mm

Use 2.7mm cortical screws /2.7mm locking head screws

2.7mm Mini Condylar Plate



REF	Specifications	Length (mm)
JM15350001T	7holes L	57mm
JM15350002T	7holes R	57mm
Use 2.7mm cortical screws		

2.7mm Locking Compression T-Plate



REF	Specifications	Length (mm)
JM15360001T	5 holes	32.1mm
JM15360002T	6 holes	39.6mm
Use 2.7mm cortical screws /2.7mm locking head screws		

2.7mm Locking Compression L-Plate



REF	Specifications	Length (mm)
JM15370001T	5 holes L	32.1mm
JM15370002T	6 holes L	39.6mm
JM15370003T	5 holes R	32.1mm
JM15370004T	6 holes R	39.6mm
Use 2.7mm cortical screws /2.7mm locking head screws		

2.7mm Locking Compression Obliqued L-Plate



REF	Specifications	Length (mm)
JM15380001T	5 holes L	34.6mm
JM15380002T	6 holes L	42.1mm
JM15380003T	5 holes R	34.6mm
JM15380004T	6 holes R	42.1mm
Use 2.7mm cortical screws /2.7mm locking head screws		

2.7mm Locking X-Plate



REF	Specifications	Length (mm)
JM15390001T	4 holes	36×20mm
JM15390002T	4 holes	30×20mm
JM15390003T	4 holes	24×18mm
JM15390004T	4 holes	22×14mm
Use 2.7mm cortical screws /2.7mm locking head screws		

2.7mm Locking H-Plate



REF	Specifications	Length (mm)
JM1540001T	4 holes	31mm
JM1540002T	6 holes	45mm
Use 2.7mm cortical screws/ 2.7mm locking head screws		

2.7mm Locking Plate,Straight



REF	Specifications	Length (mm)
JM15410001T	2 holes	17mm
Use 2.7mm cortical screws /2.7mm locking head screws		

2.7mm Cortical Screw,Fully Threaded



REF	Specifications
JM13072706T	Φ2.7×6mm
JM13072707T	Φ2.7×7mm
JM13072708T	Φ2.7×8mm
JM13072709T	Φ2.7×9mm
JM13072710T	Φ2.7×10mm
JM13072711T	Φ2.7×11mm
JM13072712T	Φ2.7×12mm
JM13072713T	Φ2.7×13mm
JM13072714T	Φ2.7×14mm
JM13072716T	Φ2.7×16mm
JM13072718T	Φ2.7×18mm
JM13072720T	Φ2.7×20mm
JM13072722T	Φ2.7×22mm
JM13072724T	Φ2.7×24mm
JM13072726T	Φ2.7×26mm
JM13072728T	Φ2.7×28mm
JM13072730T	Φ2.7×30mm
JM13072732T	Φ2.7×32mm
JM13072734T	Φ2.7×34mm
JM13072736T	Φ2.7×36mm
JM13072738T	Φ2.7×38mm
JM13072740T	Φ2.7×40mm
JM13072745T	Φ2.7×45mm
JM13072750T	Φ2.7×50mm

2.7mm Locking Head Screw,self-tapping



REF	Specifications
JM13082706T	Φ2.7×6mm
JM13082708T	Φ2.7×8mm
JM13082710T	Φ2.7×10mm
JM13082712T	Φ2.7×12mm
JM13082714T	Φ2.7×14mm
JM13082716T	Φ2.7×16mm
JM13082718T	Φ2.7×18mm
JM13082720T	Φ2.7×20mm
JM13082722T	Φ2.7×22mm
JM13082724T	Φ2.7×24mm
JM13082726T	Φ2.7×26mm
JM13082728T	Φ2.7×28mm
JM13082730T	Φ2.7×30mm
JM13082732T	Φ2.7×32mm
JM13082734T	Φ2.7×34mm
JM13082736T	Φ2.7×36mm
JM13082738T	Φ2.7×38mm
JM13082740T	Φ2.7×40mm
JM13082742T	Φ2.7×42mm
JM13082744T	Φ2.7×44mm
JM13082746T	Φ2.7×46mm
JM13082748T	Φ2.7×48mm
JM13082750T	Φ2.7×50mm
JM13082752T	Φ2.7×52mm
JM13082754T	Φ2.7×54mm
JM13082756T	Φ2.7×56mm
JM13082758T	Φ2.7×58mm
JM13082760T	Φ2.7×60mm

Distal Radius Volar Locking Compression Plate



REF	Specifications	Length (mm)
JM15420001T	3 holes L	49mm
JM15420002T	4 holes L	58mm
JM15420003T	5 holes L	67mm
JM15420004T	3 holes R	49mm
JM15420005T	4 holes R	58mm
JM15420006T	5 holes R	67mm

Use 2.4/2.7mm cortical screws / 2.4/2.7mm locking head screws

Distal Radius Volar Locking Compression Plate Ⅰ



REF	Specifications	Length (mm)
JM15430001T	8holes	100mm
JM15430002T	10holes	120mm
JM15430003T	12holes	140mm

Use 2.4/2.7mm cortical screws / 2.4/2.7mm locking head screws

Distal Radius Volar Locking Compression Plate Ⅱ



REF	Specifications	Length (mm)
JM15440001T	3 holes L	47mm
JM15440002T	4 holes L	56mm
JM15440003T	5 holes L	65mm
JM15440004T	3 holes R	47mm
JM15440005T	4 holes R	56mm
JM15440006T	5 holes R	65mm

Use 2.4/2.7mm cortical screws / 2.4/2.7mm locking head screws

Distal Radius Volar Locking Compression Plate Ⅲ



REF	Specifications	Length (mm)
JM15450001T	3 holes L	47mm
JM15450002T	4 holes L	56mm
JM15450003T	5 holes L	65mm
JM15450004T	3 holes R	47mm
JM15450005T	4 holes R	56mm
JM15450006T	5 holes R	65mm

Use 2.4/2.7mm cortical screws / 2.4/2.7mm locking head screws

Distal Radius Volar Locking Compression Plate Ⅳ



REF	Specifications	Length (mm)
JM15460001T	4 holes L	52mm
JM15460002T	5 holes L	61mm
JM15460003T	4 holes R	52mm
JM15460004T	5 holes R	61mm

Use with 2.4/2.7mm cortical screws / 2.4 / 2.7mm locking head screws

JinMing Medical

Distal Dorsal Radius Locking Compression Plate



REF	Specifications	Length (mm)
JM15470001T	5 holes	48mm
JM15470002T	6 holes	57mm

Use 2.4/2.7mm cortical screws / 2.4/2.7mm locking head screws

Distal Dorsal Radius Locking Compression L-Plate Ⅰ



REF	Specifications	Length (mm)
JM15480001T	3 holes L	40mm
JM15480002T	4 holes L	49mm
JM15480003T	3 holes R	40mm
JM15480004T	4 holes R	49mm

Use 2.4mm cortical screws / 2.4/2.7mm locking head screws

Distal Dorsal Radius Locking Compression L-Plate Ⅱ



REF	Specifications	Length (mm)
JM15490001T	3 holes L	40mm
JM15490002T	4 holes L	49mm
JM15490003T	3 holes R	40mm
JM15490004T	4 holes R	49mm

Use 2.4mm cortical screws / 2.4/2.7mm locking head screws

Distal Dorsal Radius Locking Compression Oblique L-Plate



REF	Specifications	Length (mm)
JM15500001T	3 holes L	43mm
JM15500002T	4 holes L	52mm
JM15500003T	3 holes R	43mm
JM15500004T	4 holes R	52mm

Use 2.4mm cortical screws / 2.4/2.7mm locking head screws

Distal Dorsal Radius Locking Compression T-Plate Ⅴ



REF	Specifications	Length (mm)
JM15510001T	3 holes	40mm
JM15510002T	4 holes	49mm

Use 2.4/2.7mm cortical screws / 2.4/2.7mm locking head screws

Locking Radial Head Plate



REF	Specifications	Length (mm)
JM15520001T	5 holes L	34.4mm
JM15520002T	6 holes L	42.8mm
JM15520003T	7 holes L	51.2mm
JM15520004T	5 holes R	34.4mm
JM15520005T	6 holes R	42.8mm
JM15520006T	7 holes R	51.2mm

Use 2.4mm cortical screws / 2.4/2.7mm locking head screws

VA-LCP Two-Column Distal Radius Plate



REF	Specifications	Length (mm)
JM15530001T	2+6 holes L	45mm
JM15530002T	3+6 holes L	54mm
JM15530003T	4+6 holes L	66mm
JM15530004T	5+6 holes L	75mm
JM15530005T	2+7 holes L	47mm
JM15530006T	3+7 holes L	55mm
JM15530007T	4+7 holes L	68mm
JM15530008T	5+7 holes L	77mm
JM15530009T	2+6 holes R	45mm
JM15530010T	3+6 holes R	54mm
JM15530011T	4+6 holes R	66mm
JM15530012T	5+6 holes R	75mm
JM15530013T	2+7 holes R	47mm
JM15530014T	3+7 holes R	55mm
JM15530015T	4+7 holes R	68mm
JM15530016T	5+7 holes R	77mm

Use 2.4/2.7mm cortical screws / 2.4mm locking head screws / 2.4mm VA-LCP locking head Screws

2.4mm Variable Angle Locking Head Screw,self-tapping



REF	Specifications
JM13092406T	Φ2.4×6mm
JM13092408T	Φ2.4×8mm
JM13092410T	Φ2.4×10mm
JM13092412T	Φ2.4×12mm
JM13092414T	Φ2.4×14mm
JM13092416T	Φ2.4×16mm
JM13092418T	Φ2.4×18mm
JM13092420T	Φ2.4×20mm
JM13092422T	Φ2.4×22mm
JM13092424T	Φ2.4×24mm
JM13092426T	Φ2.4×26mm
JM13092428T	Φ2.4×28mm
JM13092430T	Φ2.4×30mm

JinMing Medical

Proximal Humeral Locking Compression Plate



REF	Specifications	Length (mm)
JM15540001T	3 holes	93.5mm
JM15540002T	4 holes	105.5mm
JM15540003T	5 holes	117.5mm
JM15540004T	6 holes	129.5mm
JM15540005T	8 holes	153.5mm
JM15540006T	9 holes	165.5mm
JM15540007T	10 holes	177.5mm
JM15540008T	12 holes	201.5mm

Use 4.0mm cancellous screvs,3.5mm cortical screws / 3.5mm locking head screvs

Humeral Tuberosity Locking Plate



REF	Specifications	Length (mm)
JM15550001T	3 holes L	42.3mm
JM15550002T	3 holes R	42.3mm

Use 4.0mm cancellous screws,2.7/3.5mm cortical screws / 2.7/3.5mm locking head screws

Distal Humeral Locking Plate



REF	Specifications	Length (mm)
JM15560001T	3 holes L	69.9mm
JM15560002T	4 holes L	81.9mm
JM15560003T	5 holes L	93.9mm
JM15560004T	6 holes L	105.9mm
JM15560005T	3 holes R	69.9mm
JM15560006T	4 holes R	81.9mm
JM15560007T	5 holes R	93.9mm
JM15560008T	6 holes R	105.9mm

Use 4.0mm cancellous screws,3.5mm cortical screws / 3.5mm locking head screws

Distal Dorsal Humerus Locking Compression Plate Ⅰ



REF	Specifications	Length (mm)
JM15570001T	3 holes L	84mm
JM15570002T	5 holes L	108mm
JM15570003T	7 holes L	132mm
JM15570004T	9 holes L	156mm
JM15570005T	3 holes R	84mm
JM15570006T	5 holes R	108mm
JM15570007T	7 holes R	132mm
JM15570008T	9 holes R	156mm

Use 3.5mm cortical screws / 2.4/2.7/3.5mm locking head screws

Distal Dorsal Humerus Locking Compression Plate Ⅱ



REF	Specifications	Length (mm)
JM15580001T	3 holes L	84mm
JM15580002T	5 holes L	108mm
JM15580003T	7 holes L	132mm
JM15580004T	9 holes L	156mm
JM15580005T	3 holes R	84mm
JM15580006T	5 holes R	108mm
JM15580007T	7 holes R	132mm
JM15580008T	9 holes R	156mm

Use 3.5mm cortical screws / 2.4/2.7/3.5mm locking head screws

Distal Dorsal Humerus Locking Compression Plate



REF	Specifications	Length (mm)
JM15590001T	5 holes L	70.4mm
JM15590002T	5 holes R	70.4mm

Use 3.5mm cortical screws / 2.4/2.7/3.5mm locking head screws / 2.4mm VA-LCP locking head Screws

Distal Dorsal Humerus Locking Compression Plate



REF	Specifications	Length (mm)
JM15600001T	6 holes L	121.3mm
JM15600002T	8 holes L	157.3mm
JM15600003T	10 holes L	193.3mm
JM15600004T	12 holes L	229.3mm
JM15600005T	14 holes L	265.3mm
JM15600006T	6 holes R	121.3mm
JM15600007T	8 holes R	157.3mm
JM15600008T	10 holes R	193.3mm
JM15600009T	12 holes R	229.3mm
JM15600010T	14 holes R	265.3mm

Use 3.5mm cortical screws / 3.5mm locking head screws

Distal Medial Humerus Locking Compression Plate



REF	Specifications	Length (mm)
JM15610001T	3 holes L	84mm
JM15610002T	5 holes L	108mm
JM15610003T	7 holes L	132mm
JM15610004T	9 holes L	156mm
JM15610005T	3 holes R	84mm
JM15610006T	5 holes R	108mm
JM15610007T	7 holes R	132mm
JM15610008T	9 holes R	156mm

Use 3.5mm cortical screws / 2.4 / 2.7/ 3.5mm locking head screws

Distal Medial Humerus Locking Compression Plate



REF	Specifications	Length (mm)
JM15620001T	6 holes L	70.2mm
JM15620002T	6 holes R	70.2mm

Use 3.5mm cortical screws / 2.4 / 2.7 / 3.5mm locking head screws /2.4mm VA-LCP locking head Screws

Clavicle Hook Locking Compression Plate



REF	Specifications	Length/Height(mm)
JM15630001T	3 holes L	85/15 mm
JM15630002T	4 holes L	99.5/15 mm
JM15630003T	5 holes L	113.6/15 mm
JM15630004T	3 holes L	85/18mm
JM15630005T	4 holes L	99.5/18mm
JM15630006T	5 holes L	113.6/18mm
JM15630007T	3 holes R	85/15mm
JM15630008T	4 holes R	99.5/15 mm
JM15630009T	5 holes R	113.6/15 mm
JM15630010T	3 holes R	85/18mm
JM15630011T	4 holes R	99.5/18 mm
JM15630012T	5 holes R	113.6/18 mm

Use 4.0mm cancellous screws / 3.5mm cortical screws / 3.5mm locking head screws

Clavicular Reconstruction Locking Compression Plate



REF	Specifications	Length (mm)
JM15640001T	6 holes L	94mm
JM15640002T	7 holes L	108mm
JM15640003T	8 holes L	121mm
JM15640004T	6 holes R	94mm
JM15640005T	7 holes R	108mm
JM15640006T	8 holes R	121mm

Use 4.0mm cancellous screws / 3.5mm cortical screws / 3.5mm locking head screws

Anterolateral Clavicular Locking Compression Plate



REF	Specifications	Length (mm)
JM15650001T	3 holes L	68mm
JM15650002T	4 holes L	81mm
JM15650003T	5 holes L	95mm
JM15650004T	6 holes L	108mm
JM15650005T	7 holes L	122mm
JM15650006T	8 holes L	135mm
JM15650007T	3 holes R	68mm
JM15650008T	4 holes R	81mm
JM15650009T	5 holes R	95mm
JM15650010T	6 holes R	108mm
JM15650011T	7 holes R	122mm
JM15650012T	8 holes R	135mm

Use 4.0mm cancellous screws / 3.5mm cortical screws
2.7 / 3.5mm locking head screws

Olecranon Locking Compression Plate



REF	Specifications	Length (mm)
JM15660001T	3 holes L	102.6mm
JM15660002T	4 holes L	128.6mm
JM15660003T	6 holes L	154.6mm
JM15660004T	8 holes L	180.6mm
JM15660005T	10 holes L	206.6mm
JM15660006T	12 holes L	232.6mm
JM15660007T	3 holes R	102.6mm
JM15660008T	4 holes R	128.6mm
JM15660009T	6 holes R	154.6mm
JM15660010T	8 holes R	180.6mm
JM15660011T	10 holes R	206.6mm
JM15660012T	12 holes R	232.6mm

Use 4.0mm cancellous screws / 3.5mm cortical screws
3.5mm locking head screws

Olecranon Locking Compression Plate



REF	Specifications	Length (mm)
JM15670001T	4 holes L	73mm
JM15670002T	4 holes R	73mm

Use 3.5mm cortical screws / 2.4/2.7/3.5mm locking head screws / 2.4mm VA-LCP locking head Screws

Metaphyseal Locking Compression Plate II



REF	Specifications	Length (mm)
JM15680001T	6 holes	86mm
JM15680002T	7 holes	99mm
JM15680003T	8 holes	112mm
JM15680004T	9 holes	125mm
JM15680005T	10 holes	138mm
JM15680006T	12 holes	164mm

Use 4.0mm cancellous screws / 3.5mm cortical screws
3.5mm locking head screws

3.5mm Locking Compression Plate,narrow



REF	Specifications	Length (mm)
JM15690001T	4 holes	56mm
JM15690002T	5 holes	69mm
JM15690003T	6 holes	82mm
JM15690004T	7 holes	95mm
JM15690005T	8 holes	108mm
JM15690006T	9 holes	121mm
JM15690007T	10 holes	134mm
JM15690008T	12 holes	160mm
JM15690009T	14 holes	186mm

Use 4.0mm cancellous screws /
3.5mm cortical screws / 3.5mm locking head screws

3.5mm Locking Compression Plate,broad



REF	Specifications	Length (mm)
JM15700001T	4 holes	56mm
JM15700002T	5 holes	69mm
JM15700003T	6 holes	82mm
JM15700004T	7 holes	95mm
JM15700005T	8 holes	108mm
JM15700006T	9 holes	121mm
JM15700007T	10 holes	134mm
JM15700008T	12 holes	160mm
JM15700009T	14 holes	186mm

Use 4.0mm cancellous screws
3.5mm cortical screws / 3.5mm locking head screws

Reconstruction Locking Compression Plate



REF	Specifications	Length (mm)
JM15710001T	5 holes	60mm
JM15710002T	6 holes	72mm
JM15710003T	7 holes	84mm
JM15710004T	8 holes	96mm
JM15710005T	9 holes	108mm
JM15710006T	10 holes	120mm
JM15710007T	11 holes	132mm
JM15710008T	12 holes	144mm
JM15710009T	14 holes	168mm
JM15710010T	16 holes	192mm

Use 4.0mm cancellous screws / 3.5mm cortical screws / 3.5mm locking head screws

Proximal Femoral Locking Plate I



REF	Specifications	Length (mm)
JM15720001T	5 holes L	114mm
JM15720002T	7 holes L	150mm
JM15720003T	9 holes L	186mm
JM15720004T	11 holes L	222mm
JM15720005T	13 holes L	258mm
JM15720006T	5 holes R	114mm
JM15720007T	7 holes R	150mm
JM15720008T	9 holes R	186mm
JM15720009T	11 holes R	222mm
JM15720010T	13 holes R	258mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Proximal Femoral Locking Plate II



REF	Specifications	Length (mm)
JM15730001T	4 holes L	163mm
JM15730002T	6 holes L	198mm
JM15730003T	8 holes L	230mm
JM15730004T	10 holes L	266mm
JM15730005T	12 holes L	302mm
JM15730006T	4 holes R	163mm
JM15730007T	6 holes R	198mm
JM15730008T	8 holes R	230mm
JM15730009T	10 holes R	266mm
JM15730010T	12 holes R	302mm

Use 4.5mm cortical screws / 5.0mm locking head
screws / 6.5mm locking head cannulated screws

Proximal Femoral Locking Compression Plate II



REF	Specifications	Length (mm)
JM15740001T	3 holes	124mm
JM15740002T	4 holes	140mm
JM15740003T	5 holes	156mm
JM15740004T	6 holes	172mm
JM15740005T	8 holes	204mm
JM15740006T	10 holes	236mm
JM15740007T	12 holes	268mm

Use 6.5mm cancellous screws / 4.5mm cortical screws / 5.0mm locking
head screws / 6.5mm locking head cannulated screws

Proximal Femoral Locking Plate III



REF	Specifications	Length (mm)
JM15750001T	4 holes L (Big)	51mm
JM15750002T	4 holes L (Small)	42mm
JM15750003T	4 holes R (Big)	51mm
JM15750004T	4 holes R (Small)	42mm

Use 7.3mm locking head cannulated screws / 5.0mm locking head screws

Proximal Femoral Locking Compression Plate V



REF	Specifications	Length (mm)
JM15760001T	4 holes L	119.3mm
JM15760002T	6 holes L	155.4mm
JM15760003T	8 holes L	191.4mm
JM15760004T	10 holes L	227.4mm
JM15760005T	12 holes L	263.3mm
JM15760006T	14 holes L	298.9mm
JM15760007T	4 holes R	119.3mm
JM15760008T	6 holes R	155.4mm
JM15760009T	8 holes R	191.4mm
JM15760010T	10 holes R	227.4mm
JM15760011T	12 holes R	263.3mm
JM15760012T	14 holes R	298.9mm

Use 4.5mm cortical screws / 5.0mm locking head screws / 6.5mm locking head cannulated screws

Distal Femoral Locking Compression Plate



REF	Specifications	Length (mm)
JM15770001T	6 holes L	168mm
JM15770002T	8 holes L	204mm
JM15770003T	10 holes L	239.8mm
JM15770004T	12 holes L	275.5mm
JM15770005T	14 holes L	311mm
JM15770006T	6 holes R	168mm
JM15770007T	8 holes R	204mm
JM15770008T	10 holes R	239.8mm
JM15770009T	12 holes R	275.5mm
JM15770010T	14 holes R	311mm

Use 4.5mm cortical screws / 5.0mm locking head screws / 6.5mm locking head cannulated screws

Distal Lateral Femoral Locking Compression Plate



REF	Specifications	Length (mm)
JM15780001T	5 holes L	156mm
JM15780002T	7 holes L	196mm
JM15780003T	9 holes L	236mm
JM15780004T	11 holes L	276mm
JM15780005T	13 holes L	316mm
JM15780006T	5 holes R	156mm
JM15780007T	7 holes R	196mm
JM15780008T	9 holes R	236mm
JM15780009T	11 holes R	276mm
JM15780010T	13 holes R	316mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Distal Femoral Condylar Locking Plate



REF	Specifications	Length (mm)
JM15790001T	5 holes 120°	88mm
JM15790002T	7 holes 120°	112mm
JM15790003T	9 holes 120°	136mm
JM15790004T	3 holes 90°	76mm
JM15790005T	6 holes 90°	112mm
JM15790006T	8 holes 90°	136mm

Use 3.5mm cortical screws / 3.5mm locking head screws

Distal Femoral Medial Locking Compression Plate



REF	Specifications	Length (mm)
JM15800001T	4 holes L	132mm
JM15800002T	5 holes L	150mm
JM15800003T	6 holes L	168mm
JM15800004T	7 holes L	186mm
JM15800005T	4 holes R	132mm
JM15800006T	5 holes R	150mm
JM15800007T	6 holes R	168mm
JM15800008T	7 holes R	186mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Distal Femoral Medial Locking Compression Plate



REF	Specifications	Length (mm)
JM15810001T	4 holes L	112mm
JM15810002T	5 holes L	130mm
JM15810003T	6 holes L	148mm
JM15810004T	7 holes L	166mm
JM15810005T	4 holes R	112mm
JM15810006T	5 holes R	130mm
JM15810007T	6 holes R	148mm
JM15810008T	7 holes R	166mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Proximal Medial Tibia Locking Compression Plate



REF	Specifications	Length (mm)
JM15820001T	5 holes L	125mm
JM15820002T	7 holes L	157mm
JM15820003T	9 holes L	189mm
JM15820004T	11 holes L	221mm
JM15820005T	13 holes L	253mm
JM15820006T	5 holes R	125mm
JM15820007T	7 holes R	157mm
JM15820008T	9 holes R	189mm
JM15820009T	11 holes R	221mm
JM15820010T	13 holes R	253mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Proximal Lateral Tibia Locking Compression Plate



REF	Specifications	Length (mm)
JM15830001T	3 holes L	100.5mm
JM15830002T	4 holes L	120.5mm
JM15830003T	5 holes L	140.5mm
JM15830004T	7 holes L	180.5mm
JM15830005T	9 holes L	220.5mm
JM15830006T	11 holes L	260.5mm
JM15830007T	13 holes L	300.5mm
JM15830008T	3 holes R	100.5mm
JM15830009T	4 holes R	120.5mm
JM15830010T	5 holes R	140.5mm
JM15830011T	7 holes R	180.5mm
JM15830012T	9 holes R	220.5mm
JM15830013T	11 holes R	260.5mm
JM15830014T	13 holes R	300.5mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Proximal Lateral Tibia Locking Compression Plate



REF	Specifications	Length (mm)
JM15840001T	7 holes L	102mm
JM15840002T	9 holes L	132mm
JM15840003T	11 holes L	162mm
JM15840004T	13 holes L	192mm
JM15840005T	15 holes L	222mm
JM15840006T	7 holes R	102mm
JM15840007T	9 holes R	132mm
JM15840008T	11 holes R	162mm
JM15840009T	13 holes R	192mm
JM15840010T	15 holes R	222mm

Use 3.5mm cortical screws / 3.5mm locking head screws

Proximal Posteromedial Tibia Locking Compression Plate



REF	Specifications	Length (mm)
JM15850001T	3 holes	69mm
JM15850002T	4 holes	79mm
JM15850003T	6 holes	105mm
JM15850004T	8 holes	131mm
JM15850005T	10 holes	157mm
JM15850006T	12 holes	183mm

Use 3.5mm cortical screws / 3.5mm locking head screws

Distal Lateral Tibia Locking Compression Plate



REF	Specifications	Length (mm)
JM15860001T	5 holes L	108mm
JM15860002T	7 holes L	140mm
JM15860003T	9 holes L	172mm
JM15860004T	11 holes L	204mm
JM15860005T	13 holes L	236mm
JM15860006T	5 holes R	108mm
JM15860007T	7 holes R	140mm
JM15860008T	9 holes R	172mm
JM15860009T	11 holes R	204mm
JM15860010T	13 holes R	236mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Anterolateral Distal Tibia Locking Compression L-Plate



REF	Specifications	Length (mm)
JM15870001T	5 holes L	67.5mm
JM15870002T	7 holes L	93.5mm
JM15870003T	9 holes L	119.5mm
JM15870004T	11 holes L	145.5mm
JM15870005T	13 holes L	171.5mm
JM15870006T	15 holes L	197.5mm
JM15870007T	17 holes L	223.5mm
JM15870008T	19 holes L	249.5mm
JM15870009T	21 holes L	275.5mm
JM15870010T	5 holes R	67.5mm
JM15870011T	7 holes R	93.5mm
JM15870012T	9 holes R	119.5mm
JM15870013T	11 holes R	145.5mm
JM15870014T	13 holes R	171.5mm
JM15870015T	15 holes R	197.5mm
JM15870016T	17 holes R	223.5mm
JM15870017T	19 holes R	249.5mm
JM15870018T	21 holes R	275.5mm

Use 4.0mm cancellous screws / 3.5mm cortical screws / 3.5mm locking head screws

JinMing Medical

Locking Compression T-Plate



REF	Specifications	Length (mm)
JM15880001T	4 holes L	94mm
JM15880002T	6 holes L	120mm
JM15880003T	8 holes L	146mm
JM15880004T	10 holes L	172mm
JM15880005T	12 holes L	198mm
JM15880006T	4 holes R	94mm
JM15880007T	6 holes R	120mm
JM15880008T	8 holes R	146mm
JM15880009T	10 holes R	172mm
JM15880010T	12 holes R	198mm

Use 3.5mn cortical scrers / 3.5mn locking head screws

Locking Compression T-Plate



REF	Specifications	Length (mm)
JM15890001T	6 holes L	138mm
JM15890002T	8 holes L	170mm
JM15890003T	10 holes L	202mm
JM15890004T	12 holes L	234mm
JM15890005T	6 holes R	138mm
JM15890006T	8 holes R	170mm
JM15890007T	10 holes R	202mm
JM15890008T	12 holes R	234mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Distal Medial Tibia Locking Compression Plate



REF	Specifications	Length (mm)
JM15900001T	4 holes L	113.5mm
JM15900002T	6 holes L	139.5mm
JM15900003T	8 holes L	165.5mm
JM15900004T	10 holes L	191.5mm
JM1590000ST	12 holes L	217.5mm
JM15900006T	14 holes L	243.5mm
JM15900007T	16 holes L	269.5mm
JM15900008T	4 holes R	113.5mm
JM15900009T	6 holes R	139.5mm
JM15900010T	8 holes R	165.5mm
JM15900011T	10 holes R	191.5mm
JM15900012T	12 holes R	217.5mm
JM15900013T	14 holes R	243.5mm
JM15900014T	16 holes R	269.5mm

Use 4.0mm cancellous screws / 3.5mm cortical scrers / 3.5mm locking head screws

Distal Medial Tibia Locking Compression Plate



REF	Specifications	Length (mm)
JM15910001T	3 holes L	109mm
JM15910002T	5 holes L	135mm
JM15910003T	7 holes L	161mm
JM15910004T	9 holes L	187mm
JM15910005T	11 holes L	213mm
JM15910006T	13 holes L	239mm
JM15910007T	3 holes R	109mm
JM15910008T	5 holes R	135mm
JM15910009T	7 holes R	161mm
JM15910010T	9 holes R	187mm
JM15910011T	11 holes R	213mm
JM15910012T	13 holes R	239mm

Use 4.0mm cancellous screws / 3.5mm cortical screws / 3.5mm locking head screws

Distal Fibular Locking Compression Plate



REF	Specifications	Length (mm)
JM15920001T	3 holes L	63.5mm
JM15920002T	4 holes L	74mm
JM15920003T	5 holes L	84.5mm
JM15920004T	6 holes L	95mm
JM15920005T	7 holes L	105.5mm
JM15920006T	9 holes L	126.5mm
JM15920007T	11 holes L	147.5mm
JM15920008T	3 holes R	63.5mm
JM15920009T	4 holes R	74mm
JM15920010T	5 holes R	84.5mm
JM15920011T	6 holes R	95mm
JM15920012T	7 holes R	105.5mm
JM15920013T	9 holes R	126.5mm
JM15920014T	11 holes R	147.5mm

Use 2.7mm cortical screws / 2.7/3.5mm locking head screws

Curved Locking Plate



REF	Specifications	Length (mm)
JM15930001T	4 holes	48.2mm
JM15930002T	6 holes	70.5mm
JM15930003T	8 holes	90.7mm
JM15930004T	10 holes	108.2mm
JM15930005T	12 holes	122.3mm
JM15930006T	14 holes	132.7mm
JM15930007T	16 holes	143.1mm

Use 4.0mm cancellous screws/3.5mm cortical screws/3.5mm locking head screws

Calcaneal Locking Plate V



REF	Specifications	Length (mm)
JM15940001T	12 holes L (Big)	68.5mm
JM15940002T	12 holes L (Small)	60mm
JM15940003T	12 holes R (Big)	68.5mm
JM15940004T	12 holes R (Small)	60mm

Use 4.0mm cancellous screws / 3.5mm cortical screws / 3.5mm locking head screws

Calcaneal Locking Plate



REF	Specifications	Length (mm)
JM15950001T	3 holes L	49.5mm
JM15950002T	3 holes R	49.5mm

Use 3.5mm locking head screws

Calcaneal Locking Plate



REF	Specifications	Length (mm)
JM15960001T	3 holes L	45mm
JM15960002T	3 holes R	45mm

Use 3.5mm locking head screws

Calcaneal Locking Plate



REF	Specifications	Length (mm)
JM15970001T	3 holes L	50mm
JM15970002T	3 holes R	50mm

Use 3.5mm locking head screws

Calcaneal Locking Plate



REF	Specifications	Length (mm)
JM15980001T	6 holes L	57.5mm
JM15980002T	6 holes R	57.5mm

Use 3.5mm locking head screws

Calcaneal Locking Plate



REF	Specifications	Length (mm)
JM15990001T	7 holes L	69.5mm
JM15990002T	7 holes R	69.5mm

Use 3.5mm locking head screws

5.0mm Locking Compression Plate,narrow



REF	Specifications	Length (mm)
JM16010001T	5 holes	96mm
JM16010002T	6 holes	114mm
JM16010003T	7 holes	132mm
JM16010004T	8 holes	150mm
JM16010005T	9 holes	168mm
JM16010006T	10 holes	186mm
JM16010007T	11 holes	204mm
JM16010008T	12 holes	222mm
JM16010009T	14 holes	258mm
JM16010010T	16 holes	294mm

Use 6.5mm cancellous screws / 4.5mm cortical screws / 5.0mm locking head screws

5.0mm Locking Compression Plate,broad



REF	Specifications	Length (mm)
JM16020001T	5 holes	96mm
JM16020002T	6 holes	114mm
JM16020003T	7 holes	132mm
JM16020004T	8 holes	150mm
JM16020005T	9 holes	168mm
JM16020006T	10 holes	186mm
JM16020007T	11 holes	204mm
JM16020008T	12 holes	222mm
JM16020009T	14 holes	258mm
JM16020010T	16 holes	294mm

Use 6.5 cancellous screws / 4.5 cortical screws / 5.0 locking head screws

Metaphyseal Locking Compression Plate I



REF	Specifications	Length (mm)
JM16030001T	8 holes	118mm
JM16030002T	9 holes	136mm
JM16030003T	10 holes	154mm
JM16030004T	11 holes	172mm
JM16030005T	12 holes	190mm
JM16030006T	13 holes	208mm
JM16030007T	14 holes	226mm
JM16030008T	16 holes	262mm

Use 4.0mm cancellous screws / 3.5/4.5mm cortical screws / 5.0mm locking head screws

3.5mm Locking Head Screw,self-tapping, Stardrive



REF	Specifications
JM13103512T	Φ3.5×12mm
JM13103514T	Φ3.5×14mm
JM13103516T	Φ3.5×16mm
JM13103518T	Φ3.5×18mm
JM13103520T	Φ3.5×20mm
JM13103522T	Φ3.5×22mm
JM13103524T	Φ3.5×24mm
JM13103526T	Φ3.5×26mm
JM13103528T	Φ3.5×28mm
JM13103530T	Φ3.5×30mm
JM13103532T	Φ3.5×32mm
JM13103534T	Φ3.5×34mm
JM13103536T	Φ3.5×36mm
JM13103538T	Φ3.5×38mm
JM13103540T	Φ3.5×40mm
JM13103542T	Φ3.5×42mm
JM13103544T	Φ3.5×44mm
JM13103546T	Φ3.5×46mm
JM13103548T	Φ3.5×48mm
JM13103550T	Φ3.5×50mm
JM13103552T	Φ3.5×52mm
JM13103554T	Φ3.5×54mm
JM13103556T	Φ3.5×56mm
JM13103558T	Φ3.5×58mm
JM13103560T	Φ3.5×60mm
JM13103565T	Φ3.5×65mm
JM13103570T	Φ3.5×70mm
JM13103575T	Φ3.5×75mm
JM13103580T	Φ3.5×80mm
JM13103585T	Φ3.5×85mm
JM13103590T	Φ3.5×90mm

3.5mm Locking Head Screw,self-tapping, Hex



REF	Specifications
JM13113512T	Φ3.5×12mm
JM13113514T	Φ3.5×14mm
JM13113516T	Φ3.5×16mm
JM13113518T	Φ3.5×18mm
JM13113520T	Φ3.5×20mm
JM13113522T	Φ3.5×22mm
JM13113524T	Φ3.5×24mm
JM13113526T	Φ3.5×26mm
JM13113528T	Φ3.5×28mm
JM13113530T	Φ3.5×30mm
JM13113532T	Φ3.5×32mm
JM13113534T	Φ3.5×34mm
JM13113536T	Φ3.5×36mm
JM13113538T	Φ3.5×38mm
JM13113540T	Φ3.5×40mm
JM13113542T	Φ3.5×42mm
JM13113544T	Φ3.5×44mm
JM13113546T	Φ3.5×46mm
JM13113548T	Φ3.5×48mm
JM13113550T	Φ3.5×50mm
JM13113552T	Φ3.5×52mm
JM13113554T	Φ3.5×54mm
JM13113556T	Φ3.5×56mm
JM13113558T	Φ3.5×58mm
JM13113560T	Φ3.5×60mm
JM13113565T	Φ3.5×65mm
JM13113570T	Φ3.5×70mm
JM13113575T	Φ3.5×75mm
JM13113580T	Φ3.5×80mm
JM13113585T	Φ3.5×85mm
JM13113590T	Φ3.5×90mm

5.0mm Locking Head Screw,self-tapping, Stardrive



REF	Specifications
JM13120516T	Φ5.0×16mm
JM13120518T	Φ5.0×18mm
JM13120520T	Φ5.0×20mm
JM13120522T	Φ5.0×22mm
JM13120524T	Φ5.0×24mm
JM13120526T	Φ5.0×26mm
JM13120528T	Φ5.0×28mm
JM13120530T	Φ5.0×30mm
JM13120532T	Φ5.0×32mm
JM13120534T	Φ5.0×34mm
JM13120536T	Φ5.0×36mm
JM13120538T	Φ5.0×38mm
JM13120540T	Φ5.0×40mm
JM13120542T	Φ5.0×42mm
JM13120544T	Φ5.0×44mm
JM13120546T	Φ5.0×46mm
JM13120548T	Φ5.0×48mm
JM13120550T	Φ5.0×50mm
JM13120552T	Φ5.0×52mm
JM13120554T	Φ5.0×54mm
JM13120556T	Φ5.0×56mm
JM13120558T	Φ5.0×58mm
JM13120560T	Φ5.0×60mm
JM13120562T	Φ5.0×62mm
JM13120564T	Φ5.0×64mm
JM13120566T	Φ5.0×66mm
JM13120568T	Φ5.0×68mm
JM13120570T	Φ5.0×70mm
JM13120575T	Φ5.0×75mm
JM13120580T	Φ5.0×80mm
JM13120585T	Φ5.0×85mm
JM13120590T	Φ5.0×90mm
JM13120595T	Φ5.0×95mm
JM13120500T	Φ5.0×100mm

5.0mm Locking Head Screw, self-tapping,Hex



REF	Specifications
JM13130516T	Φ5.0×16mm
JM13130518T	Φ5.0×18mm
JM13130520T	Φ5.0×20mm
JM13130522T	Φ5.0×22mm
JM13130524T	Φ5.0×24mm
JM13130526T	Φ5.0×26mm
JM13130528T	Φ5.0×28mm
JM13130530T	Φ5.0×30mm
JM13130532T	Φ5.0×32mm
JM13130534T	Φ5.0×34mm
JM13130536T	Φ5.0×36mm
JM13130538T	Φ5.0×38mm
JM13130540T	Φ5.0×40mm
JM13130542T	Φ5.0×42mm
JM13130544T	Φ5.0×44mm
JM13130546T	Φ5.0×46mm
JM13130548T	Φ5.0×48mm
JM13130550T	Φ5.0×50mm
JM13130552T	Φ5.0×52mm
JM13130554T	Φ5.0×54mm
JM13130556T	Φ5.0×56mm
JM13130558T	Φ5.0×58mm
JM13130560T	Φ5.0×60mm
JM13130562T	Φ5.0×62mm
JM13130564T	Φ5.0×64mm
JM13130566T	Φ5.0×66mm
JM13130568T	Φ5.0×68mm
JM13130570T	Φ5.0×70mm
JM13130575T	Φ5.0×75mm
JM13130580T	Φ5.0×80mm
JM13130585T	Φ5.0×85mm
JM13130590T	Φ5.0×90mm
JM13130595T	Φ5.0×95mm
JM13130500T	Φ5.0×100mm

JinMing Medical

6.0mm Cannulated Locking Head Screw,self-tapping,Partially Threaded



REF	Specifications
JM13140660T	Φ6.0×60mm
JM13140665T	Φ6.0×65mm
JM13140670T	Φ6.0×70mm
JM13140675T	Φ6.0×75mm
JM13140680T	Φ6.0×80mm
JM13140685T	Φ6.0×85mm
JM13140690T	Φ6.0×90mm
JM13140695T	Φ6.0×95mm
JM13140600T	Φ6.0×100mm
JM13140605T	Φ6.0×105mm
JM13140610T	Φ6.0×110mm
JM13140615T	Φ6.0×115mm
JM13140620T	Φ6.0×120mm

6.5mm Cannulated Locking Head Screw, self-tapping,Fully Threaded



REF	Specifications
JM13156560T	Φ6.5×60mm
JM13156565T	Φ6.5×65mm
JM13156570T	Φ6.5×70mm
JM13156575T	Φ6.5×75mm
JM13156580T	Φ6.5×80mm
JM13156585T	Φ6.5×85mm
JM13156590T	Φ6.5×90mm
JM13156595T	Φ6.5×95mm
JM13156500T	Φ6.5×100mm
JM13156505T	Φ6.5×105mm
JM13156510T	Φ6.5×110mm
JM13156515T	Φ6.5×115mm
JM13156520T	Φ6.5×120mm

7.3mm Cannulated Locking Head Screw,self-tapping,Parially Threaded



REF	Specifications
JM13167360T	Φ7.3×60mm
JM13167365T	Φ7.3×65mm
JM13167370T	Φ7.3×70mm
JM13167375T	Φ7.3×75mm
JM13167380T	Φ7.3×80mm
JM13167385T	Φ7.3×85mm
JM13167390T	Φ7.3×90mm
JM13167395T	Φ7.3×95mm
JM13167300T	Φ7.3×100mm
JM13167305T	Φ7.3×105mm
JM13167310T	Φ7.3×110mm
JM13167315T	Φ7.3×115mm
JM13167320T	Φ7.3×120mm

Locking DHS Compression Plate,130°



REF	Specifications	Length (mm)
JM16040001T	4 holes	102mm
JM16040002T	5 holes	118mm
JM16040003T	6 holes	134mm
JM16040004T	8 holes	166mm
JM16040005T	10 holes	198mm
JM16040006T	12 holes	230mm
JM16040007T	14 holes	262mm
JM16040008T	16 holes	294mm

Use 4.5mm cortical screws / 5.0mm locking head screws / lag screws amd compression screws

Locking DCS Compression Plate,95°



REF	Specifications	Length (mm)
JM16050001T	4 holes	90mm
JM16050002T	5 holes	106mm
JM16050003T	6 holes	122mm
JM16050004T	8 holes	154mm
JM16050005T	10 holes	186mm
JM16050006T	12 holes	218mm
JM16050007T	14 holes	250mm
JM16050008T	16 holes	282mm

Use 4.5mm cortical screws / 5.0mm locking head screws / lag screws amd compression screws

Lag Screw



REF	Specifications
JM131760T	60mm
JM131765T	65mm
JM131770T	70mm
JM131775T	75mm
JM131780T	80mm
JM131785T	85mm
JM131790T	90mm
JM131795T	95mm
JM131700T	100mm
JM131705T	105mm
JM131710T	110mm
JM131715T	115mm
JM131720T	120mm

TomoFix Lateral Proximal Tibia Plate



REF	Specifications	Length (mm)
JM16060001T	3 holes L	106mm
JM16060002T	5 holes L	146mm
JM16060003T	7 holes L	186mm
JM16060004T	9 holes L	226mm
JM16060005T	3 holes R	106mm
JM16060006T	5 holes R	146mm
JM16060007T	7 holes R	186mm
JM16060008T	9 holes R	226mm

Use 4.5mm cortical screws / 5.0mm locking head screws

TomoFix Medial Proximal Tibia Plate



REF	Specifications	Length (mm)
JM16070001T	4 holes	101mm
JM16070002T	5 holes	115.2mm

Use 4.5mm cortical screws / 5.0mm locking head screws

TomoFix Lateral Distal Femur Plate



REF	Specifications	Length (mm)
JM16080001T	3 holes L	121mm
JM16080002T	4 holes L	141mm
JM16080003T	5 holes L	161mm
JM16080004T	7 holes L	201mm
JM16080005T	9 holes L	241mm
JM16080006T	3 holes R	121mm
JM16080007T	4 holes R	141mm
JM16080008T	5 holes R	161mm
JM16080009T	7 holes R	201mm
JM16080010T	9 holes R	241mm

Use 4.5mm cortical screws / 5.0mm locking head screws

Proximal Femoral P.C.C.P Plate



REF	Specifications	Length (mm)
JM16090001T	5 holes	125mm

Use femur neck screws / shaft screws

Proximal femoral lag screw



REF	Specifications	Length (mm)
JM13187790T	7.7mm	90mm
JM13187700T	7.7mm	100mm
JM13187710T	7.7mm	110mm
JM13187720T	7.7mm	120mm
JM13187730T	7.7mm	130mm
JM13187740T	7.7mm	140mm

Proximal femoral screw



REF	Specifications
JM13194531T	Φ4.5x31mm
JM13194534T	Φ4.5x34mm
JM13194537T	Φ4.5x37mm
JM13194540T	Φ4.5x40mm
JM13194543T	Φ4.5x43mm
JM13194546T	Φ4.5x46mm

Mini Locking Instrument Set



Product NO	Products	QTY.
JM71510100	Drill Bit,Φ1.5mm	1
JM71510200	Drill Bit,Φ2.0mm	1
JM71510300	Drill Sleeve,Φ1.5mm	2
JM71510400	Double Drill Guide,Φ1.5 - 2.0mm	1
JM71510500	Plate Holder,2.0mm	1
JM71510600	Stardrive Screwdriver,2.0mm	1
JM71510700	Countersink Drill	3
JM71510800	Plate Holder,2.4/2.7mm	2
JM71510900	Cutting Pliers	1
JM71511000	Small Handle With Quick Coupling	1
JM71511100	Bending Pliers	2
JM71511200	Screw Holding Forceps	1
JM71511300	Reduction Forceps with Points,Small	1
JM71511400	Double Drill Guide,Φ1.1 - 1.5mm	1
JM71511500	Drill Sleeve,Φ1.1mm	2
JM71511600	Plate Holder,1.5mm	2
JM71511700	Drill Bit,Φ1.1mm	1
JM71511800	Drill Bit,Φ1.5mm	1
JM71511900	Countersink Drill,Φ1.5mm	1
JM71512000	Stardrive Screwdriver,Φ1.5mm	1
JM71512100	Screw Holder,1.5mm	1
JM71512200	Torque - limiting Screwdriver with Q.C.,0.4N.m	1
JM71512300	Drill Bit,Φ1.8mm	1
JM71512400	Drill Bit,Φ2.0mm	1
JM71512500	Drill Bit,Φ2.4mm	1
JM71512600	Drill Bit,Φ2.7mm	1
JM71512700	Drill Sleeve,Φ1.8mm	1
JM71512800	Drill Sleeve,Φ2.0mm	1
JM71512900	Double Drill Guide,Φ1.8 - 2.4mm	1
JM71513000	Double Drill Guide,Φ2.0 - 2.7mm	1
JM71513100	Depth Gauge with Protector,0 - 50mm	1
JM71513200	Stardrive Screwdriver With Q.C,T8	2
JM71513300	Retractor,6.5	1
JM71513400	Periosteum Elevator,Round	1
JM71513500	Periosteum Elevator,Flat	1
JM71513600	Curved Reduction Forceps	1
JM71301400	Depth Gauge,0 - 30mm	1
JM71302500	Retractor,15.5	1
JM71513900	AO Handle With Quick Coupling	1
JM71514000	Screw & Plate Case,1.5mm	1
JM71514100	Screw & Plate Case,2.0mm	1
JM71514200	Screw & Plate Case,2.4mm	1
JM71514300	Screw & Plate Case,2.7mm	1
JM71514400	Instrument Case	1

1 Drill Bit,Φ1.5mm



Product NO JM71510100

2 Drill Bit,Φ2.0mm



Product NO JM71510200

3 Drill Sleeve,Φ1.5mm



Product NO JM71510300

4 Double Drill Guide, Φ1.5 - 2.0mm



Product NO JM71510400

5 Plate Holder,2.0mm



Product NO JM71510500

6 Stardrive Screwdriver, 2.0mm



Product NO JM71510600

7 Countersink Drill



Product NO JM71510700

8 Plate Holder,2.4/2.7mm



Product NO JM71510800

9 Cutting Pliers



Product NO JM71510900

10 Small Handle With Quick Coupling



Product NO	JM71511000

11 Bending Pliers



Product NO	JM71511100

12 Screw Holding Forceps



Product NO	JM71511200

13 Reduction Forceps with Points, Small



Product NO	JM71511300

14 Double Drill Guide, Φ1.1 - 1.5mm



Product NO	JM71511400

15 Drill Sleeve,Φ1.1mm



Product NO	JM71511500

16 Plate Holder,1.5mm



Product NO	JM71511600

17 Drill Bit,Φ1.1mm



Product NO	JM71511700

18 Drill Bit,Φ1.5mm



Product NO	JM71511800

19 Countersink Drill,Φ1.5mm



Product NO	JM71511900

20 Stardrive Screwdriver, Φ1.5mm



Product NO	JM71512000

21 Screw Holder,1.5mm



Product NO	JM71512100

22 Torque - limiting Screwdriver with Q.C.,0.4N.m



Product NO	JM71512200

23 Drill Bit,Φ1.8mm



Product NO	JM71512300

24 Drill Bit,Φ2.0mm



Product NO	JM71512400

25 Drill Bit,Φ2.4mm



Product NO	JM71512500

26 Drill Bit,Φ2.7mm



Product NO	JM71512600

27 Drill Sleeve,Φ1.8mm



Product NO	JM71512700

JinMing Medical

28 Drill Sleeve,Φ2.0mm



Product NO	JM71512800

29 Double Drill Guide, Φ1.8 - 2.4mm



Product NO	JM71512900

30 Double Drill Guide, Φ2.0 - 2.7mm



Product NO	JM71513000

31 Depth Gauge with Protector, 0 - 50mm



Product NO	JM71513100

32 Stardrive Screwdriver With Q.C,T8



Product NO	JM7153200

33 Retractor,6.5



Product NO	JM71513300

34 Periosteum Elevator,Round



Product NO	JM71513400

35 Periosteum Elevator,Flat



Product NO	JM71513500

36 Curved Reduction Forceps



Product NO	JM71513600

37 Depth Gauge,0 - 30mm



Product NO	JM71301400

38 Retractor,15.5



Product NO	JM71302500

39 AO Handle With Quick Coupling



Product NO	JM71513900

40 Screw & Plate Case,1.5mm



Product NO	JM71514000

41 Screw & Plate Case,2.0mm



Product NO	JM71514100

42 Screw & Plate Case,2.4mm



Product NO	JM71514200

43 Screw & Plate Case,2.7mm



Product NO	JM71514300

2.4/2.7 Locking Compression Instrument Set





Product NO	Products	QTY.
JM71520100	Drill Bit,Φ1.8mm	2
JM71520200	Drill Bit,Φ2.0mm	2
JM71520300	Drill Bit,Φ2.4mm	2
JM71520400	Drill Bit,Φ2.7mm	2
JM71520500	Guide Pin,Φ1.5mm	2
JM71520600	Tip Threaded Guide Wire,Φ1.5mm	2
JM71520700	Tap,HA2.4	1
JM71520800	Tap,HA2.7	1
JM71520900	Drill Sleeve,Φ1.5mm	2
JM71521000	Drill Sleeve,Φ1.8mm	2
JM71521100	Drill Sleeve,Φ2.0mm	2
JM71521200	Double Drill Guide,Φ1.8 - 2.4mm	1
JM71521300	Double Drill Guide,Φ2.0 - 2.7mm	1
JM71521400	Depth Gauge,0 - 50mm	1
JM71521500	Screwdriver Shaft Stardrive,2.4, for Quick Coupling,T8	1
JM71521600	Stardrive Screwdriver,T8	1
JM71521700	Holding Sleeve for Screws,2.4/2.7mm	1
JM71521800	Torque-limiting Screwdriver,0.8N.m	1
JM71521900	Retractor,6.5	1
JM71522000	Periosteum Elevator,Round	1
JM71522100	Periosteum Elevator,Flat	1
JM71522200	Small Reduction Forceps	1
JM71522300	Large Reduction Forceps	1
JM71522400	Curved Reduction Forceps	1
JM71522500	Jujube Wheel Handle（Optional selection）	1
JM71522600	Bending Pliers	2
JM71522700	VA-LCP Guide,Φ1.8mm	1
JM71522800	Depth Gauge,0 - 60mm	1
JM71522900	T Handle With Quick Coupling	1
JM71523000	Retractor,15.5	1
JM71523100	Implant,PEI（Optional selection）	1
JM71523200	Screw Case	1
JM71523300	Instrument Case	1

1 Drill Bit,Φ1.8mm



Product NO	JM71520100

2 Drill Bit,Φ2.0mm



Product NO	JM71520200

3 Drill Bit,Φ2.4mm



Product NO	JM71520300

4 Drill Bit,Φ2.7mm



Product NO	JM71520400

5 Guide Pin,Φ1.5mm



Product NO	JM71520500

6 Tip Threaded Guide Wire, Φ1.5mm



Product NO	JM71520600

7 Tap,HA2.4



Product NO	JM71520700

8 Tap,HA2.7



Product NO	JM71520800

9 Drill Sleeve,Φ1.5mm



Product NO	JM71520900

10 Drill Sleeve,Φ1.8mm



Product NO	JM71521000

11 Drill Sleeve,Φ2.0mm



Product NO	JM71521100

12 Double Drill Guide, Φ1.8 - 2.4mm



Product NO	JM71521200

13 Double Drill Guide, Φ2.0 - 2.7mm



Product NO	JM71521300

14 Depth Gauge,0 - 50mm



Product NO	JM71521400

15 Screwdriver Shaft Stardrive 2.4, for Quick Coupling,T8



Product NO	JM71521500

16 Stardrive Screwdriver,T8



Product NO	JM71521600

17 Holding Sleeve for Screws, 2.4/2.7mm



Product NO	JM71521700

18 Torque-limiting Screwdriver, 0.8N.m



Product NO	JM71521800

19 Retractor,6.5



Product NO	JM71521900

20 Periosteum Elevator,Round



Product NO	JM71522000

21 Periosteum Elevator,Flat



Product NO	JM71522100

22 Small Reduction Forceps



Product NO	JM71522200

23 Large Reduction Forceps



Product NO	JM71522300

24 Curved Reduction Forceps



Product NO	JM71522400

25 Jujube Wheel Handle (Optional selection)



Product NO	JM71522500

26 Bending Pliers



Product NO	JM71522600

27 VA-LCP Guide,Φ1.8mm



Product NO	JM71522700

28 Depth Gauge,0 - 60mm



Product NO	JM71522800

29 T Handle With Quick Coupling



Product NO	JM71522900

30 Retractor,15.5



Product NO	JM71523000

31 Implant,PEI(Optional selection)



Product NO	JM71523100

32 Screw Case



Product NO	JM71523200

Small Fragment Locking Instrument Set



Product NO	Products	QTY.
JM71300100	Guide Pin,Φ2.0×150mm	4
JM71300300	Drill Bit,Φ2.5mm	2
JM71530300	Drill Bit,Φ2.8mm	2
JM71530400	Tap for Locking Screw,Φ3.5mm	2
JM71300500	Tap,HA3.5mm	1
JM71300500	Tap,HB4.0mm	2
JM71530700	Drill Sleeve,Φ2.8mm	3
JM71530800	Sleeve for Tap,Φ3.5mm	2
JM71300800	Double Drill Guide,Φ2.0 - 4.0mm	1
JM71300900	Double Drill Guide,Φ2.5 - 3.5mm	1
JM71301000	LCP Drill Sleeve,Φ2.5mm	1
JM71301100	Screw Extraction,SW2.5	1
JM71301200	Countersink Drill,Φ6.5mm	1
JM71531400	L Wrench,Φ4.5mm	1
JM71301400	Depth Gauge,0 - 60mm	1
JM71301500	Hex Screwdriver With Q.C,SW2.5	1
JM71301600	Screw Holding Forceps	1
JM71301700	Hex Screwdriver,SW2.5	1
JM71531900	Torque - limiting Screwdriver Shaft	1
JM71532000	Torque - limiting Screwdriver Handle,1.5N.m	1
JM71301800	T Handle With Quick Coupling	1
JM71532200	Chuck With Quick Coupling	1
JM71301900	Plate Bender,A	1
JM71302000	Plate Bender,B	1
JM71302100	Curved Reduction Forceps	1
JM71302200	Self - centering Bone Holding Forceps	1
JM71302300	Reduction Forceps With Points	1
JM71532800	Stardrive Screwdriver,T15	1
JM71532900	Stardrive Screwdriver Shaft With Q.C,T15	1
JM71533000	Torque - limiting Screwdriver Shaft,T15	1
JM71533100	Torque - limiting Screwdriver Handle With Q.C, 1.5N.m (Optional selection)	1
JM71533200	Screw Case	1
JM71533300	Instrument Case	1

INSTRUMENTS SET

1 Guide Pin,Φ2.0×150mm



Product NO	JM71300100

2 Drill Bit,Φ2.5mm



Product NO	JM71300300

3 Drill Bit,Φ2.8mm



Product NO	JM71530300

4 Tap for Locking Screw, Φ3.5mm



Product NO	JM71530400

5 Tap,HA3.5mm



Product NO	JM71300500

6 Tap,HB4.0mm



Product NO	JM71530600

7 Drill Sleeve,Φ2.8mm



Product NO	JM71530700

8 Sleeve for Tap,Φ3.5mm



Product NO	JM71530800

9 Double Drill Guide, Φ2.0 - 4.0mm



Product NO	JM71300800

INSTRUMENTS SET

10 Double Drill Guide, Φ2.5 - 3.5mm



Product NO	JM71300900

11 LCP Drill Sleeve,Φ2.5mm



Product NO	JM71301000

12 Screw Extraction,SW2.5



Product NO	JM71301100

13 Countersink Drill,Φ6.5mm



Product NO	JM71301200

14 L Wrench,Φ4.5mm



Product NO	JM71531400

15 Depth Gauge,0 - 60mm



Product NO	JM71301400

16 Hex Screwdriver With Q.C, SW2.5



Product NO	JM71301500

17 Screw Holding Forceps



Product NO	JM71301600

18 Hex Screwdriver,SW2.5



Product NO	JM71301700

19 Torque - limiting Screwdriver Shaft



Product NO	JM71531900

20 Torque - limiting Screwdriver Handle,1.5N.m



Product NO	JM71532000

21 T Handle With Quick Coupling



Product NO	JM71301800

22 Chuck With Quick Coupling



Product NO	JM71532200

23 Plate Bender,A



Product NO	JM71301900

24 Plate Bender,B



Product NO	JM71302000

25 Curved Reduction Forceps



Product NO	JM71302100

26 Self - centering Bone Holding Forceps



Product NO	JM71302200

27 Reduction Forceps With Points



Product NO	JM71302300

28 Stardrive Screwdriver,T15



Product NO	JM71532800

29 Stardrive Screwdriver Shaft With Q.C,T15



Product NO	JM71532900

30 Torque - limiting Screwdriver Shaft,T15



Product NO	JM71533000

31 Torque - limiting Screwdriver Handle With Q.C,1.5N.m (Optional selection)



Product NO	JM71533100

32 Screw Case



Product NO	JM7153200

JinMing Medical

Large Fragment Locking Instrument Set



Product NO	Products	QTY.
JM71320800	Guide Pin,Φ2.0×300mm	4
JM71321300	Drill Bit,Φ3.2mm	2
JM71540300	Drill Bit,Φ4.1mm	2
JM71321400	Drill Bit,Φ4.5mm	2
JM71540500	Guide Pin Drill Sleeve,Φ2.0mm	2
JM71540600	Drill Sleeve,Φ4.2mm	3
JM71540700	Sleeve for Tap,Φ5.0mm	2
JM71321600	Tap,HA4.5mm	1
JM71540900	Tap,Φ5.0mm	2
JM71321700	Tap,HB6.5mm	1
JM71321800	Double Drill Guide,Φ3.2 - 4.5mm	1
JM71321900	Double Drill Guide,Φ3.2 - 6.5mm	1
JM71322000	LC - DCP Guide,Φ3.2mm	1
JM71322100	Countersink Drill,Φ8.8mm	1
JM71322200	Depth Gauge,0 - 100mm	1
JM71322300	Plate Bender,A	1
JM71322400	Plate Bender,B	1
JM71322500	Screw Holding Forceps	1
JM71541900	Stardrive Screwdriver Shaft With Q.C,T25	1
JM71322600	Hex Screwdriver With Q.C,SW3.5	1
JM71322700	Screw Extraction,SW3.5	1
JM71531400	L Wrench,Φ4.5mm	1
JM71301800	T Handle With Quick Coupling	1
JM71542400	Torque - limiting Screwdriver Handle,4.0N.m	1
JM71542500	Torque - limiting Screwdriver Shaft,Hex,SW3.5	1
JM71542600	Torque - limiting Screwdriver,Stardrive,T25	1
JM71542700	Stardrive Screwdriver,T25	1
JM71322800	Hex Screwdriver,SW3.5	1
JM71323000	Self - centering Bone Holding Forceps	2
JM71323100	Curved Reduction Forceps	1
JM71323200	Reduction Forceps with Points	1
JM71543200	Torque - limiting Screwdriver Handle With Q.C,4.0N.m (Optional selection)	1
JM71543300	Screw Case	1
JM71543400	Instrument Case	1

1 Guide Pin,Φ2.0×300mm



Product NO	JM71320800

2 Drill Bit,Φ3.2mm



Product NO	JM71321300

3 Drill Bit,Φ4.1mm



Product NO	JM71540300

4 Drill Bit,Φ4.5mm



Product NO	JM71321400

5 Guide Pin Drill Sleeve, Φ2.0mm



Product NO	JM71540500

6 Drill Sleeve,Φ4.2mm



Product NO	JM71540600

7 Sleeve for Tap,Φ5.0mm



Product NO	JM71540700

8 Tap,HA4.5mm



Product NO	JM71321600

9 Tap,Φ5.0mm



Product NO	JM71540900

10 Tap,HB6.5mm



Product NO	JM71321700

11 Double Drill Guide, Φ3.2 - 4.5mm



Product NO	JM71321800

12 Double Drill Guide, Φ3.2 - 6.5mm



Product NO	JM71321900

13 LC - DCP Guide,Φ3.2mm



Product NO	JM71322000

14 Countersink Drill,Φ8.8mm



Product NO	JM71322100

15 Depth Gauge,0 - 100mm



Product NO	JM71322200

16 Plate Bender,A



Product NO	JM71322300

17 Plate Bender,B



Product NO	JM71322400

18 Screw Holding Forceps



Product NO	JM71322500

19 Stardrive Screwdriver Shaft With Q.C,T25



Product NO	JM71541900

20 Hex Screwdriver With Q.C, SW3.5



Product NO	JM71322600

21 Screw Extraction,SW3.5



Product NO	JM71322700

22 L Wrench,Φ4.5mm



Product NO	JM71531400

23 T Handle With Quick Coupling



Product NO	JM71301800

24 Torque - limiting Screwdriver Handle,4.0N.m



Product NO	JM71542400

25 Torque - limiting Screwdriver Shaft,Hex,SW3.5



Product NO	JM71542500

26 Torque - limiting Screwdriver, Stardrive,T25



Product NO	JM71542600

27 Stardrive Screwdriver,T25



Product NO	JM71542700

28 Hex Screwdriver,SW3.5



Product NO	JM71322800

29 Self - centering Bone Holding Forceps



Product NO	JM71322300

30 Curved Reduction Forceps



Product NO	JM71323100

31 Reduction Forceps with Points



Product NO	JM71323200

32 Torque - limiting Screwdriver Handle With Q.C,4.0N.m (Optional selection)



Product NO	JM71543200

33 Screw Case



Product NO	JM71543300

Broken Screw Removal Instrument Set





Product NO	Products	QTY.
JM71301800	T Handle With Quick Coupling	1
JM71302400	Sharp Hook	1
JM71550300	Stardrive Screwdriver,Φ3.5mm	1
JM71550400	Stardrive Screwdriver,Φ4.4mm	1
JM71550500	Hex Screwdriver,SW4.0	1
JM71550600	Hex Screwdriver,SW3.5	1
JM71550700	Hex Screwdriver,SW2.5	1
JM71550800	Conical Extraction Screw,Φ2.5mm	1
JM71550900	Conical Extraction Screw,Φ3.5mm	1
JM71551000	Extraction Bolt,Φ3.5mm	1
JM71551100	Extraction Bolt,Φ4.5mm	1
JM71551200	Extraction Bolt,Φ6.5mm	1
JM71551300	Hollow Reamer,Φ3.5mm	1
JM71551400	Hollow Reamer,Φ4.5mm	1
JM71551500	Hollow Reamer,Φ6.5mm	1
JM71551600	Handle With Hollow Reamer,Φ3.5mm	1
JM71551700	Handle With Hollow Reamer,Φ4.5mm	1
JM71551800	Handle With Hollow Reamer,Φ6.5mm	1
JM71551900	Spare Centering Pin,Φ3.5mm	1
JM71552000	Spare Centering Pin,Φ4.5mm	1
JM71552100	Spare Centering Pin,Φ6.5mm	1
JM71552200	Carbide Drill Bit,Φ4.0mm	1
JM71552300	Carbide Drill Bit,Φ6.0mm	1
JM71552400	Universal Screw Extractor,Φ4.5mm	1
JM71552500	Universal Screw Extractor,Φ3.5mm	1
JM71552600	Awl	1
JM71552700	Handle With Quick Coupling	1
JM71552800	Plier for Screw Removal	1
JM71552900	Hollow Gouge	1
JM71553000	Instrument Case,Small	1
JM71553100	Instrument Case	1

JinMing Medical

1 T Handle With Quick Coupling



Product NO	JM71301800

2 Sharp Hook



Product NO	JM71302400

3 Stardrive Screwdriver, Φ3.5mm



Product NO	JM71550300

4 Stardrive Screwdriver, Φ4.4mm



Product NO	JM71530400

5 Hex Screwdriver,SW4.0



Product NO	JM71300500

6 Hex Screwdriver,SW3.5



Product NO	JM71550600

7 Hex Screwdriver,SW2.5



Product NO	JM71550700

8 Conical Extraction Screw, Φ2.5mm



Product NO	JM71550800

9 Conical Extraction Screw, Φ3.5mm



Product NO	JM71550900

10 Extraction Bolt,Φ3.5mm



Product NO	JM71551000

11 Extraction Bolt,Φ4.5mm



Product NO	JM71551100

12 Extraction Bolt,Φ6.5mm



Product NO	JM71551200

13 Hollow Reamer,Φ3.5mm



Product NO	JM71551300

14 Hollow Reamer,Φ4.5mm



Product NO	JM71551400

15 Hollow Reamer,Φ6.5mm



Product NO	JM71551500

16 Handle With Hollow Reamer, Φ3.5mm



Product NO	JM71551600

17 Handle With Hollow Reamer, Φ4.5mm



Product NO	JM71551700

18 Handle With Hollow Reamer, Φ6.5mm



Product NO	JM71551800

JinMing Medical

19 Spare Centering Pin,Φ3.5mm



Product NO	JM71551900

20 Spare Centering Pin, Φ4.5mm



Product NO	JM71552000

21 Spare Centering Pin, Φ6.5mm



Product NO	JM71552100

22 Carbide Drill Bit,Φ4.0mm



Product NO	JM71552200

23 Carbide Drill Bit,Φ6.0mm



Product NO	JM71552300

24 Universal Screw Extractor, Φ4.5mm



Product NO	JM71552400

25 Universal Screw Extractor, Φ3.5mm



Product NO	JM71552500

26 Awl



Product NO	JM71552600

27 Handle With Quick Coupling



Product NO	JM71552700

28 Plier for Screw Removal



Product NO	JM71552800

29 Hollow Gouge



Product NO	JM71552900

30 Instrument Case,Small



Product NO	JM71553000

Collinear Reduction Clamp Set



Product NO	Products	QTY.
JM71560100	Sliding Mechanism	1
JM71560200	Hohmann - Style Arm,183mm	1
JM71560300	Pelvic Arm,225mm	1
JM71560400	Percutaneous Arm,255mm	1
JM71560500	Anchor Rivet	2
JM71560600	Cleaning Brush,2.8mm	2
JM71560700	Cleaning Wire,2.5mm	2
JM71560800	Thread Guide Pin,400mm	2
JM71560900	Instrument Case	1

JinMing Medical

1 Sliding Mechanism



Product NO	JM71560100

2 Hohmann - Style Arm, 183mm



Product NO	JM71560200

3 Pelvic Arm,225mm



Product NO	JM71560300

4 Percutaneous Arm,255mm



Product NO	JM71560400

5 Anchor Rivet



Product NO	JM71560500

6 Cleaning Brush,2.8mm



Product NO	JM71560600

7 Cleaning Wire,2.5mm



Product NO	JM71560700

8 Thread Guide Pin,400mm



Product NO	JM71560800

DHS/DCS Instrument Set



Product NO	Products	QTY.
JM71321300	Drill Bit,Φ3.2mm	2
JM71321400	Drill Bit,Φ4.5mm	2
JM71321600	Tap,HA4.5mm	1
JM71321700	Tap,HB6.5mm	1
JM71321800	Double Drill Guide,Φ3.2 - 4.5mm	1
JM71321900	Double Drill Guide,Φ3.2 - 6.5mm	1
JM71322000	LC - DCP Guide,Φ3.2mm	1
JM71322200	Depth Gauge,0 - 100mm	1
JM71322500	Screw Holding Forceps	1
JM71322800	Hex Screwdriver,SW3.5	1
JM71571100	Guide Pin,Φ2.5×250mm	2
JM71571200	Thread Guide Pin,Φ2.5×250mm	2
JM71571300	Cleaning Guide Pin,Φ2.5mm	1
JM71571400	Lag Screw Tap	1
JM71571500	Depth Gauge for Guide Pin,10 - 140mm	1
JM71571600	Screwdriver	1
JM71571700	Screwdriver for Lag Screw,SW7.0	1
JM71571800	Connecting Shaft for Lag Screw	1
JM71571900	Quick Coupling Adaptor	1
JM71301800	T Handle With Quick Coupling	1
JM71572100	Handle With Triangle Quick Coupling	1
JM71572200	DHS Reamer	1
JM71572300	DCS Reamer	1
JM71572400	Impactor	1
JM71572500	Combined Guide	1
JM71572600	Instrument Case	1

1 Drill Bit,Φ3.2mm



Product NO	JM71321300

2 Drill Bit,Φ4.5mm



Product NO	JM71321400

3 Tap,HA4.5mm



Product NO	JM71321600

4 Tap,HB6.5mm



Product NO	JM71321700

5 Double Drill Guide, Φ3.2 - 4.5mm



Product NO	JM71321800

6 Double Drill Guide, Φ3.2 - 6.5mm



Product NO	JM71321900

7 LC - DCP Guide,Φ3.2mm



Product NO	JM71322000

8 Depth Gauge,0 - 100mm



Product NO	JM71322200

9 Screw Holding Forceps



Product NO	JM71322500

10 Hex Screwdriver,SW3.5



Product NO	JM71322800

11 Guide Pin,Φ2.5×250mm



Product NO	JM71571100

12 Thread Guide Pin, Φ2.5×250mm



Product NO	JM71571200

13 Cleaning Guide Pin, Φ2.5mm



Product NO	JM71571300

14 Lag Screw Tap



Product NO	JM71571400

15 Depth Gauge for Guide Pin, 10 - 140mm



Product NO	JM71571500

16 Screwdriver



Product NO	JM71571600

17 Screwdriver for Lag Screw, SW7.0



Product NO	JM71571700

18 Connecting Shaft for Lag Screw



Product NO	JM71571800

19 Quick Coupling Adaptor



Product NO	JM71571900

20 T Handle With Quick Coupling



Product NO	JM71301800

21 Handle With Triangle Quick Coupling



Product NO	JM71572100

JinMing Medical

22 DHS Reamer



Product NO	JM71572200

23 DCS Reamer



Product NO	JM71572300

24 Impactor



Product NO	JM71572400

25 Combined Guide



Product NO	JM71572500

TomoFix Knee Osteotomy Instrument Set



Product NO	Products	QTY.
JM71580100	Guide Pin,Φ2.0mm	2
JM71580200	Drill Bit,Φ4.3mm	2
JM71580300	Drill Bit,Φ3.2mm	1
JM71580400	Orthopedic Drill,Φ3.2mm	1
JM71580500	Guide Pin Sleeve,Φ2.0mm	2
JM71580600	Guide Drill Sleeve,Φ4.3mm	4
JM71580700	Guide Drill,Φ3.2/4.5mm	1
JM71580800	Drill Bit Stop	1
JM71580900	Drill Bit Stop Wrench	1
JM71581000	Depth Gauge	1
JM71322600	Hex Screwdriver With Q.C,SW3.5	1
JM71581200	Orthopedic Screwdriver	1
JM71301800	T Handle With Quick Coupling	1
JM71581400	Bone Chisel Tap,20X3X239	1
JM71581500	Bone Chisel Tap,10X3X239	1
JM71581600	Bone Chisel Tap,15X3X239	1
JM71581700	Bone Chisel Tap,25X3X239	1
JM71581800	Femoral External Force Wire Pole	1
JM71581900	Tibial External Force Wire Pole	1
JM71582000	Small Wire Pole Holder	1
JM71582100	Large Wire Pole Holder	1
JM71582200	Orthopedic Detector	1
JM71582300	Tibial Platform Distractor	1
JM71582400	Orthopedic Distractor	1
JM71321600	Tap,HA4.5mm	2
JM71542400	Torque - limiting Screwdriver Handle,4.0N.m	1
JM71542500	Torque - limiting Screwdriver Shaft,Hex,SW3.5	1
JM71582800	Instrument Case	1

JinMing Medical

1 Guide Pin,Φ2.0mm



Product NO	JM71580100

2 Drill Bit,Φ4.3mm



Product NO	JM71580200

3 Drill Bit,Φ3.2mm



Product NO	JM71580300

4 Orthopedic Drill,Φ3.2mm



Product NO	JM71580400

5 Guide Pin Sleeve,Φ2.0mm



Product NO	JM71580500

6 Guide Drill Sleeve,Φ4.3mm



Product NO	JM71580600

7 Guide Drill,Φ3.2/4.5mm



Product NO	JM71580700

8 Drill Bit Stop



Product NO	JM71580800

9 Drill Bit Stop Wrench



Product NO	JM71580900

10 Depth Gauge



Product NO	JM71581000

11 Hex Screwdriver With Q.C, SW3.5



Product NO	JM71322600

12 Orthopedic Screwdriver



Product NO	JM71581200

13 T Handle With Quick Coupling



Product NO	JM71301800

14 Bone Chisel Tap,20X3X239



Product NO	JM71581400

15 Bone Chisel Tap,10X3X239



Product NO	JM71581500

16 Bone Chisel Tap,15X3X239



Product NO	JM71581600

17 Bone Chisel Tap,25X3X239



Product NO	JM71581700

18 Femoral External Force Wire Pole



Product NO	JM71581800

JinMing Medical

19 Tibial External Force Wire Pole



Product NO	JM71581900

20 Small Wire Pole Holder



Product NO	JM71582000

21 Large Wire Pole Holder



Product NO	JM71582100

22 Orthopedic Detector



Product NO	JM71582200

23 Tibial Platform Distractor



Product NO	JM71582300

24 Orthopedic Distractor



Product NO	JM71582400

25 Tap,HA4.5mm



Product NO	JM71321600

26 Torque - limiting Screwdriver Handle,4.0N.m



Product NO	JM71542400

27 Torque - limiting Screwdriver Shaft,Hex,SW3.5



Product NO	JM71542500

Proximal Femoral P.C.C.P Instrument Set



Product NO	Products	QTY.
JM71590100	Neck Screwdriver	1
JM71590200	Shaft Screwdriver	1
JM71590300	Drill Bit,Φ7.0mm	1
JM71590400	Drill Bit,Φ9.3mm	1
JM71590500	Shaft Step Screwdriver,Φ3.5mm	2
JM71590600	Main Guide	1
JM71590700	Quick Coupler	1
JM71590800	Introducer	1
JM71590900	Butterfly Screw	1
JM71591000	Butterfly Pin	1
JM71591100	Bolt	1
JM71591200	Main Sleeve	1
JM71591300	Neck First Sleeve	1
JM71591400	Neck Second Sleeve	1
JM71591500	Trocar-Neck	1
JM71591600	Gauge	1
JM71591700	Impactor	1
JM71591800	Aiming Guide	1
JM71591900	Hook Adapter	1
JM71592000	Trocar-Shaft	1
JM71592100	Multi-functional Wrench	1
JM71592200	Depth Gauge	1
JM71592300	Skin Retractor	1
JM71592400	Hook	1
JM71592500	K Wire	2
JM71592600	Screw Case	2
JM71592700	Instrument Case	1

JinMing Medical

1 Neck Screwdriver



Product NO	JM71590100

2 Shaft Screwdriver



Product NO	JM71590200

3 Drill Bit,Φ7.0mm



Product NO	JM71590300

4 Drill Bit,Φ9.3mm



Product NO	JM71590400

5 Shaft Step Screwdriver, Φ3.5mm



Product NO	JM71590500

6 Main Guide



Product NO	JM71590600

7 Quick Coupler



Product NO	JM71590700

8 Introducer



Product NO	JM71590800

9 Butterfly Screw



Product NO	JM71590900

10 Butterfly Pin



Product NO	JM71591000

11 Bolt



Product NO	JM71591100

12 Main Sleeve



Product NO	JM71591200

13 Neck First Sleeve



Product NO	JM71591300

14 Neck Second Sleeve



Product NO	JM71591400

15 Trocar-Neck



Product NO	JM71591500

16 Gauge



Product NO	JM71591600

17 Impactor



Product NO	JM71591700

18 Aiming Guide



Product NO	JM71591800

JinMing Medical

19 Hook Adapter



Product NO	JM71591900

20 Trocar-Shaft



Product NO	JM71592000

21 Multi-functional Wrench



Product NO	JM71592100

22 Depth Gauge



Product NO	JM71592200

23 Skin Retractor



Product NO	JM71592300

24 Hook



Product NO	JM71592400

25 K Wire



Product NO	JM71592500

26 Screw Case



Product NO	JM71592600

JinMing Medical