



湖北金锋超硬材料有限公司

HUBEI JINFENG SUPERHARD MATERIALS CO.,LTD.

地址: 湖北省鄂州市鄂城区鄂黄大道118号

Add:No.118 Ehuang Avenue,Yanji Town,Ezhou City,Hubei,China

Mob/Wechat/WhatsApp: +86 151 7200 2801

联系人: Rick Shen

<http://www.jinfengtools.com>

Email:rick.shen@jinfengtools.com



湖北金锋超硬材料有限公司

HUBEI JINFENG SUPERHARD MATERIALS Co.,LTD.



CORPORATE PROFILE

公司简介

湖北金锋超硬材料有限公司是由原鄂城金锋金刚石刀具厂发展而来，始创于1994年，自创办以来，不断夯实基础，稳中求进，坚持以“质量是生命，用户是上帝，商标是皇冠，诚信求生存，创新谋发展”的经营理念，经过多年的打拼，不断发展壮大，目前注册资本人民币2000万元，总资产6000余万，年产值8000多万元。

金锋经过多年的精心耕耘和不断的创新，已经发展成集科工贸一体的企业。金锋重科技、重人才，有一批懂技术、善管理的优秀人才。现有职工180人，其中研发、技术人才50多人。规模化、专业化、标准化的管理是公司发展壮大的基础，完整的人员结构与敢为人先的精神是金锋争创一流的动力。

对待客户，金锋守信誉、重合同、讲诚信、求质量。金锋的客户遍布全国所有省份和全球多个国家，产品广受好评的同时也得到了有关部门的认可。2013年被省消委评为“消费者满意单位”，被《武汉科技报》授予“湖北市场质量、信誉、消费者满意、诚信承诺单位”，2015年1月被鄂州市安监局授予全市安全文化建设“示范企业”，2015年被中共蕪矶镇党委授予“先进基层党组织”。2013年起多次被市工商局、市精神文明办、市个私协授予“文明诚信民营企业”和“鄂州市守合同重信用企业”。

“红标锋”品牌效应是金锋公司提升形象、激发活力的源泉，为金锋继续做大做强奠定了坚实基础。



Hubei Jinfeng Superhard Materials Co., Ltd. was developed from the original Echeng Jinfeng Diamond Tool Factory, founded in 1994. Since established, we have been continuously improving our products, strived for progress stably, and insisting on the principle of “the quality is our life, the users are our God, the trademark is our crown, honesty for survival, innovation for development”. The current registered capital is 2.9 million USD, the total capital are more than 8.7 million USD, and the annual output value is over 12 million USD.

After years of hard working and development, Jinfeng has become one of the largest manufacturers of saw blades. We own over 200000m² area of workshops, warehouse and office, over 230 devices and machines. And more valuable, Jinfeng has 186 employees, including 48 R&D personnel, technicians management team, and over 120 skilled workers. Now our monthly production capacity is up to 100000pcs of 250-800mm saw blades and 1000000pcs of 4inch saw blades.

When serving our customers all over China and many countries, we value our reputation and quality. Jinfeng and its products are widely praised and recognized by the customers and the China government. Since 2013, Jinfeng has been awarded by the governments of different levels for 28 times.

Welcome to contact with us, we are looking forward to become your best supplier and long term partner!

COMPANY QUALIFICATION

公司资质



WORKSHOP AND EQUIPMENT

厂房设备




DIAMOND SAW BLADES
 FOR GRANITE

花岗石锯片

●用于切割加工各类花岗石板材，适用范围广。多年畅销产品，品质稳定，切割速度快，切割效果平整、光滑、细腻，不崩边，噪音较低，使用寿命长，可定制不同规格。

●For cutting all kinds of granite slabs. Stable quality, top selling for years. Fast, fine and soft cutting. No chipping. High production. Customized sizes and qualities are available.



直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
250mm/10inch	50/60mm	40 3.2 12/15/20	17
300mm/12inch	50/60mm	40 3.2 12/15/20	21
350mm/14inch	50/60mm	40 3.2 12/15/20	24/25
400mm/16inch	50/60mm	40 3.8 12/15/20	28/29
450mm/18inch	50/60mm	40 4.4 12/15/20	32
500mm/20inch	50/60mm	40 4.4 12/15/20	32/36
550mm/22inch	50/60mm	40 5 12/15/20	36
600mm/24inch	50/60mm	40 5 12/15/20	36/42
650mm/26inch	50/60mm	40 6 12/15/20	36/42
700mm/28inch	50/60mm	40 6 12/15/20	42/52
800mm/32inch	50/60mm	40 6 12/15/20	46/56
900mm/36inch	50/60mm	40 7 12/15/20	64

 SILENT SAW BLADES
 FOR GRANITE

消音花岗石锯片

●用于切割加工各类花岗石板材，适用范围广。多年畅销产品，品质稳定，切割速度快，切割效果平整、光滑、细腻，不崩边，噪音极低，符合全国各地环保法规要求，可提供多种规格和品质。

●For cutting all kinds of granite slabs. Stable quality, top selling for years. Fast, fine and soft cutting. No chipping. Low noise. Different sizes and qualities are available.



直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
250mm/10inch	50/60mm	40 3.2 12/15/20	17
300mm/12inch	50/60mm	40 3.2 12/15/20	21
350mm/14inch	50/60mm	40 3.2 12/15/20	24
400mm/16inch	50/60mm	40 3.8 12/15/20	28
450mm/18inch	50/60mm	40 4.4 12/15/20	32
500mm/20inch	50/60mm	40 4.4 12/15/20	36
550mm/22inch	50/60mm	40 5 12/15/20	40
600mm/24inch	50/60mm	40 5 12/15/20	42
650mm/26inch	50/60mm	40 6 12/15/20	46
700mm/28inch	50/60mm	40 6 12/15/20	52
800mm/32inch	50/60mm	40 6 12/15/20	56

DIAMOND BLADES FOR MARBLE/
 SILENT DIAMOND BLADES FOR MARBLE

大理石锯片/消音大理石锯片

- 用于切割加工各类大理石板材。切割速度快，使用寿命长。切割效果平整、光滑、细腻，不崩边。大理石板材切割加工的首选。
- For cutting all kinds of marble slabs. fast, smooth and fine cutting, high production. the optimal choice of marble cutting.




直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
300mm/12inch	50/60mm	40 2.8 10	23
350mm/14inch	50/60mm	40 3 10	26
400mm/16inch	50/60mm	40 3.6 10	30
450mm/18inch	50/60mm	40 3.8 10	32
500mm/20inch	50/60mm	40 3.8 10	36
600mm/24inch	50/60mm	40 4.2 10	42

 DIAMOND SAW BLADES FOR
 SINTERED STONES

岩板锯片

- 用于切割加工各类岩板。适用范围广，稳定性好。不崩边，平整、光滑、细腻。
- For cutting many kinds of sintered stones. Wide range of application. Good stability. Extremely smooth and fine cutting, no chipping.




直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
300mm/12inch	50mm	40 2.8 10	23
350mm/14inch	50mm	40 3 10	27

DIAMOND SAW BLADES FOR CERAMIC

陶瓷锯片

- 用于切割加工陶瓷。适用于各类陶瓷、瓷砖、釉面砖。不崩边，平整、光滑、细腻。切割速度快，使用寿命长。
- For cutting ceramic, glazed tile and porcelain. Fast, smooth and fine cutting, no chipping. High production.



直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
250mm/10inch	50/60mm	40 2.8 10	19
300mm/12inch	50/60mm	40 2.8 10	23
350mm/14inch	50/60mm	40 3 10	26
400mm/16inch	50/60mm	40 3.6 10	30

 DIAMOND SAW BLADES FOR 'QUARTZ/
ARTIFICIAL STONE

石英石锯片/人造石锯片

- 用于切割石英石以及其他各类人造石材。不崩边，平整、光滑、细腻，使用寿命长。
- For cutting quartz and other kinds of artificial stones. Fast, smooth and fine cutting, no chipping. High production.




直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
250mm/10inch	50/60mm	40 2.8 10	19
300mm/12inch	50/60mm	40 2.8 10	23
350mm/14inch	50/60mm	40 3 10	26
400mm/16inch	50/60mm	40 3.6 10	30

DIAMOND SAW BLADES FOR
 REINFORCED CONCRETE

钢筋混凝土锯片

- 用于切割钢筋混凝土。切割速度快，耐用安全稳定。
- For cutting reinforced concrete. Fast cutting, long work life. Safe cutting and stable quality.




直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
350mm/14inch	25.4/50/60mm	40 3.4 15	24
400mm/16inch	25.4/50/60mm	40 3.8 15	29
450mm/18inch	25.4/50/60mm	40 4.2 15	32
500mm/20inch	25.4/50/60mm	40 4.2 15	32
550mm/22inch	25.4/50/60mm	40 4.8 15	36
600mm/24inch	25.4/50/60mm	40 4.8 15	36

DIAMOND GRINDING WHEELS

金刚石碗磨片


- 金刚石磨轮是金刚石工具中的一种，主要适用于各类耐火材料表面的平面磨削加工处理，产品采用特别设计的锥形安装孔结构，易于装卸，具有加工平整度好、磨削效率高、寿命高等优点，基体采用65锰钢，耐热、耐低温、韧性好。可适用于所有国产和进口磨削设备。
- 金刚石磨轮有不同的种类和规格来迎合不同的应用需要，通用用于来打磨混凝土，石材，还有油漆，胶水，环氧树脂和其它一些地面涂层。




规格 Specification	孔径 Bore	刀头类型 Segment Types
Φ90	20/M14	Single Row
Φ100	20/M14	Double Row
		Turbo
Φ115	20/M14	Rim

TURBO SAW BLADES

小锯片

● 超薄波纹片 SUPER THIN TURBO SAW BLADE

效率高切割平方高，能连续切割；波纹齿设计散热快、排屑快；能长时间连续切割；基体采用65锰钢，耐热、耐低温、韧性好；高抗拉、抗冲击和抗弯强度高，不易断裂变形，安全性高。




(超薄波纹片规格表) Super Thin Turbo Saw Blade

直径 Diameter	规格 Specification(DxHDxTxH)
105	105x20x1.4x8
110	110x20x1.4x8
188	188x25.4x2.4x8

● 通用波纹片 GENERAL PURPOSE TURBO SAW BLADES

效率高切割平方高，能连续切割；波纹齿设计散热快、排屑快；能长时间连续切割；基体采用65锰钢，耐热、耐低温、韧性好；高抗拉、抗冲击和抗弯强度高，不易断裂变形，安全性高。



(通用波纹片规格表) General Purpose Turbo Blade

直径 Diameter	规格 Specification(DxHDxTxH)
105	105x20x2x8
110	110x20x2x8
125	125x20x2x8
150	150x20x2.2x8
180	180x20x2.4x8


● 烧结干片 SINTERED DRY CUTTING SAW BLADES

具有切割速度快，寿命长，切边光洁等特点，适合切割花岗石、板岩、大理石等。

Advantages: high speed of cutting, long lift-span of using, smooth cutting edge, suitable for cutting granite.

(烧结干片规格表) Sizes Of Sintered Dry Cutting Blade

直径 Diameter	规格 Specification(DxHDxTxH)
80	80x20x1.8x8
105	105x20x1.8x7
108	108x20x1.8x9
114	114x20x2.0x12
150	150x22.23x2.2x8
180	180x25.4x2.4x8
200	200x25.4x2.4x12




● 烧结湿片 SINTERED WET CUTTING SAW BLADES

用于湿切花岗岩，特别适用于对切边有严格要求的石材。具有切割速度快，切割窄，切边光洁等特点。Used for wet cutting granite, especially for those stones, which have strict requests on edge finish.

(烧结湿片规格表) Sizes Of Wet Cutting Blade

直径 Diameter	规格Specification (DxHDxTxH)
80	80x20x1.8x4.2
105	105x20x1.8x7
114	114x20x2.08x12
114	114x20x2.0x15
180	180x25.4x2.4x8
200	200x25.4x2.4x8
230	230x25.4x2.6x8
250	250x25.4x3.0x8



● 弧形挖孔片 ARC CUTTING SAW BLADES

适用于石材弧线切割，具有切割速度快，寿命长等优点。Used for cutting stones with arc, with high speed of cutting and long lift-span.

(弧形片规格表) Sizes Of Arc Cutting Balde

直径 Diameter	规格Specification (DxHDxTxH)
105	105x20x1.8x7
108	108x20x1.8x9




DIAMOND SAW BLADES FOR GRANITE WITH SMALL SEGMENTS

短齿花岗岩锯片

●用于切割加工各类花岗石板材，适用范围广。多年畅销产品，品质稳定切割速度快，切割效果平整、光滑、细腻，不崩边，使用寿命长，可定制不同规格。

●For cutting all kinds of granite slabs. Wide range of application. Stable quality, top selling for years. Fast, fine and soft cutting. No chipping. Long work life. Customized sizes and qualities are available.



直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
350mm/14inch	50/60mm	28 3.4 14/16/20	34
400mm/16inch	50/60mm	28 3.8 14/16/20	38
450mm/18inch	50/60mm	28 4.4 14/16/20	42
500mm/20inch	50/60mm	28 4.4 14/16/20	48
550mm/22inch	50/60mm	28 5 14/16/20	52
600mm/24inch	50/60mm	28 5 14/16/20	58
650mm/26inch	50/60mm	28 5.5 14/16/20	60
700mm/28inch	50/60mm	28 5.5 14/16/20	70
800mm/32inch	50/60mm	28 6 14/16/20	80
900mm/36inch	50/60mm	28 7 14/16/20	80

DIAMOND BLADES FOR GRANITE WITH SMALL SEGMENTS(NEW)

短齿无压花岗岩锯片

●用于切割加工各类花岗石板材。全新工艺，价格优势，性价比超高切割速度快，切割效果平整、光滑、细腻，不崩边，可提供多种规格、品质。

●For cutting all kinds of granite slabs. Wide range of application. New technology, Outstandingly cost effective Fast, fine and soft cutting. No chipping. Different sizes and qualities are available.



直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
350mm/14inch	50/60mm	27 3.4 14/16/20	34
400mm/16inch	50/60mm	27 3.8 14/16/20	38
450mm/18inch	50/60mm	27 4.4 14/16/20	42
500mm/20inch	50/60mm	27 4.4 14/16/20	48
550mm/22inch	50/60mm	27 5 14/16/20	52
600mm/24inch	50/60mm	27 5 14/16/20	58
650mm/26inch	50/60mm	27 5.5 14/16/20	60
700mm/28inch	50/60mm	27 5.5 14/16/20	70
800mm/32inch	50/60mm	27 6 14/16/20	80
900mm/36inch	50/60mm	27 7 14/16/20	80

DIAMOND SEGMENTS
FOR GRANITE

花岗岩刀头

- 用于各类花岗岩板材的高效切割。刀头切割速度快，省电，寿命长。可提供三明治刀头，夹层型刀头，W型刀头，U型刀头等各种类型的刀头。
- The diamond segments are applied to cutting all kinds of granite efficiently. Our segments provide fast cutting speed, low power cost and high production. Sandwich type, multi-layers, W shape, U shape segments and other specifications are all available.



直径 Diameter	孔径 Bore	刀头规格 Segments Size	刀头数量 Segments Number
350mm/14inch	50/60mm	28 3.4 14/16/20	34
400mm/16inch	50/60mm	28 3.8 14/16/20	38
450mm/18inch	50/60mm	28 4.4 14/16/20	42
500mm/20inch	50/60mm	28 4.4 14/16/20	48
550mm/22inch	50/60mm	28 5 14/16/20	52
600mm/24inch	50/60mm	28 5 14/16/20	58
650mm/26inch	50/60mm	28 5.5 14/16/20	60
700mm/28inch	50/60mm	28 5.5 14/16/20	70
800mm/32inch	50/60mm	28 6 14/16/20	80
900mm/36inch	50/60mm	28 7 14/16/20	80



直径 Diameter	刀头规格 Segments Size	刀头数量 Segments Number
250mm/10inch	40 3.2 12/15/20	17
300mm/12inch	40 3.2 12/15/20	21
350mm/14inch	40 3.2 12/15/20	24
400mm/16inch	40 3.8 12/15/20	28
450mm/18inch	40 4.4 12/15/20	32
500mm/20inch	40 4.4 12/15/20	36
550mm/22inch	40 5 12/15/20	40
600mm/24inch	40 5 12/15/20	42
650mm/26inch	40 6 12/15/20	46
700mm/28inch	40 6 12/15/20	52
800mm/32inch	40 6 12/15/20	56
900mm/36inch	40 7 12/15/20	64