


Suspended



Corner


115°  
**LW-W91**

## ACCESSORIES :


Aluminum Profile  
Code: **W91**


Aluminum Endcap  
(without hole)  
Code: **W91-Cap**

Suspension Kits  
Code: **Sus.KitsA**

Joiners 90°A  
Code: **J-90A**

Joiners 90°B  
Code: **J-90B**

Joiners 180°A  
Code: **J-180A**

Joiners 120°  
Code: **J-120**


## Optional Diffuser(PMMA)

D080 type					
Dimensions(mm)	Max strip width	Opal	Milky	Frosted	Clear
90*37.5	31.7mm	✓	✓	/	/
Code		D080-O	D080-M	/	/
Light Transmittance		63%	80%	/	/

&lt;57.6W/m


Aluminum Profile Weight:1.5kg/m

Stocked length availability:2m,2.5m.  
Customized length below 6m upon your request.




## Installing Instructions


### Suspended




1. Fit the led strip on the aluminium





2. Click/snap on the diffuser from end to end




3. Install the Suspension Kits




4. Screws the end caps







1. Drilling two holes on both sides of profiles with 500mm hole spacings.




2. Fit the led strip on the aluminium



3. Screws the end caps



4. Install the profiles in the corner



5. Click/snap on the diffuser

