







CONTENTS





P01 ABOUT US

Company introduction

Product certification



P03 OUR STRENGTH

Product design

Custom-made production

Packing and transportation

Business cooperation



P13 CASE SHOW

Surface Round Bendable
Recessed Wall Plaster-in

Corner Popular Indirect panel
Ceiling Trimless illuminated profiles

Floor and stair Architectural Curved ring profiles

About US

LEDWIDE manufactures high-quality LED products and offers full lighting solutions with over 10-years experience in the lighting field. Unique design, multi-functional is our success to cooperate with long term customers worldwide.

All of our aluminum profiles are used in 6063 grade with T5 temper, and with strict quality control system to ensure the finish, dimension, function and ect., which ensure 5 vears+ warrantv.

Furthermore, our LED strips are manufactured in high standard, using one single BIN to ensure color uniformity from orders, owing 3 years+ warranty.

"Customer first" is our core culture, and we're devoted to providing more and more "custom lighting solutions" such as: 1. custom length at max. 6m 2. custom cutting to achieve any required shape 3. custom light source either in pendant, surface mount or recessed

Recently, with the higher demand and changes in the global market, we keep developing and searching for more useful products, and all items are regularly updated to keep releasing new products each month.



Credit First, Customer First, Quality First, Service First


Our Core Value Quality, Innovation, Integrity

It is our great honor to work with you. LEDWIDE, always be your trusted partner in LED lighting field!!!











Authentication







Design















Flammability test

Integrating sphere test











- 1. Two anodizing lines, monthly output 500T. Anodizing thickness is up to 25um.
- 2. Color choices:Silver,bronze,champagne, titanium,nickel,golden yellow,etc.
- 3. Standard: DIN, AAMA, AS, CHINA GB.



- 1. Two powder coating lines, monthly output 600T. Swiss machine GEMA.
- Powder coating thickness is more than 60um. AKZO NOBEL INTERPON, NIPPON. Weather Resistance:more than 10 years.
- 3. Standards:DIN,AAMA,AS,CHINA GB.



Polishing

- 1. Monthly output 300T.
- 2. Three-acid chemical polishing and mechanical polishing.
- 3. Color choices: Silver, nickel, golden yellow, black, etc.

Brushing

- 1. Monthly output 300T.
- 2. Brushing with nylon brush and then anodizing, or chemical polishing.
- 3. Effect: Filamentous strips on the surface.
- 4. Color choices: Silver, nickel, golden yellow, black, bronze, etc.







- 1. Machining:Cutting,punching,drilling,bending,weld,mill,CNC,etc.
- 2. Cutting tolerance +/-0.5MM.
- 3. Machining tolerance +/-0.5MM.

Our company offers both PC(polycarbonate) and PMMA(acrylic) <u>Diffuser</u>, available with optional colors:

PMMA: Opal, Milky, Frosted, Clear PC: Opal, Frosted, Clear

With the demanding of cost effective and quality diffuser, we develop a fresh new PMMA diffuser with our own formula.

- -- Larger light transmittance
- --UV resistant, can be applied outdoor
- --Better flexibility, can be rolled at max. 25m


Our <u>Accessories</u> mainly contain endcaps, metal clips, adjustable clips, spring clips, suspension kits, joiners and ect. However, we make it more user-friendly:

- --Special endcaps design to prevent light leakage
- --Custom suspension kit's wire length for pendant application
- --Custom joiners to achieve different angle or shape
- --Very popular screwless alu endcaps













Aluminum custom

LEDWIDE offers custom cutting in any length at max. 6m, and it's precise to mm. Normally we use 90°180°120° or any type joiners to connect the pieces, easy to ship and install.

You can just tell us what angle or shape you want, then we make it for you. Moreover, having LED strips pre-installed in the required shape is no problem.

Plus, we're pleased to serve customers with CNC engraving alu endcaps. Some of our profiles already come with screwless type, and if you need customized one, we're happy to custom any alu endcaps for you! Either mill finish or silver anodized is upon your request.

You offer us drawing, we CUSTOM for you to make it real!!!



































Packing profile with thick foam to protect better.









Q1. Can we order special length for aluminum profile?

A. Yes, any special length within 6 meters can be made upon your request. But the MOQ for the length longer than 2.5m is 500m per item.

Q2. What is MOQ for the aluminum profile and diffuser?

A. Generally MOQ for aluminum profile and diffuser is 100meters per item, but it's upon to the exact item due to the different size and weight.

Q3. Can you do OEM, how about the mould cost?

A. OEM is welcomed. The mould cost depends on different design, we'll evaluate per your drawing.

Q4. How do you pack the goods well?

A. Standard package: using thick carton box and products are wrapped well by quality EPE foam for oversea shipping. Pallet+ paper tube+carton box package upon request.

Q5. What's the delivery time?

A. Samples within 3 days; for bulk cargo, 5 days if in stock, otherwise 15-20 days.

Q6. How do you ship the goods and how long does it take to arrive?

A. We usually ship by DHL, UPS, FedEx or TNT for the order below 200kgs. It usually takes 4-8 days to arrive.

Airline and sea shipping are also accepted.

Q7. Do you offer guarantee for the products?

A. Yes, we offer at least 3 years warranty to our products.

Q8. What is the payment method?

A. Payment can be made by Bank transfer, credit card, Western union.(Flexible)

Q9. What are the main market of your products?

A. Our main market are America, Australia, Europe, UAE.

Q10. Can you accept a small trial order?

A. Sample or a small order is no problem to check our quality, we offer continuous service for you.



Business partner

















Business cases






















Dimension: 325*415*119.5MM

Net weight: 5KG US\$80/box

Dimension: 325*415*119.5MM

Net weight: 5KG

US\$80/box



Dimension: 325*415*119.5MM

Net weight: 5KG

US\$100/box

What's in the box:

These cases includes high-end led profiles of our series.

The kit also includes: all of our support accessories and end caps, 5 lens (Focus, Clear, Milky, Opal & Frost). Finally, wou will also receive the latest catalog of Ledwide.

Profiles included in kit:



AS1,AS2,AS3,AST1,AS5,AS9 AR1,AR2,AR3,AR6.AR9 AC1,AC2,AC3,AC4,AC5 AT4,AT5,AT6,AT7N,AT11,AT12N AT12N-3,AT13,AT14,AT15-30 AF1,AF2,AF2H,AP2,AA,AB,AV2 WP2,WR2,US20,U20,MD AW1,AW2,AW4-1,AW6,AW7 CT4N,CT5,CT5S,CT6,CT7,ST1 STR3,R24,R30,R34,R60



P35,P46,P50,P60,TR40,TR50, AW35,AW5-1W91,WN35-25, WN31,WN35,EH80,ER50, ER60,ER80,E50,E60,E80



AS1,AS2,AS9,AC2,E50,E60

AT12N,E80,US20,WN35,WP2

















below is a table for your information: (we have tested)

below is a tal	oie for your i	ntormation:	(we nave te	stea)		
Item No.	< 9.6W/m	< 14.4W/m	< 19.2W/m	< 28.8W/m	< 38.4W/m	< 57.6W/m
AS1	√	√				
AS2	√	√	√			
AS3	√ √	V	V			
AS5	V	- V				
AS9	√					
AST1	√.	√.				
AL60	V	V				
US20	√	√	√			
MD	√	√				
U20	√,	√	√			
AR1	√,	√,				
AR2	V	√,	√			
AR3	√	√,	√			
AR5		√	I			
WR2 AR9	√ √	√	\checkmark			
AC1	√ √	V	V			
AC2	√	- V	- V			
AC3	V	V	V			
AC4	V	V	V			
AC5	V	V	V			
AW7	V	V	√			
AV2	√	√				
AT4	√	√	√			
AT5	V	V	V			
AT6	√	√	√			
AT11	√,	√	√			
AT12N	√	√	√ 			
AT12N-3	√,	√,	√ 			
AT5H	√ 	√ 	√ 			
AT7N AT15-30	√ √	√ √	√ √			
AT 16-4	√ √	√ √	V			
AT16-5	7	- V	7			
AT16-5H	V	V	V			
AT16-11	- V	·				
AT16-30-60	v.	V	V			
WP2	√	-V	√			
AA	√	√	V			
AB	√	V	√			
AF1	√	V				
AF2	√	√	√			
AF3	√.	√.	√,			
ST1	√,	√	√ 	,		
STR3	√,	√,	V	√,		
R34	√ /	√ 	√ 	√		
R60	√	V	V			
AW1 AW2	√ √	√ √	√ √			
AW4-1	√ √	√	V			
AW8	V	V	√			
AW5-1	V	V	V	√	√	
AW35	V	V	V	V	V	
P35	√	√	√	√	√	
P46	√	√	√	\checkmark	√	
P50	√	√	√	√	√	
P60	√,	V	√,	√,	V	√
EH80	√,	√	√	√,	√	√
P74	√ -/	√ -/	√ ./	√ -/	√	√
TR35	√ √	√ √	√ √	√ √	√ √	V
TR50 TR60			N V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		V V
TR80	√ √	V	V V		√ √	√ √
WN35	√ √	√ √	√			V
WN35-25	V	V	V	V	V	$\sqrt{}$
E50	- V	- V	V	V	,	V
E60	V	V	V	V	V	V
E80	V	√	√	√	√	V
E100	√	V	V	$\sqrt{}$	V	V
E80-22	√.	√.	√.	√.	√.	V
EU60	√.	V	V	√.	√.	V
EU80	√	√	√	√	√.	√
W91	√,	√	√,	√,	V	√,
WN31	√,	√,	√ 	√,	√,	√
ER50	V	V	V	√ /	V	V
ER60	√	√ ,	√ 	√ /	√ ,	√
ER7635	√ -/	√ ./	√ ./	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$
CT4N CT5	√ √	√ √	√ √			
CT5S	√ √	√ √	√ √			
CT6	√ √	√ √	√ √			
CT7		V	V			
CT8	√ √	$\sqrt{}$	√			
CT9	V	V √	N V			
B1	V	V	V			
	,		,			

SURFACE SERIES (unit:mm)













Page:24

Page:24

Page:25

Page:25

Page:26

Page:26










Page:27

Page:27


Page:28


Page:28

RECESSED SERIES


























Page:34

Page:34

Page:35

Page:35

Page:36

Page:36



Page:37

SURFACE & SUSPENSION SERIES

(unit:mm)



19.2 LW-AT5









Page:39

Page:42

Page:39

Page:40

Page:40


Page:41

Page:41


LW-AT5H















LW-AT16-11 Page:45

Page:45

WATERPROOF SERIES













Page:47

Page:47


Page:48

Page:48

Page:49

Page:49

STEP AND STAIR SERIES







ROUND SERIES (unit:mm)







Page:54


Page:54


WALL SERIES














Page:56


Page:58


DRIVER PROFILE SERIES















TRIMLESS SERIES














SURFACE & SUSPENSION-ARCHITECTURAL SERIES


















SURFACE & SUSPENSION-ARCHITECTURAL SERIES

(unit:mm)









RECESSED-ARCHITECTURAL SERIES










Page:73

Page:73


Page:74

Page:74

PLASTER SERIES











22.5 LW-CT8



Page:78

BEND & CURVED SERIES



Page:81

































































OID ITEMS SERIES (unit:mm)










































CURVED LED PROFILES
























Plastic Endcap




Metal Clip

12mm 8.5mm (0.334in) (0.472in)17mm (0.669in)

Optional Diffuser (PMMA/PC)



Adjustable Clip





Optional Diffuser (PMMA/PC)




Adjustable Clip



Plastic Endcap

Metal Clip









Plastic Endcap




Metal Clip

20.7mm (0.814in) 11mm (0.433in) 23.5mm (0.925in)

Optional Diffuser (PMMA/PC)




Adjustable Clip











Optional Diffuser (PC)

Plastic Endcap

Metal Clip










Metal Clip

Plastic Endcap








Optional Diffuser (PMMA)



Plastic Endcap



Metal Clip



Adjustable Clip











Clear diffuser (PC) Plastic Endcap

Metal Clip



Adjustable Clip








Plastic Endcap



Optional Diffuser (PMMA)

Suspension Kits












Metal Clip

Plastic Endcap








Adjustable Clip





Optional Diffuser (PMMA)



Aluminum Endcap



Suspension Kits
















Optional Diffuser (PMMA/PC)





Plastic Endcap Metal Clip








Optional Diffuser (PMMA/PC)



Plastic Endcap



Metal Clip








Optional Diffuser (PMMA/PC)




Plastic Endcap



Metal Clip












22mm (0.866in) 6mm (0.236in) 11.2mm (0.44in) 15.2mm (0.598in)

Plastic Endcap








Plastic Endcap



Spring Clip







Optional Diffuser (PMMA/PC)



Joiners 90°A






Optional Diffuser (PC)



Plastic Endcap



Metal Clip






















Metal Clip



16mm (0.629in) 16mm (0.629in)

Optional Diffuser (PMMA)

Plastic Endcap

Adjustable Clip





Optional Diffuser (PMMA)




Plastic Endcap



Adjustable Clip



Metal Clip

















Optional Diffuser (PMMA/PC)

Plastic Endcap

Adjustable Clip Metal Clip














Optional Diffuser (PC)

Plastic Endcap

Adjustable Clip Metal Clip











30mm (1.181in) 30mm (1.181in)

Optional Diffuser (PC)

Plastic Endcap

Adjustable Clip Metal Clip









Optional Diffuser (PMMA/PC)

Plastic Endcap



CORNER SERIES












Joiners 90°B











Joiners 90°A

















Optional Diffuser (PMMA)




Plastic Endcap



Adjustable Clip



Metal Clip





Suspension Kits



Joiners180°A





Metal Clip



Optional Diffuser (PMMA)



Suspension Kits



Plastic Endcap




Joiners180°A



Adjustable Clip











Plastic Endcap





Metal Clip









16.9mm (0.665in) 14.6mm (0.574in) 19.5mm (0.767in)





Optional Diffuser (PMMA)



Aluminum Endcap



Adjustable Clip



Metal Clip



Joiners180°A



16.9mm (0.665in) 12.4mm (0.488in) 19.5mm (0.767in)





Clear lens 30° Clear lens 60° (PMMA)



Joiners 90°A Code: CT4N 90A



Opal flat Diffuser

Joiners 90°B


Code: CT4N 90B



Aluminum Endcap



Joiners180°A Code: CT4N 180A







Clear lens 30° Clear lens 60° (PMMA)



Joiners 90°A Code: CT4N-90A



Opal flat Diffuser (PMMA)




Joiners 90°B Code: CT4N-90B




Aluminum Endcap



Joiners180°A Code: CT4N-180A







Opal Diffuser (PC)







Metal Clip

Adjustable Clip








AT7N







Plastic Endcap







Clear lens 30° Clear lens 60° (PMMA)




Opal flat Diffuser (PMMA)



Aluminum Endcap



Suspension Kits






Joiners 90°A Code: CT4N-90A



Joiners 90°B Code: CT4N-90B



Joiners180°A Code: CT4N-180A





Optional Diffuser (PMMA)



Plastic Endcap Code: AT16-4-Cap (with/without hole)



Suspension Kits Code: Sus.kitsA



Metal Clip Code: US20-Clip-M




Joiners 90°A Code: CT4N J-90A



Joiners 90°B Code: CT4N J-90B



Joiners180°A Code: CT4N J-180A







Joiners 90°B Code: CT4N J-90B








Plastic Endcap Code: AT16-5-Cap (with/without hole)





Joiners 90°A Code: CT4N J-90A







Opal Diffuser (PC)



Plastic Endcap Code: AT16-5H-Cap (with/without hole)



Suspension Kits Code: Sus.kitsA



Metal Clip Code: US20-Clip-M



Joiners 90°B Code: CT4N J-90B



Joiners 90°A Code: CT4N J-90A


























Clear lens 30° Clear lens 60° (PMMA)



Joiners 90°A Code: CT4N-90A



Plastic Endcap Code: AT16-30/60-Cap Code: Sus.kitsA (with/without hole)



Suspension Kits



Joiners 90°B Code: CT4N-90B



Joiners180°A Code: CT4N-180A


















Aluminum Tray





Plastic Endcap













Plastic Endcap



Metal Clip








Frosted diffuser

(PC)





Plastic Endcap Metal Clip











Frosted Diffuser (PC)

Plastic Endcap







Opal Diffuser (PC)



Aluminum Tray



Aluminum Endcap




Soft Endcap



Suspension Kits Joiners



Waterproof Cable Grommet







Opal Diffuser (PC)

Aluminum Endcap





Soft Endcap



Aluminum Tray




Waterproof Cable Grommet



Stainless steel side bar



Connector + box



STEP AND STAIR SERIES





STEP AND STAIR SERIES













(PC)





STEP AND STAIR SERIES






Optional Diffuser (PC)




25mm wide Black Anti-slip Rubber



White Anti-slip Rubber







ROUND SERIES









ROUND SERIES

















Wall Bracket

Aluminum Endcap **Aluminum Supporter**





Optional Diffuser (PC)




Plastic Endcap



CNC Aluminium Endcap(optional)





Suspension Kits






















Metal Clip



Optional Diffuser (PMMA/PC)

Aluminum Endcap

Spring Clip






Optional Diffuser (PMMA/PC)




Aluminum Endcap



Metal Clip








Optional Diffuser (PMMA/PC)



Aluminum Endcap







Optional Diffuser (PMMA/PC)



Aluminum Endcap



Metal Clip












Optional Diffuser (PMMA)

Aluminum Endcap Suspension Kits













Optional Diffuser (PMMA)

Aluminum Screw Endcap

Aluminum Screwless Metal clip Endcap (without hole) Code: AW35-Cap-N











Joiners 90°A Code: J-90A




















CNC Aluminum Endcap Wall Clips

Code:P35-Cap-N

(without hole)



Code: WClip



Optional Diffuser (PMMA)



Code:P35-Cap (without hole)



Code: J-90A

Code: MC-WN35




Code: Sus.kitsA


Joiners 90°B Code: J-90B

Joiners120° Code: J-120











Aluminum diffuser Code: WN35-AD



Aluminum Endcap Code: P46-Cap (without hole)



Stainless Steel L bracket Joiners 90°B Code: LW-LMB Code: J-90B



CNC Aluminum Endcap Wall Clips Code: P46-Cap-N Code: WClip (without hole)



Joiners 90°A Code: J-90A






Joiners120° Code: J-120




Suspension Kits Code: Sus.kitsA



Joiners 180° A Code: J-180A









Aluminum Endcap

Code:P50-Cap

(without hole)



Suspension Kits

Code: Sus.kitsB



Joiners 90°A Code: J-90A

Optional Diffuser (PMMA)







Code: P50-Cap-N (without hole)

Endcap



Stainless Steel L bracket



Wall Clips Code: WClip

Joiners 90°B Code: J-90B



Code: J-120

Joiners180°A Code: J-180A



Code: LW-LMB





Optional Diffuser (PMMA)



Wall Clips



Aluminum diffuser



Suspension Kits



Endcap




Stainless Steel L bracket




Aluminum Endcap



Joiners120° Code: J-120



DRIVER









Aluminum Screwless Endcap (without hole) Code: EH80 -Cap-M



















Stainless Steel L bracket Code: LW-LMB



Optional Diffuser (PMMA)



(without hole)






Wall Clips Code: WClip





Suspension Kits Code: Sus.kitsA





TRIMLESS SERIES










TRIMLESS SERIES







Code: WN35-AD

Code: LW-TR1




Code: TR35-Cap (without ho**l**e)





Spring Clip Code: SC-N31




(PMMA)



Alum.Bridge base Code: LW-AB35



Code: LW-LMB





Optional Diffuser (PMMA)

Alum.Bridge base Code: LW-AB50





Alum.Trimless bar Code: LW-TR1



Code: TR50-Cap (without hole)


Aluminum Endcap Code: E50-Cap (without ho**l**e)




Stainless Steel L bracket Code: LW-LMB



Spring Clip Code: SC-N31



TRIMLESS SERIES







































Aluminum Endcap



L bracket
















Aluminum diffuser Code: WN35-AD



Aluminum Screwless Endcap (without hole) Code: WN35-Cap-N









Metal Clip Code: MC-WN35

Suspension Kits Code: Sus.KitsA




Joiners 90°A Code: J-90A



Code: WN35-Cap-H











Optional Diffuser



Aluminum diffuser Code: WN35-AD



Aluminum Endcap (without hole) Code: WN35-25-Cap



Metal Clip Code: MC-WN35



Suspension Kits Code: Sus.KitsA



Joiners 90°A Code: J-90A




Joiners 120° Code: J-120



Joiners 180°A Code: J-180A



Joiners 90°B Code: J-90B



























Joiners 180°B Code: J-180B







Optional Diffuser







Endcap





Aluminum Endcap Wall Clips



Suspension Kits









Optional Diffuser (PMMA)



Aluminum diffuser




Alum. Reflector



Endcap



Aluminum Screwless Aluminum Endcap





Metal Clip




Wall Clips



Suspension Kits



Joiners





Optional Diffuser (PMMA)




Suspension Kits




Aluminum Endcap



90°/120°/180°joiners


















Suspension Kits



Metal Clip



90°/120°/180°joiners





Optional Diffuser (PMMA)



Metal Clip



Aluminum Endcap




Wall Clips




Aluminum Screwless Endcap



90°/120°/180°joiners



Suspension Kits





Optional Diffuser

Metal Clip



Alum. Reflector

Wall Clips



Aluminum Endcap




Aluminum Screwless Endcap



Suspension Kits



Joiners







Optional Diffuser (PMMA)



Aluminum Endcap Code: W91-Cap (without hole)



Suspension Kits Code: Sus.kitsA



Joiners 90°A Code: J-90A




Joiners 90°B Code: J-90B



Joiners120 Code: J-120




Code: J-180A




RECESSED-ARCHITECTURAL SERIES





RECESSED-ARCHITECTURAL SERIES





Optional Diffuser (PMMA)



Code: WN35-AD



Code:WN31-Cap (without hole) Code:WN31-Cap-H (with hole)



Spring Clip Code: SC-N31



Metal Clip Code: MC-WS31



Joiners 90°B Code: J-90B




Joiners120° Code: J-120




Joiners180°A Code: J-180A



Joiners 90°A Code: J-90A







Optional Diffuser (PMMA)



Aluminum diffuser Code: E50-AD



Recessed wing Code: ER



Aluminum Endcap Code: ER50-Cap (without hole) Code: ER50-Cap-H (with hole)



Spring Clip Code: SC-ER



Joiners 90°A Code: J-90A



Joiners 90°B Code: J-90B




Joiners120° Code: J-120



Joiners180°A Code: J-180A



Joiners180°B Code: J-180B



RECESSED-ARCHITECTURAL SERIES







Code: E60-AD

Code: ER

Aluminum Endcap Code: ER60-Cap (without hole) Code: ER60-Cap-H (with hole)

Spring Clip Code: SC-ER














Joiners 90°A Code: J-90A

Joiners 90°B Code: J-90B

Joiners120° Code: J-120



Code: J-180A











Spring Clip Code: SC-ER




























Plastic Endcap Code: CT4N-Cap (without hole) Code: CT4N-Cap-H (with hole) Joiners 90°A Code: CT4N-90A

Joiners 90°B Code: CT4N-90B






Joiners180°A Code: CT4N-180A







Plastic Endcap Code: CT7-Cap (without hole) Code: CT7-Cap-H (with hole)











Plastic Endcap Code: CT7-Cap (without hole) Code: CT7-Cap-H (with hole)











Plastic Endcap Code: CT7-Cap (without hole) Code: CT7-Cap-H (with hole)










Plastic Endcap Code: CT7-Cap (without hole) Code: CT7-Cap-H (with hole)

















Plastic Endcap







BEND & CURVED SERIES



BEND & CURVED SERIES










Metal Clip Code: AT11-Clip-M





For more curved/bend profiles please check our catalog of curved profiles.

LW-C35 LED Curved Extrusion Profile


Customizable in dimensions, shape and performance.

Model

Mounting

Light Distribution













FEATURES



Ceiling suspension



Ceiling surface



LED

IP20

General

((


2014/30/EU, 2014/35/EU

(5)

5-year guarantee



1kg/m



LW-C35

Diameter / Power

Light Distribution

<u>_</u> Ф800mm

24W: 1450lm 33W: 3541lm



Φ1000mm

30W: 1830lm 43W: 4614lm




<u>_</u> Ф1200mm

36W: 2200lm 52W: 5580lm




Д Ф1500mm

45W: 2750lm 65W: 6975lm




<u>_</u> Ф1800mm

55W: 3300lm 79W: 8477lm




<u>_</u> Ф2000mm

60W: 3700lm 88W: 9442lm



<mark>_</mark> Ф2400mm

73W: 4480lm 107W: 11481lm



LED

3000K 4000K

Finishing

White Black Multicolor



LW-C35 LED Curved Extrusion Profile


Customizable in dimensions, shape and performance.

Model

Mounting

Light Distribution













FEATURES



Ceiling suspension



Ceiling surface



LED

IP20

General

((


2014/30/EU, 2014/35/EU

(5)

5-year guarantee




1kg/m



LW-C35

Light Example:







"You ask, Ledwide will bend" - no MOQ

You can choose from circular, oval or irregular profiles.

LW-CR35 LED Curved Extrusion Profile

Customizable in dimensions, shape and performance.

Model

Mounting

Light Distribution









LW-CR35

FEATURES



Ceiling recessed



LED

IP20

General

(€

2014/30/EU, 2014/35/EU

(5)

5-year guarantee



1kg/m

Diameter / Power

Light Distribution

_ Ф800mm

24W: 1450lm 33W: 3541lm



Д Ф1000mm

30W: 1830lm 43W: 4614lm



<u>_</u> Ф1200mm

36W: 2200lm 52W: 5580lm



Ф1500mm

45W: 2750lm 65W: 6975lm




<u>_</u> Ф1800mm

55W: 3300lm 79W: 8477lm




<u>_</u> Ф2000mm

60W: 3700lm 88W: 9442lm



<mark>_</mark> Ф2400mm

73W: 4480lm 107W: 11481lm




LED

3000K 4000K

Finishing


White Black Multicolor




LW-CR35 LED Curved Extrusion Profile

Customizable in dimensions, shape and performance.

Mounting Light Distribution Model









FEATURES



Ceiling recessed



LED

IP20

General

(€


2014/30/EU, 2014/35/EU

(5)

5-year guarantee




1kg/m



LW-CR35

Light Example:







"You ask, Ledwide will bend" - no MOQ

You can choose from circular, oval or irregular profiles.

LW-C50 LED Curved Extrusion Profile

Customizable in dimensions, shape and performance.

Model








Mounting







Light Distribution







FEATURES



Ceiling suspension



Ceiling surface



LED

IP20

General

((


2014/30/EU, 2014/35/EU

(5)

5-year guarantee



2.2kg/m



LW-C50

Diameter / Power

Light Distribution

<u>_</u> Ф1000mm

30W: 1800lm 44W: 4614lm




Д Ф1200mm

36W: 2179lm 54W: 5687lm




<u>_</u> Ф1500mm

46W: 2747lm 67W: 7082lm




<u>_</u> Ф1800mm

55W: 3315lm 81W: 8584lm




<u>_</u> Ф2000mm

61W: 3694lm 90W: 9550lm



<mark>_</mark> Ф2400mm

73W: 4452lm 108W: 11481lm



LED

3000K 4000K

Finishing

White Black Multicolor

Diameter / Power

Light Distribution

Φ1000mm

16W: 900lm(UP) 44W: 4614lm(DOWN)




1 Φ1200mm

19W: 1089Im(UP) 54W: 5687lm(DOWN)




Т Ф1500mm

23W: 1373lm(UP) 67W: 7082lm(DOWN)




1 Φ1800mm

28W: 1658lm(UP) 81W: 8584lm(DOWN)




Ф2000mm

31W: 1847lm(UP) 90W: 9550lm(DOWN)



Φ2400mm

37W: 2226lm(UP) 108W: 11481Im(DOWN)



LED

3000K 4000K

Finishing

White Black Multicolor



LW-C50 LED Curved Extrusion Profile

Customizable in dimensions, shape and performance.

Model








Mounting







Light Distribution







FEATURES



Ceiling suspension



Ceiling surface



LED

IP20

General

(€


2014/30/EU, 2014/35/EU

(5)

5-year guarantee




2.2kg/m



LW-C50

Light Example:







"You ask, Ledwide will bend" - no MOQ

You can choose from circular, oval or irregular profiles.

LW-CR50 LED Curved Extrusion Profile


Customizable in dimensions, shape and performance.


Model

Mounting

Light Distribution









FEATURES



Ceiling recessed



LED

IP20

General

(€


2014/30/EU, 2014/35/EU

(5)

5-year guarantee



2.2kg/m



Diameter / Power

Light Distribution

<u>_</u> Ф1000mm

30W: 1800lm 44W: 4614lm




Д Ф1200mm

36W: 2179lm 54W: 5687lm




Д Ф1500mm

46W: 2747lm 67W: 7082lm




<u>_</u> Ф1800mm

55W: 3315lm 81W: 8584lm




<u>_</u> Ф2000mm

61W: 3694lm 90W: 9550lm



Д Ф2400mm

73W: 4452lm 108W: 11481lm



LED

3000K 4000K

Finishing

White Black Multicolor



LW-CR50 LED Curved Extrusion Profile


Customizable in dimensions, shape and performance.

Model

Mounting

Light Distribution







FEATURES



Ceiling recessed



LED

IP20

General

(€


2014/30/EU, 2014/35/EU

(5)

5-year guarantee




2.2kg/m



LW-CR50

Light Example:







"You ask, Ledwide will bend" - no MOQ

You can choose from circular, oval or irregular profiles.





LEDWIDE LIGHTING CO., LTD

CONTACT US

ADDRESS : 1-2/F, Building A2,Sinopol Ind.Park, BaiHua communities, Guangming

District, Shenzhen, P.R. China

POSTCODE: 518107

PHONE: 0086 755 29362351 **FAX**: 0086 755 29014058

EMAIL: info@ledwide.com **WEBSITE:** www.ledwide.com