

Aluminum Endcap



Suspension Kits






Joiners




Clear Diffuser (PMMA)






Clear Diffuser (PMMA)





Unit:mm

Aluminium LED Profile LW-AT15-30








| | Name | Code | Material | Color | Others |
|---|----------------------|------------------|-----------------|------------------------------------|---------------|
| ① | Aluminum Profile | AT15-30 | Aluminum | Silver / White / Black / RAL color | |
| ② | LED strip | - | - | - | MAX. 19.2 W/m |
| ④ | Aluminum Profile | AT15-30 | Aluminum | Silver / White / Black / RAL color | - |
| ⑤ | Endcap(with hole) | AT15-30-Cap-H | Aluminum | Silver / White / Black / RAL color | - |
| ⑥ | Endcap(without hole) | AT15-30-Cap | Aluminum | Silver / White / Black / RAL color | - |
| ⑦ | Suspension Kits | Sus.Kits AT15-30 | Stainless Steel | ecru | - |

③ Optional Diffuser(PMMA/PC)

| Color | Light Transmittance | Code |
|---------|---------------------|-----------|
| Opal | - | - |
| Milky | - | - |
| Frosted | - | - |
| Clear | 81% | AT15-30-C |




| Color | Light Transmittance | Code |
|---------|---------------------|-----------|
| Opal | 70% | AT15-30-O |
| Milky | 78% | AT15-30-M |
| Frosted | - | - |
| Clear | - | - |








METAL CLIP INSTALLING INSTRUCTIONS





SUSPENDED INSTALLING INSTRUCTIONS

