



Aluminium LED Profile LW-AT16-30/60




Unit:mm



	Name	Code	Material	Color	Other
①	Aluminum Profile	AT16-30/60	Aluminum	Silver / White / Black / RAL color	
②	LED strip	-	-	-	MAX. 19.2 W/m
④	Endcap (with hole)	AT16-11-Cap-H	Aluminum	Silver / White / Black / RAL color	-
⑤	Endcap (without hole)	AT16-11-Cap	Aluminum	Silver / White / Black /RAL color	-
⑥	Metal Clip	US20-Clip-M	Stainless Steel	ecru	-
⑦	Suspension Kits	Sus.Kits A	Stainless Steel	ecru	-
⑧	Joiners 90°B	CT4N J-90B	Stainless Steel	ecru	-
⑨	Joiners 90°A	CT4N J-90A	Stainless Steel	ecru	-
⑩	Joiners 180°A	CT4N J-180A	Stainless Steel	ecru	-

③ Optional Diffuser(PMMA)




Color	Light Transmittance	Code
Opal	-	-
Milky	-	-
Clear	81%	AT12N-C-30
Clear	81%	AT12N-C-60



New technique applied: Injection instead of extruded, to ensure more accurate beam angle and more even light.Max. Length is 335mm, 3pcs required per 1 meter.





INSTALLING INSTRUCTIONS





METAL CLIP INSTALLING INSTRUCTIONS





SUSPENDED INSTALLING INSTRUCTIONS

