

Wall Mounted



Ceiling



Suspended



LW-WU35

ACCESSORIES :



Aluminium Endcap Code: WU35-Cap
(without hole)



Suspension Kits
Code: Sus.KitsA



(Optional)

Aluminum Screwless Endcap
(with/without hole) Code: WU35-Cap-N



(Optional)

Wall Clips
Code: WClip-WN-35



(Optional)

Joiners 120°A
Code: J-120A



(Optional)

Aluminium diffuser
Code: WN35-AD



(Optional)

Metal Clip
Code: MC-WN35




(Optional)

Joiners 90°A
Code: J-90A



(Optional)

Joiners 180°A
Code: J-180A



LW-WU35

Optional Diffuser(PMMA)

WU35					
Dimensions(mm)	Max strip width	Opal	New Opal	Frosted	Clear
35*47.5	30mm	✓	/	/	/
Code		WU35-O	/	/	/
Light Transmittance		60%	/	/	/

< 38.4W/m

Aluminum Profile Weight:0.62kg/m


Stocked length availability:2m,2.5m.

Customized length below 6m upon your request.




Installing Instructions


Wall Mounted




1. Attach the wall side clip to surface



2. Attach the other side of clip to light fixture




3. Mount the light fixture onto the wall attachment




4. Secure the clips to ensure it stays in place


Applicable joiners



120°




90°



180°


Other installation & Connection ways.






Installing Instructions


Suspended




1. Apply LED strips into the profile





2. Attach diffuser to profile, working from end to end



3. Install the Suspension Kits



4. Finally screw the end caps on





Installing Instructions

Suspended

