



DongGuan QiDe Machinery Co., Ltd

东莞市启德机械有限公司

XinNan 2nd Industrial Zone, Qi Shi Town, Dong Guan City, Guang Dong Province, China

Talon Lai

Pho:+8618607698261

Tel:86 769 86666261

Email:lai@qidemachinery.com

YXD-040 2400mm Double Servo Control Two Piece Joint Stitcher

Specification for Double Servo Control two piece joint stitcher

specification	YXD-040	
	2400mm	
Max.Sheet size(A+B)×2	4800mm	188.9inch
Min.Sheet size(A+B)×2	1060mm	41.7inch
Max.Box Length (A)	2250mm	85.6inch
Min. Box Length (A)	350mm	13.7inch
Max. Box Width (B)	1200mm	47.2inch
Min. Box Width (B)	150mm	5.9inch
Min. Sheet Height (C+D+C)	400mm	15.7inch
Max. Sheet Height (C+D+C)	3000mm	118inch
Stitching Pitch	30-120mm	
Max. Stopper Measurement	600mm(C)	
Max. TS Width	45mm(E)	
Min. of the First stitch Pitch	25mm without cover	
No. of stitching	1-99 Stitches or more	
Machine Speed	500 Stitches/Minute	
Cardboard thickness	8-13mm	
Input Voltage	380V three phase	
Power Required	18HP	
Stitching wire(width*Thickness)	(0.68-0.75)*(1.8-2.0)mm	
Stitching wire tray	5KG	
Stitching Type	Single, Double, Tie Stitching: "/ / / / /"、 "// // //"、 "/// / / / /"	
Machine Length	6000mm	
Machine Width	4200mm	
Machine Weight	5800KG	

Talon Lai

Pho:+8613686669384

Email:lai@qidemachinery.com

Twind head stitching machine Features:	
Adopt Import Double Servo Control System	
Suitable for single, double pieces operation and irregular corrugated carton stitching.	
Electronically controlled for the size, explanation of the fault showed on the screen	
Single, double and tie stitching are available, all the nails can be rounded off in one time	
Automatic counter ejector, when up to the qty set up on the touch screen, will automatically bundle sheaves of cartons	
Suit for large and small carton, high efficiency	
Stitching Pitch can be adjustable to set on the touch screen, and it's adjustable from 30mm-120mm	
Suit for 3-Layer, 5-Layer large boxes, as well as boxes without cover, 7-Layer need to be customised	
Twind head stitching machine Main accessories and brands:	
Description	Brand
Stitching head	Taiwan XX
Servo Control System	Japan Yaskawa
PLC	Japan Mitsubishi
Touch Screen	Taiwan Weilun
Twind head stitching machine Machine composition:	
Main Frame	1 pcs
Conveyor Frame	1 pcs
Drum Frame	1 pcs
Hydraulic Lift Table	2 pcs
Track	1 pcs


Twind head stitching machine Distribution:	
Tool Box	1 pcs
Air Gun	1 pcs
Air Gun Connector	1 pcs
Oil Pot	1 pcs
Manual book	1 PCS

en.qidejx.com

www.qidemachinery.com



DOUBLE HEADS STITCHER



Max 2400mm
Min 1060mm

