

FIKA 118



FIKA 118001








TI 196
klo 10.00
MA 25.6
klo 13.00
TI 3.9
klo 14.00

DO
THE
JOB






FIKA 118006



FIKA 118001




FIKA 118002




FIKA 118003



FIKA 118004



FIKA 118005




FIKA 118006


Specification 技术指标

Product Name 产品名称	FIKA 118
Product Code 产品编码	FIKA 118
Tufted construction 簇绒结构	Multi-level Loop 高低圈绒
Fiber 纱线	100% Nylon 尼龙
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m ²) 绒重 (克 / 平方米)	600±5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	4.0 ± 0.5
Total height(mm) 总绒高 (毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid