



HYGGE 139





HYGGE 139003



HYGGE 139004



HYGGE 139006



Knowledge
proactive creative
supportive efficient
knowledge
Customer focused
efficient process
proactive creative
knowledge
trusted proa
focused
innovative consultative
innovation
efficient processes
Dy
consultative
service orientated
excellent
quality
innovative
consultative
service ori
excellent
supportive
efficient
knowledge
supportive
innovation
service ori



HYGGE 139002




HYGGE 139003



HYGGE 139004



HYGGE 139006




HYGGE 139007


Specification 技术指标

Product Name 产品名称	HYGGE 139
Product Code 产品编码	HYGGE 139
Tufted construction 簇绒结构	Multi-level Loop 高低圈绒
Fiber 纱线	100% Nylon 100% 尼龙
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重 (克 / 平方米)	620 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	4.0 ± 0.5
Total height(mm) 总绒高 (毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold