

LAGOM 129























LAGOM 129002




LAGOM 129003




LAGOM 129004



LAGOM 129005



LAGOM 129006



LAGOM 129007



LAGOM 129008




LAGOM 129011


Specification 技术指标

| | |
|--|----------------------------|
| Product Name 产品名称 | LAGOM 129 |
| Product Code 产品编码 | LAGOM 129 |
| Tufted construction 簇绒结构 | Multi-level Loop 高低圈绒 |
| Fiber 纱线 | 100% Nylon 100% 尼龙 |
| Dye method 染色工艺 | Solution Dyed 原液染色 |
| Gauge 针距 | 1/12 |
| Tufted weight(g/m ²) 绒重(克/平方米) | 490 ± 5% |
| Tile size(mm) 地毯尺寸(毫米) | 500 x 500 |
| Pile height(mm) 平均绒高(毫米) | 4.0 ± 0.5 |
| Total height(mm) 总绒高(毫米) | 6.5 ± 0.5 |
| Standard Backing 标准底背 | Glass fiber reinforced PVC |

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn




Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold