

LAGOM 133


























LAGOM 133-003-001-016-018-021-025-029-036-037





LAGOM 133-007-010-016-018-019-021-022-025-026-027-028-029-037-038





LAGOM 133032




LAGOM 133035




LAGOM 133008




LAGOM 133036




LAGOM 133003




LAGOM 133004




LAGOM 133011




LAGOM 133002




LAGOM 133001




LAGOM 133028




LAGOM 133018



LAGOM 133027



LAGOM 133026



LAGOM 133029



LAGOM 133021




LAGOM 133037



LAGOM 133030




LAGOM 133019




LAGOM 133025



LAGOM 133022



LAGOM 133016




LAGOM 133038



LAGOM 133039




LAGOM 133040



LAGOM 133009



LAGOM 133010




LAGOM 133007



LAGOM 133012



LAGOM 133041




LAGOM 133005


Specification 技术指标

Product Name 产品名称	LAGOM 133
Product Code 产品编码	LAGOM 133
Tufted construction 簇绒结构	Level Loop 平圈
Fiber 纱线	100% Nylon 100% 尼龙
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	5/64
Tufted weight(g/m ²) 绒重(克/平方米)	550 ± 5%
Tile size(mm) 地毯尺寸(毫米)	500 x 500
Pile height(mm) 平均绒高(毫米)	5.0 ± 0.5
Total height(mm) 总绒高(毫米)	7.0 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel




Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold