



LAGOM 215




LAGOM 215001-03-05-12-32

IN STOCK 现货




LAGOM 215001-03-05-07

IN STOCK 现货





LAGOM 215001-03-05-12-32
IN STOCK 现货




LAGOM 215001-03-05-22

IN STOCK 现货




LAGOM 215001-03-05-32
IN STOCK 现货




LAGOM 215001-05-07-72

IN STOCK 现货



LAGOM 215005-07
IN STOCK 现货



LAGOM 215062-72-07-03

IN STOCK 现货



LAGOM 215001
▲ IN STOCK 现货




LAGOM 215003
▲ IN STOCK 现货




LAGOM 215005
▲ IN STOCK 现货




LAGOM 215007
▲ IN STOCK 现货



LAGOM 215009
▲ IN STOCK 现货



LAGOM 215012
▲ IN STOCK 现货



LAGOM 215022
▲ IN STOCK 现货



LAGOM 215032
▲ IN STOCK 现货



LAGOM 215062
▲ IN STOCK 现货




LAGOM 215072
▲ IN STOCK 现货


Specification 技术指标

Product Name 产品名称	LAGOM 215
Product Code 产品编码	LAGOM 215
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	100%Nylon 100% 尼龙
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重 (克 / 平方米)	560±5%
Tile size(mm) 地毯尺寸 (毫米)	250 x 1000
Pile height(mm) 平均绒高 (毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度 (毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Herringbone
人字铺



Ashlar
上下错位铺



Basketweave
网篮形



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid