

LAGOM 228



LAGOM 228001-04-Ashlar

3:7

IN STOCK 现货



LAGOM 228001-11-Ashlar
IN STOCK 现货




LAGOM 228001-03-Herringbone
3.7
IN STOCK 现货



LAGOM 228012-02-Herringbone

3:7


IN STOCK 现货



LAGOM 228013-03-Ashlar


3 : 7

IN STOCK 现货




LAGOM 228004-Ashlar

IN STOCK 现货



LAGOM 228001-14-Ashlar


IN STOCK 现货



ORIGINALITY





ORIGIN



LAGOM 228014-04-Ashlar



4 : 6

IN STOCK 现货



▲ IN STOCK 现货

LAGOM 228011



▲ IN STOCK 现货

LAGOM 228012




▲ IN STOCK 现货

LAGOM 228001





▲ IN STOCK 现货

LAGOM 228002



▲ IN STOCK 现货

LAGOM 228013



▲ IN STOCK 现货

LAGOM 228014



▲ IN STOCK 现货

LAGOM 228003




▲ IN STOCK 现货

LAGOM 228004


Specification 技术指标

Product Name 产品名称	LAGOM 228
Product Code 产品编码	LAGOM 228
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	100% Nylon 100% 尼龙
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重(克/平方米)	540±5%
Tile size(mm) 地毯尺寸(毫米)	250 x 1000
Pile height(mm) 平均绒高(毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度(毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Ashlar
上下错半



Herringbone
人字铺



Basketweave
网篮形



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid