



LAGOM 324



L43061 32001



LAGOM 324001-11
7:3

USILAB

LAGOM 324002



LAGOM 324002-12
8:2




LAGOMI 324003-13



1 2 3 4



LAGOM 324001-02-04
2.5 : 5 : 2.5



LAGOM 324002-03-04-13
2.5 : 3 : 3 : 1.5



LAGOM 324002-03-04-11-12
2.5 : 3 : 3 : 0.75 : 0.75





The Silk Road

Economic Belt

And


The

21st

-Century

Maritime


Silk Road



LAGOM 324003-04-14
1 : 8 : 1




LAGOM 324004




LAGO M 324001




LAGO M 324002




LAGO M 324003



LAGO M 324004




LAGO M 324011



LAGO M 324012



LAGO M 324013




LAGO M 324014

Specification 技术指标

Product Name 产品名称	SWY
Product Code 产品编码	LAGOM 324
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纤维	100% Synthetic Fibre 100% 合成纤维
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重(克/平方米)	380±5%
Tile size(mm) 地毯尺寸(毫米)	250 x 1000
Pile height(mm) 平均绒高(毫米)	4.0±0.5
Total thickness(mm) 总厚度(毫米)	6.5±0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Ashlar
上下错半



Herringbone
人字铺



Basketweave
网篮形



Anti-fading



Anti-static



Environmental



Faded various tests



Fashion colors



180MS,C,F Year



Reduced Flammability



Isolation acoustic



Colorfast



Chair resistant



No slipping



Wear resistance



Soil Resistance



Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mat