



LAGOM 325



LAGOM 325001



LAGOM 825001-11-21  
5:3:2



LAGOM 325001-11-21  
7 : 2 : 1



LAGOM 325002



LAGOMI 325002-04



LAGOM 325002-04  
7:3



← TEAM ESSELETT GROUP  
← TEAM ESSELETT GROUP  
← TEAM ESSELETT GROUP  
← TEAM ESSELETT GROUP  
← TEAM ESSELETT GROUP

← TEAM ESSELETT GROUP  
← TEAM ESSELETT GROUP  
← TEAM ESSELETT GROUP  
← TEAM ESSELETT GROUP  
← TEAM ESSELETT GROUP










LAGOM 325003-13-23





LAGOM 325003-13-23



LIFE AT THE EDGE  
L'ESPRESSO



LAGOM 325004-14-24



LAGOM 325002-03-04-14-24  
2.5 : 3 : 2.5 : 1 : 1



LAGOM 325004-14-24



LAGOM 325001




LAGO M 325011



LAGOM 325002



LAGO M 325021




LAGO M 325012



LAGOM 325003



LAGO M 325022



LAGO M 325013



LAGOM 325004



LAGO M 325023



LAGO M 325014




LAGO M 325024

Specification 技术指标

Product Name 产品名称	LAT
Product Code 产品编码	LAGOM 325
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纤维	100% Synthetic Fibre 100% 合成纤维
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m <sup>2</sup> ) 绒重(克/平方米)	380±5%
Tile size(mm) 地毯尺寸(毫米)	250 x 1000
Pile height(mm) 平均绒高(毫米)	4.0±0.5
Total thickness(mm) 总厚度(毫米)	6.5±0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Ashlar  
上下错半



Herringbone  
人字铺



Basketweave  
网篮形



Anti-fading



Anti-static



Environmental



Faded various tests



Fashion colors



180MS,C/F Year



Reduced Flammability



Isolation acoustic



Colorfast



Chair resistant



No slipping



Wear resistance



Soil Resistance



Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mat