






TACK 145




TACK 145006  
TO ORDER 期货





TACK 145015  
TO ORDER 期货





TACK 145021  
TO ORDER 期货





TACK 145084  
TO ORDER 期货



▲ TO ORDER 期货

TACK 145006



▲ TO ORDER 期货

TACK 145015




▲ TO ORDER 期货

TACK 145016



▲ TO ORDER 期货

TACK 145021



▲ TO ORDER 期货

TACK 145029



▲ TO ORDER 期货


TACK 145084




Specification 技术指标

Product Name 产品名称	TACK 145
Product Code 产品编码	TACK 145
Tufted construction 簇绒结构	level Loop 平圈
Fiber 纱线	100% PP 100% 丙纶
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m <sup>2</sup> ) 绒重 (克 / 平方米)	530 ± 5%
Tile size(mm) 地毯尺寸 (毫米)	500 x 500
Pile height(mm) 平均绒高 (毫米)	3.5 ± 0.5
Total thickness(mm) 总厚度 (毫米)	6.0 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC

Recommended installation methods 建议铺装方式



Monolithic  
顺铺



Quarter-turn  
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold