




TACK 190




TACK 190016-099 Ashlar

3 : 7
IN STOCK 现货




TACK 190016-099 Basketweave

3:7
IN STOCK 现货




TACK 190016-099 Herringbone

3:7
IN STOCK 现货



TACK 190018 Ashlar

3:7
IN STOCK 现货




TACK 190018-099 Basketweave

3:7
IN STOCK 现货




TACK 190018-099 Herringbone

3:7
IN STOCK 现货



TACK 190019-099 Ashlar

3:7
IN STOCK 现货



TACK 190019-099 Basketweave


3.7
IN STOCK 现货



TACK 190019-099 Herringbone


3:7
IN STOCK 现货

3/3




TACK 190025-099 Ashlar

3:7
IN STOCK 现货




TACK 190025-099 Basketweave

3:7
IN STOCK 现货




TACK 190025-099 Herringbone

3:7
IN STOCK 现货




TACK 190026-099 Ashlar

3:7
IN STOCK 现货




TACK 190026-099 Basketweave

3:7
IN STOCK 现货




TACK 190026-099 Herringbone

3:7
IN STOCK 现货



TACK 190029-099 Ashlar

3 : 7
IN STOCK 现货



TACK 190029-099 Basketweave

3:7


IN STOCK 现货



TACK 190029-099 Herringbone

3:7


IN STOCK 现货



TACK 190037-099 Ashlar

3 : 7


IN STOCK 现货



TACK 190037-099 Basketweave

3:7


IN STOCK 现货




TACK 190037-099 Herringbone

3:7

IN STOCK 现货



TACK 190099 Ashlar
IN STOCK 现货



TACK 190099 Basketweave
IN STOCK 现货

POWERPIONT


适用于楼宇信息及相关展示




TACK 190099 Herringbone
IN STOCK 现货




TACK 190016
▲ IN STOCK 现货




TACK 190018
▲ IN STOCK 现货




TACK 190019
▲ IN STOCK 现货



TACK 190025
▲ IN STOCK 现货



TACK 190026
▲ IN STOCK 现货



TACK 190029
▲ IN STOCK 现货



TACK 190037
▲ IN STOCK 现货




TACK 190099
▲ IN STOCK 现货


Specification 技术指标

Product Name 产品名称	TACK 190
Product Code 产品编码	TACK 190
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	Nylon & PP 丙纶 & 尼龙混纺
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/10
Tufted weight(g/m ²) 绒重(克/平方米)	570±5%
Tile size(mm) 地毯尺寸(毫米)	250 x 1000
Pile height(mm) 平均绒高(毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度(毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Herringbone
人字铺



Ashlar
上下错位铺



Basketweave
网篮铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold