

TACK 205




TACK 205006-14-19-29
IN STOCK 现货




TACK 205021-56
IN STOCK 现货



TACK 205021-51-61-901
IN STOCK 现货




TACK 205006-19-21-29
IN STOCK 现货




TACK 205019-51-52
IN STOCK 现货




TACK 205019-29-21-81
IN STOCK 现货




TACK 205024
IN STOCK 现货



TACK 205006
IN STOCK 现货




TACK 205014
IN STOCK 现货




TACK 205015
IN STOCK 现货




TACK 205016
IN STOCK 现货



TACK 205019
IN STOCK 现货



TACK 205021
IN STOCK 现货



TACK 205029
IN STOCK 现货




Be honest
The truth
carries it

It is good
better carries it


Agree to
disagree
and disagree

Duty lives
kindness

Be nice
to the
people



TACK 205056
IN STOCK 现货




TACK 205084
IN STOCK 现货




TACK 205085
IN STOCK 现货



2 洽谈室
Negotiationroom




TACK 205015-901
IN STOCK 现货




▲ IN STOCK 现货

TACK 205029




▲ IN STOCK 现货

TACK 205019



▲ IN STOCK 现货

TACK 205006



▲ IN STOCK 现货

TACK 205021



▲ IN STOCK 现货

TACK 205014




▲ IN STOCK 现货

TACK 205016



▲ IN STOCK 现货

TACK 205015




▲ IN STOCK 现货

TACK 205084




▲ IN STOCK 现货

TACK 205024




▲ IN STOCK 现货

TACK 205081



▲ IN STOCK 现货

TACK 2050901




▲ IN STOCK 现货

TACK 205052



▲ IN STOCK 现货

TACK 205051



▲ IN STOCK 现货

TACK 205061



▲ IN STOCK 现货

TACK 205056




▲ IN STOCK 现货

TACK 205085


Specification 技术指标

| | |
|---|----------------------------|
| Product Name 产品名称 | TACK 205 |
| Product Code 产品编码 | TACK 205 |
| Tufted construction 簇绒结构 | Level Loop 平圈 |
| Fiber 纱线 | 100% PP 100% 丙纶 |
| Dye method 染色工艺 | Solution Dyed 原液染色 |
| Gauge 针距 | 1/10 |
| Tufted weight(g/m ²) 绒重 (克 / 平方米) | 550 ± 5% |
| Tile size(mm) 地毯尺寸 (毫米) | 500 x 500 |
| Pile height(mm) 平均绒高 (毫米) | 3.0 ± 0.5 |
| Total thickness(mm) 总厚度 (毫米) | 6.0 ± 0.5 |
| Standard Backing 标准底背 | Glass fiber reinforced PVC |

Recommended installation methods 建议铺装方式



Monolithic
顺铺



Quarter-turn
对角铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn




Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold