





TACK 191







EXIT
















































▲ IN STOCK 现货

TACK 191005




▲ IN STOCK 现货

TACK 19100507




▲ IN STOCK 现货

TACK 19100513



▲ IN STOCK 现货

TACK 19100520




▲ IN STOCK 现货

TACK 19100524


Specification 技术指标

Product Name 产品名称	TACK 191
Product Code 产品编码	TACK 191
Tufted construction 簇绒结构	Level Loop 高低圈绒
Fiber 纱线	100% PP 100% 丙纶
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重(克/平方米)	570 ± 5%
Tile size(mm) 地毯尺寸(毫米)	250 x 1000
Pile height(mm) 平均绒高(毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度(毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Basketweave
网篮形



Ashlar
上下错半



Herringbone
人字铺



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn




Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-mold