









Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
<b>COOLING TOWER FILL/冷却塔填料</b>				
9601	Cross flow cooling tower film fill 横流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 19 Width/宽度: 750、915、1050、1520、1220 Length/长度: customized/定制
9602	Cross flow cooling tower film fill 横流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 19 Width/宽度: 1520 Length/长度: customized/定制
	Cross flow cooling tower film fill 横流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 20 Width/宽度: 950 Length/长度: 950/1270
9604	Cross flow cooling tower film fill 横流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 20 Width/宽度: 750 Length/长度: 800、1000、1200
9605	Cross flow cooling tower film fill 横流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 16 Width/宽度: 850/1000 Length/长度: 1000
9606	Cross flow cooling tower film fill 横流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 19 Width/宽度: 800 Length/长度: customized/定制



Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9607	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 20 Width/宽度: 500 Length/长度: customized/定制
9608	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 20 Width/宽度: 500 Length/长度: customized/定制
9609	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 15 or 19 Width/宽度*length/长度: 305*2stages*1220 305*2stages*1525 225*3stages*customized/定制
9610	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 12、15、19 Width/宽度: 305、610 Length/长度: customized/定制
9611	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 12 Width/宽度: 610 Length/长度: customized/定制



Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:






雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9612	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 20 Width/宽度: 610*2stages段 Length/长度: customized/定制
9613	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 30 Width/宽度: 610 Length/长度: customized/定制
9614	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 20 Width/宽度: 500 Length/长度: customized/定制
9615	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 34 Width/宽度: 750 or 500*2stages段 Length/长度: customized/定制
9616	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 35 Width/宽度: 500 Length/长度: customized/定制

Issued on Oct.16,2020 /发布日期: 2020-10-16

**LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:**





**雷泰诺为您提供最优质的产品及服务:**

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9617	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 15 Width/宽度: 730 Length/长度: customized/定制
9618	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.42 Sheet pitch/波高: 19 or 20 Width/宽度: 300*2 stages段 Length/长度: customized/定制
9619	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Typical Module length/ 标准模具长度: 1998mm (n* 55.5mm); Sheet pitch/波高: 20mm; Typical Module height/ 标准模具高度: 500;
9620	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Typical Module length/ 标准模具长度: 2032mm (n* 508mm); Sheet pitch/波高: 20mm; Typical Module height/ 标准模具高度: 500mm;
9621	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Typical Module length/ 标准模具长度: 1998mm (n* 55.5mm); Sheet pitch/波高: 18mm; Typical Module height/ 标准模具高度: 500mm

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:





雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9622	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Typical Module length/ 标准模具长度: 2000mm (n* 50mm); Sheet pitch/波高: 20mm; Typical Module height/ 标准模具高度: 500mm
9623	Cooling Tower Fill- Splash Fill 冷却塔填料- 飞溅式		PVC	Customized/定制 Length/长度: customized/定制 Sheet pitch/波高: 60/45mm Width/宽度: 145/80mm
9624	Cross flow cooling tower film fill 横流塔薄膜填料		PVC or PP	Length/长度: customized/定制 Sheet pitch/波高: 19mm; Width/宽度: 610/915/1220mm
9625	Cooling Tower Fill- Grid Fill 冷却塔填料- 格栅式		PP	Customized/定制 Size:750(705)*750(705)*24mm

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9626	Cooling Tower Fill- Grid Fill 冷却塔填料- 格栅式		PP	Customized/定制 Size:750(705)*750(705)*24mm
9627	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 12 Width/宽度: 310*2 Length/长度: customized/定制
9628	Cooling tower film fill (civil tower) 冷却塔薄膜填料 (民用塔)		PVC	Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 15 Width/宽度: 225/300 Length/长度: customized/定制
9629	Cross flow cooling tower film fill 横流塔薄膜填料		PVC	Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 19 Width/宽度: 1340 Length/长度: 610



Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:





雷泰诺为您提供最优质的产品与服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9630	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 12 Width/宽度: 800/2 Length/长度: customized/定制
9631	Counter flow cooling tower film fill-Grid fill 逆流塔薄膜填料-格栅式		PP	Thickness/厚度: 2mm Sheet pitch/波高: 20 Width/宽度: 450 Length/长度: 900
9632	Crosss flow cooling tower film fill 横流薄膜填料			Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 19 Width/宽度: 1330 Length/长度: customized/定制
9633	Cross flow cooling tower film fill 横流薄膜填料			Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 19 Width/宽度: 1520 mm Length/长度: customized/定制

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品及服务:





No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9634	Crosss flow cooling tower film fill 横流薄膜填料			Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 16 Width/宽度: 1000 mm Length/长度: customized/定制
9635	Counter flow cooling tower film fill 逆流薄膜填料			Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 20 Width/宽度: 300/600 mm Length/长度: customized/定制
9636	Crosss flow cooling tower film fill 横流薄膜填料			Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 19 Width/宽度: 915/1220 mm Length/长度: customized/定制
9637	Crosss flow cooling tower film fill 横流薄膜填料			Thickness/厚度: 0.24-0.6 Density/密度: 1.40-1.45 Sheet pitch/波高: 16 Width/宽度: 885 Length/长度: 1060



Issued on Oct.16,2020 /发布日期: 2020-10-16

**LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:**

**雷泰诺为您提供最优质的产品及服务:**






No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9638	Counter flow cooling tower film fill 逆流塔薄膜填料		PP	Thickness/厚度: 0.3-0.6 Sheet pitch/波高: 19 Width/宽度: 305、610 Length/长度: customized/定制
9639	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC	Thickness/厚度: 0.3-0.6 Sheet pitch/波高: 23/28 Width/宽度: 600 Length/长度: customized/定制
9640	Counter flow cooling tower film fill 逆流塔薄膜填料		PVC/PP	Thickness/厚度: 0.4 Sheet pitch/波高: 35 Width/宽度: 500 Length/长度: customized/定制
9641	Counter flow cooling tower film fill 逆流塔薄膜填料		PP	Thickness/厚度: 0.4 Sheet pitch/波高: 27 Width/宽度: 300/600 Length/长度: customized/定制



Issued on Oct.16,2020 /发布日期：2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:





雷泰诺为您提供最优质的产品及服务：

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
9642	Cooling tower film fill 薄膜填料		PVC	Thickness/厚度：0.3-0.6 Sheet pitch/波高：12.7 Width/宽度：1435 Length/长度：1435
<b>COOLING TOWER DRIFT ELIMINATOR /冷却塔收水器</b>				
8601	Cooling tower drift eliminator 冷却塔收水器		PVC	Thickness/厚度：0.8 Interval/间距：50 Sheet pitch/波高：50 Width/宽度：160 Length/长度：customized/定制
8602	Cooling tower drift eliminator 冷却塔收水器		PVC	Thickness/厚度：0.8-1.0 Interval/间距：45 Sheet pitch/波高：45 Width/宽度：155 Length/长度：customized/定制
8603	Cooling tower drift eliminator 冷却塔收水器		PVC	Thickness/厚度：0.8-1.0 Interval/间距：40 Sheet pitch/波高：40 Width/宽度：170 Length/长度：customized/定制
8604	Cooling tower drift eliminator 冷却塔收水器		PVC	Thickness/厚度：0.8-1.0 Interval/间距：45 Sheet pitch/波高：50 Width/宽度：170 Length/长度：customized/定制

Issued on Oct.16,2020 /发布日期：2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:


雷泰诺为您提供最优质的产品及服务：

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
8605	Cooling tower drift eliminator 冷却塔收水器		PVC	Thickness/厚度：0.4-0.6 Interval/间距：30 Sheet pitch/波高：30 Width/宽度：150*2 stages段 Length/长度：customized/定制
8606	Cooling tower drift eliminator 冷却塔收水器		PVC	Thickness/厚度：0.3-0.6 Interval/间距：20 Sheet pitch/波高：20 Width/宽度：150*2 stages段 Length/长度：customized/定制
8607	Cooling tower drift eliminator 冷却塔收水器		PVC	Typical Size of Pannel/ 收水器片典型尺寸： 2000*500*177 mm
8608	Cooling tower drift eliminator 冷却塔收水器		PVC	Customized/定制

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:



雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
8609	Cooling tower drift eliminator 冷却塔收水器		PP	Thickness/厚度: 0.8-3.0 Interval/间距: 20-30mm Width/宽度: 165 Length/长度: customized/定制
8610	Cooling tower drift eliminator 冷却塔收水器			Thickness/厚度: 0.8-3.0 Interval/间距: 35mm Width/宽度: 220 Length/长度: customized/定制
8611	Cooling tower drift eliminator 冷却塔收水器		PP	Thickness/厚度: 0.8-3.0 Interval/间距: 10mm Width/宽度: 150 Length/长度: customized/定制
8612	Cooling tower drift eliminator 冷却塔收水器		PP+PVC	Thickness/厚度: 1.3 Interval/间距: 50mm Width/宽度: 170 Length/长度: customized/定制

Issued on Oct.16,2020 /发布日期: 2020-10-16

**LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:**

**雷泰诺为您提供最优质的产品及服务:**






No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
8613	Cooling tower drift eliminator 冷却塔收水器		PVC	Thickness/厚度: 0.25-0.45 Interval/间距: 25mm Width/宽度: 50 Length/长度: customized/定制
8614	Cooling tower drift eliminator 冷却塔收水器			Thickness/厚度: 0.25-0.5 Interval/间距: 20mm Width/宽度: 145 Length/长度: customized/定制
8615	Cooling tower drift eliminator 冷却塔收水器			Interval/间距: 35mm Width/宽度: 155 Length/长度: customized/定制
<b>COOLING TOWER GARDENING WATER DEFECTOR/冷却塔园林挡水盘</b>				
7601	water defector 挡水盘		PVC	Thickness/厚度: 0.5-0.6 Sheet pitch/波高: 20 Width/宽度: 1100 Length/长度: customized/定制



Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:



雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
7602	water defector 挡水盘		PVC	Thickness/厚度: 0.5-0.6 Sheet pitch/波高: 20 Width/宽度: 750 Length/长度: customized/定制
7603	water defector 挡水盘		PVC	Thickness/厚度: 0.5-0.6 Sheet pitch/波高: 15 Width/宽度: 1020 Length/长度: customized/定制
<b>COOLING TOWER WATER DEFECTOR/冷却塔挡水盘</b>				
6601	water defector (air inlet louver) 挡水盘 (进风窗)		PVC	Thickness/厚度: above 0.4/大于0.4 Height/高度: 400/500/600/ A multiple of 20 /20的倍数 Sheet pitch/波高: 20 Width/宽度: 65*2 stages段 Length/长度: customized/定制
6602	water defector (air inlet louver) 挡水盘 (进风窗)		PVC	Thickness/厚度: 0.4-0.6 Height/高度: 350/ A multiple of 25/ 25的倍数 Sheet pitch/波高: 25 Width/宽度: 65*2 stages段 Length/长度: customized/定制
6603	water defector (air inlet louver) 挡水盘 (进风窗)		PVC	Thickness/厚度: 0.4-0.6 Sheet pitch/波高: 25 Width/宽度: 210 Length/长度: customized/定制
<b>COOLING TOWER NOISE ATTENUATOR/冷却塔降噪板</b>				

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
5601	Noise Attenuator 降噪板		PVC	Plate height/高度: 166mm; Plate thicknes/厚度: 6mm; Plateh pitch/间距: 111mm;
5602	Noise Attenuator 降噪板		FRP Pultruded Profile 玻璃钢挤出型材	Based on the design/ 按设计

COOLING TOWER SPRAY / 冷却塔喷头

4601	Cooling Tower Spray Nozzle 冷却塔喷头		PP	Reflection-type 反溅式
4602	Cooling Tower Spray Nozzle 冷却塔喷头		ABS	Spiral Target Nozzle 螺旋靶式 13,17,26,28
4603	Cooling Tower Spray Nozzle 冷却塔喷头		PP or ABS	Spiral Target Nozzle 螺旋靶式

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
4604	Cooling Tower Spray Nozzle 冷却塔喷头		ABS	Snail nozzle 蜗牛式喷头
4605	Cooling Tower Spray Nozzle 冷却塔喷头		ABS	Spray Arm Extender Adapter+ EPDM Grommet+Band-it (Counterflow Distrubtion Assembly) 喷雾式延长臂适配器+三元乙丙橡胶垫圈+打包带 (逆流塔布水组件)
4606	Cooling Tower Spray Nozzle 冷却塔喷头		PP	Threaded Spray Nozzles (General use in EVAPCO cooling towers and condensers) 螺纹喷雾喷嘴 (主要用于益美高冷却塔和冷凝器)
4607	Cooling Tower Spray Nozzle 冷却塔喷头		ABS	Three Splashed Nozzle 三溅式喷头



Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品与服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
4608	Cooling Tower Spray Nozzle 冷却塔喷头		PP	Two layer basket Splashed Nozzle 双层篮式喷头
4609	Cooling Tower Spray Nozzle 冷却塔喷头		PP & PVC	Brentwood cooling tower (Dek Spray Nozzle) 博利屋冷却塔 (DEK喷头)
4610	Cooling Tower Spray Nozzle 冷却塔喷头		PP	Spiral Target Nozzle 螺旋靶式
4611	Cooling Tower Spray Nozzle 冷却塔喷头		PP	

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品与服务:





No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
4612-1 4612-2	Cooling Tower Spray Nozzle  冷却塔喷头		ABS	Rotating Basket Spray Nozzle 转篮式喷头
4613	Cooling Tower Spray Nozzle  冷却塔喷头		ABS	Upward vertical spray Nozzle 垂直上喷式喷头
4614	Cooling Tower Spray Nozzle  冷却塔喷头			



Issued on Oct.16,2020 /发布日期：2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:





雷泰诺为您提供最优质的产品及服务：

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
4615	Cooling Tower Spray Nozzle 冷却塔喷头			
4616	Cooling Tower Spray Nozzle 冷却塔喷头			
4617	Cooling Tower Spray Nozzle 冷却塔喷头			
4618	Cooling Tower Spray Nozzle 冷却塔喷头			

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品与服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
4619	Cooling Tower Spray Nozzle 冷却塔喷头			
4620	Cooling Tower Spray Nozzle 冷却塔喷头			
<b>FRP PROFILE/玻璃钢型材</b>				
3601	FRP Recup- Ω型材		FRP Pultruded Profile 玻璃钢挤出型材	Based on the design 基于设计
3602	Profile- H type H型钢		FRP Pultruded Profile 玻璃钢挤出型材	Normal Spacification or Based on the design 常规规格或基于设计
3603	Profile- I type 工字钢		FRP Pultruded Profile 玻璃钢挤出型材	Normal Specification or Based on the design 常规规格或基于设计

Issued on Oct.16,2020 /发布日期: 2020-10-16

**LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:**





**雷泰诺为您提供最优质的产品及服务:**

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
3604	Profile- Angle 角钢		FRP Pultruded Profile 玻璃钢挤出型材	Based on the design 基于设计
3605	Deck Panel 空腹板		FRP Pultruded Profile 玻璃钢挤出型材	Based on the design 基于设计
3606	Ladder 爬梯		FRP Pultruded Profile 玻璃钢挤出型材	Ladder Rung/爬梯横档: 34*25*4.5mm or Based on the design/或基于设计
3607	Cage Ladder 笼梯		FRP Pultruded Profile 玻璃钢挤出型材	Based on the design 基于设计
3608	Grids 格栅板		FRP Pultruded Profile 玻璃钢挤出型材	Based on the design 基于设计


Issued on Oct.16,2020 /发布日期: 2020-10-16

**LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:**

**雷泰诺为您提供最优质的产品及服务:**

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
3609	Structural shapes 结构用型材		FRP Pultruded Profile 玻璃钢挤出型材	Based on the design 基于设计
3610	Access Hatch 检查门		FRP Pultruded Profile 玻璃钢挤出型材	Based on the design 基于设计
3611	Fan Stack 风筒		Hand Lay-up FRP 手糊玻璃钢	Based on the design 基于设计
3612	Pipe 管道		Axial winding/ 轴向缠绕 FRP/玻璃钢	Axial winding/轴向缠绕, Corrosion resistance/耐腐蚀, pressure piping/压力管道

**OTHER RELEVANT PRODUCTS/其他相关产品**

2601	Gluing Machine 胶水机		AISI 304	width/宽度: 500 mm
------	-----------------------	-------------------------------------------------------------------------------------	----------	------------------

Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:







雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
2603	Extension Tube of Sprayer 喷头延长件		PP	Long size/加长款长度: 200mm; Standard length/标准长度: 140mm;
2604	Sprayer Ring 喷嘴环		PP	To match the different diameters of Distribution pipes/ 匹配不同直径布水管: Dia./直径 150/200/250/300/above
2605	Sprayer 喷嘴		PP	Based on the design Size基于设计尺寸: Dia.直径 16/20/22/24/26/27/28/29/30/31/32/33 /34/36/38
2606	Grid Support 四角支架		PP	Big size偏大规格: 150* 70mm; Standard size/标准规格: 135*60mm
2607	Splash Fill Spacer (Spacing tube) 飞溅填料支撑小管		PP	Inner hole: Dia./内孔直径 4mm; Outer Dia: /外径 12mm; length/长度: 294mm/ 50mm/ or specified requirment 指定长度

Issued on Oct.16,2020 /发布日期: 2020-10-16

**LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:**

**雷泰诺为您提供最优质的产品及服务:**






No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
2608	Tension Wire and Wire Body Clamp with a set of Hex Cap- Lock screw 张力钢丝及线体夹(带六角帽-自锁螺栓)		AISI 316	Can be matched up between the Dia of wire and wire body clamp based on the design 基于设计, 钢丝直径与线体夹相匹配
2609	PVC Distribution Pipe PVC布水管		PVC	Based on the design 基于设计
2610	Welding Elbow for PVC Distribution Pipe PVC布水管焊接弯头		PVC	Based on the design 基于设计
2617	Slope sheet 斜面板		PVC	Based on the design 基于设计
2626	Standard Parts 标准件		AISI 304	Based on the requirment 根据需求
2628	Casing and Rubber 墙板及密封件		FRP Pultruded Profile 玻璃钢挤出型材	Based on the requirment 根据需求



Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品与服务:





No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
2629	Fan风机		Al Blade铝质叶片, FRP Pultruded Profile玻璃钢拉挤型材, Hand Lay-up FRP手糊玻璃钢	Based on the requirment 根据需求
2630	Motor电机		/	Based on the requirment 根据需求
2632	Speed Reducer 减速机		/	Based on the requirment 根据需求
2633	Finned tube 翅片管		Al Fins + Steel tube/Stainless steel tube 铝翅片+钢管+不锈钢管	Pitch间隙: 11 FPI length/长度 and thickness/厚度: based on the design/基于设计
2634	A complete set of service of purchasing goods in China Market 中国市场的采购服务		We has a set of supplier evaluation and qualifacaitn system and has a compete datebase of qualified suppliers after the actural cooperation in more than 30 oversea projects; and our local experienced quality control team can manages all subsequent actions likes expediting, process quality control, inspection and delivery surveillane. 公司拥有一套完整的供应商评估和资质体系, 并在30多个海外项目的实际合作基础上, 建立了合格供应商的竞争数据库;我们的本地经验丰富的质量控制团队可以管理所有后续行动, 如催货、过程质量控制、检查和交货监督。	



Issued on Oct.16,2020 /发布日期: 2020-10-16

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

雷泰诺为您提供最优质的产品及服务:

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
2635	Window blinds, ventilation 百叶窗, 通风设备		Aluminum alloy 铝合金	Mechanical/机械式
2636	Spherical filler 球形填料		PP	Internal padding 内部填充料
2637	PVC Glue PVC 粘接胶水			
2638	Cooling Tower 冷却塔			




**TIANJIN LATINO ENVIRONMENTAL TECHNOLOGY CO.,LTD**  
天津雷泰诺环保科技有限公司

Issued on Oct.16,2020 /发布日期: 2020-10-16

**LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:**

**雷泰诺为您提供最优质的产品及服务:**

No. 编号	ITEM 名称	Reference Photo 图片	Material 材质	Size(mm) 尺寸(毫米)
2639	Cooling Tower 冷却塔			

Remark:

a) If some goods/parts are not in the above list you required, please send the email to me/Mr. LIU Zhao for the further inquiry; LATINO has the ability to provide the best products and service on your project;

如果上述清单中没有您所需的产品/部件, 请发邮件至刘钊先生作进一步询价;  
雷泰诺有能力为您提供项目上最优质的产品及服务。

**b) Contact Information: Phone/WhatsApp: +86 0 15502267935; Email: latino-tianjin@vip.163.com;**

**联系信息: 电话/WhatsApp: +86 0 15502267935; 邮箱: latino-tianjin@vip.163.com;**

Description/描述说明书  
Services and Product Catalog/服务和产品目录