







Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|---------------------------|------------------------------------|---|----------|---|
| COOLING TOWER FILL | | | | |
| 9601 | Cross flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 19 Width : 750、915、1050、1520、1220 Length : customized |
| 9602 | Cross flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 19 Width : 1520 Length : customized |
| 9603 | Cross flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.45 Sheet pitch : 20 Width : 950 Length : 950/1270 |
| 9604 | Cross flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 20 Width : 750 Length : 800、1000、1200 |
| 9605 | Cross flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 16 Width : 850/1000 Length : 1000 |
| 9606 | Cross flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 19 Width : 800 Length : customized |







Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|--------------------------------------|---|----------|---|
| 9607 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 20 Width : 500 Length : customized |
| 9608 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 20 Width : 500 Length : customized |
| 9609 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 15 or 19 Width*length : 305*2stages*1220 305*2stages*1525 225*3stages*customized |
| 9610 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 12、 15、 19 Width : 305 、 610 Length : customized |
| 9611 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 12 Width : 610 Length : customized |






Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|--------------------------------------|---|----------|---|
| 9612 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 20 Width : 610*2stages Length : customized |
| 9613 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 30 Width : 610 Length : customized |
| 9614 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 20 Width : 500 Length : customized |
| 9615 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 34 Width : 750 or 500*2stages Length : customized |
| 9616 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 35 Width : 500 Length : customized |
| 9617 | Counter flow cooling tower film fill |  | PVC | Thicknes : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 15 Width : 730 Length:customized |




Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|--------------------------------------|---|----------|---|
| 9618 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.42 Sheet pitch : 19 or 20 Width : 300*2 stages Length : customized |
| 9619 | Counter flow cooling tower film fill |  | PVC | Typical Module length: 1998mm (n* 55.5mm); Sheet pitch: 20mm; Typical Module height: 500; |
| 9620 | Counter flow cooling tower film fill |  | PVC | Typical Module length: 2032mm (n* 508mm); Sheet pitch: 20mm; Typical Module height: 500mm; |
| 9621 | Counter flow cooling tower film fill |  | PVC | Typical Module length: 1998mm (n* 55.5mm); Sheet pitch: 18mm; Typical Module height: 500mm |
| 9622 | Counter flow cooling tower film fill |  | PVC | Typical Module length: 2000mm (n* 50mm); Sheet pitch: 20mm; Typical Module height: 500mm |





Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|---------------------------------------|---|-----------|------------|
| 9623 | Cooling Tower Fill- Splash Fill |  | PVC | Customized |
| 9624 | Cross flow cooling tower film fill |  | PVC or PP | Customized |
| 9625 | Cooling Tower Fill- Grid Fill |  | PP | |
| 9626 | Cooling Tower Fill- Grid Fill |  | PP | |


Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|---------------------------------------|---|----------|---|
| 9627 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.3-0.6 Density : 1.40-1.45 Sheet pitch : 12 Width : 305*2 Length : customized |
| 9628 | Cooling tower film fill (civil tower) |  | PVC | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 15 Width : 225/300 Length : customized |
| 9629 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 19 Width : 1340 Length : 610 |
| 9630 | Counter flow cooling tower film fill |  | PVC | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 12 Width : 800/2 Length : customized |





Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|--|---|----------|---|
| 9631 | Counter flow cooling tower film fill-Grid fill |  | PP | Thickness : 2mm Sheet pitch : 20 Width : 450 Length : 900 |
| 9632 | Cross flow cooling tower film fill |  | | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 19 Width : 1330 Length : customized |
| 9633 | Cross flow cooling tower film fill |  | | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 19 Width : 1520 mm Length : customized |
| 9634 | Cross flow cooling tower film fill |  | | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 16 Width : 1000 mm Length : customized |






Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|---------------------------------------|--------------------------------------|---|----------|---|
| 9635 | Counter flow cooling tower film fill |  | | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 20 Width : 300/600 mm Length : customized |
| 9636 | Cross flow cooling tower film fill |  | | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 19 Width : 915/1220 mm Length : customized |
| 9637 | Cross flow cooling tower film fill |  | | Thickness : 0.24-0.6 Density : 1.40-1.45 Sheet pitch : 16 Width : 885 Length : 1060 |
| COOLING TOWER DRIFT ELIMINATOR | | | | |
| 8601 | Cooling tower drift eliminator |  | PVC | Thickness : 0.8 Interval : 50 Sheet pitch : 50 Width : 160 Length : customized |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|--------------------------------|---|----------|---|
| 8602 | Cooling tower drift eliminator |  | PVC | Thickness : 0.8-1.0 Interval : 45 Sheet pitch : 45 Width : 155 Length : customized |
| 8603 | Cooling tower drift eliminator |  | PVC | Thickness : 0.8-1.0 Interval : 40 Sheet pitch : 40 Width : 170 Length : customized |
| 8604 | Cooling tower drift eliminator |  | PVC | Thickness : 0.8-1.0 Interval : 45 Sheet pitch : 50 Width : 170 Length : customized |
| 8605 | Cooling tower drift eliminator |  | PVC | Thickness : 0.4-0.6 Interval : 30 Sheet pitch : 30 Width : 150*2 stages Length : customized |
| 8606 | Cooling tower drift eliminator |  | PVC | Thickness : 0.3-0.6 Interval : 20 Sheet pitch : 20 Width : 150*2 stages Length : customized |





Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|--------------------------------|---|----------|---|
| 8607 | Cooling tower drift eliminator |  | PVC | Typical Size of Pannel 2000*500*177 mm |
| 8608 | Cooling tower drift eliminator |  | PVC | Customized |
| 8609 | Cooling tower drift eliminator |  | pp | Thickness : 0.8-3.0 Interval : 20-30mm Width : 165 Length : customized |
| 8610 | Cooling tower drift eliminator |  | | Thickness : 0.8-3.0 Interval : 35mm Width : 220 Length : customized |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|--------------------------------|---|----------|---|
| 8611 | Cooling tower drift eliminator |  | PP | Thickness : 0.8-3.0 Interval : 10mm Width : 150 Length : customized |
| 8612 | Cooling tower drift eliminator |  | PP+PVC | Thickness : 1.3 Interval : 50mm Width : 170 Length : customized |
| 8613 | Cooling tower drift eliminator |  | PVC | Thickness : 0.25-0.45 Interval : 25mm Width : 50 Length : customized |
| 8614 | Cooling tower drift eliminator |  | | Thickness : 0.25-0.5 Interval : 20mm Width : 145 Length : customized |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|---|-----------------------------------|---|----------|---|
| 8615 | Cooling tower drift eliminator |  | | Interval : 35mm Width : 155 Length : customized |
| COOLING TOWER GARDENING WATER DEFECTOR | | | | |
| 7601 | water defector |  | PVC | Thickness : 0.5-0.6 Sheet pitch: 20 Width : 1100 Length : customized |
| 7602 | water defector |  | PVC | Thickness : 0.5-0.6 Sheet pitch: 20 Width : 750 Length : customized |
| 7603 | water defector |  | PVC | Thickness : 0.5-0.6 Sheet pitch : 15 Width : 1020 Length : customized |
| COOLING TOWER WATER DEFECTOR | | | | |
| 6601 | water defector (air inlet louver) |  | PVC | Thickness : above 00.4 Height: 400/500/600/ A multiple of 20 Sheet pitch: 20 Width : 65*2 stages Length : customized |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|---------------------------------------|--------------------------------------|---|--------------------------|---|
| 6602 | water defector (air inlet louver) |  | PVC | Thickness : 0.4-0.6 Height: 350/ A multiple of 25 Sheet pitch: 25 Width : 65*2 stages Length : customized |
| COOLING TOWER NOISE ATTENUATOR | | | | |
| 5601 | Noise Attenuator |  | PVC | Plate height: 166mm; Plate thicknes: 6mm; Plateh pitch: 111mm; |
| 5602 | Noise Attenuator |  | FRP Pultruded Profile | Based on the design |
| COOLING TOWER SPRAY | | | | |
| 4601 | Cooling Tower Spray Nozzle |  | PP | Reflection-type |
| 4602 | Cooling Tower Spray Nozzle |  | ABS | Spiral Target Nozzle 13,17,26,28 |

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|----------------------------|---|-----------|---|
| 4603 | Cooling Tower Spray Nozzle |  | PP or ABS | Spiral Target Nozzle |
| 4604 | Cooling Tower Spray Nozzle |  | ABS | Snail nozzle |
| 4605 | Cooling Tower Spray Nozzle |  | ABS | Spray Arm Extender Adapter+ EPDM Grommet+Band-it (Counterflow Distrubtion Assembly) |
| 4606 | Cooling Tower Spray Nozzle |  | PP | Threaded Spray Nozzles (General use in EVAPCO cooling towers and condensers) |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|----------------------------|---|----------|--|
| 4607 | Cooling Tower Spray Nozzle |  | ABS | Three Splashed Nozzle |
| 4608 | Cooling Tower Spray Nozzle |  | PP | Two layer basket Splashed Nozzle |
| 4609 | Cooling Tower Spray Nozzle |  | PP & PVC | Brentwood cooling tower (Dek Spray Nozzle) |
| 4610 | Cooling Tower Spray Nozzle |  | PP | Spiral Target Nozzle |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------------------|----------------------------|---|----------|------------------------------|
| 4611 | Cooling Tower Spray Nozzle |  | PP | |
| 4612-1 4612-2 | Cooling Tower Spray Nozzle |  | ABS | Rotating Basket Spray Nozzle |
| 4613 | Cooling Tower Spray Nozzle |  | ABS | Upward vertical spray Nozzle |


Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|----------------------------|---|----------|----------|
| 4614 | Cooling Tower Spray Nozzle |  | | |
| 4615 | Cooling Tower Spray Nozzle |  | | |
| 4616 | Cooling Tower Spray Nozzle |  | | |
| 4617 | Cooling Tower Spray Nozzle |  | | |

Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|--------------------|----------------------------|---|-----------------------|---|
| 4618 | Cooling Tower Spray Nozzle |  | | |
| FRP PROFILE | | | | |
| 3601 | FRP Recup |  | FRP Pultruded Profile | Based on the design |
| 3602 | Profile- H type |  | FRP Pultruded Profile | Normal Spacification or Based on the design |
| 3603 | Profile- I type |  | FRP Pultruded Profile | Normal Specification or Based on the design |
| 3604 | Profile- Angle |  | FRP Pultruded Profile | Based on the design |



Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:




| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|-------------------|---|--------------------------|---|
| 3605 | Deck Panel |  | FRP Pultruded Profile | Based on the design |
| 3606 | Ladder |  | FRP Pultruded Profile | Ladder Rung: 34*25*4.5mm or Based on the design |
| 3607 | Cage Ladder |  | FRP Pultruded Profile | Based on the design |
| 3608 | Grids |  | FRP Pultruded Profile | Based on the design |
| 3609 | Structural shapes |  | FRP Pultruded Profile | Based on the design |
| 3610 | Access Hatch |  | FRP Pultruded Profile | Based on the design |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and services:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|-----------|--|-----------------------|--|
| 3611 | Fan Stack |  | Hand Lay-up FRP | Based on the design |
| 3612 | Pipe |  | Axial winding/ FRP | Axial winding, Corrosion resistance, pressure piping |

OTHER RELEVANT PRODUCTS

| | | | | |
|------|--|---|----------|--|
| 2601 | Gluing Machine |  | AISI 304 | width: 500 mm |
| 2602 | Hanging system for Water Collecting Device |  | AISI 304 | Based on the design |
| 2603 | Extension Tube of Sprayer |  | PP | Long size: 200mm; Standard length: 140mm; |



Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|--|---|----------|---|
| 2604 | Sprayer Ring |  | PP | To match the different diameters of Distribution pipes/: Dia. 150/200/250/300/above |
| 2605 | Sprayer |  | PP | Based on the design Size: Dia. 16/20/22/24/26/27/28/29/30/31/32/33/34/36/38 |
| 2606 | Grid Support |  | PP | Big size: 150* 70mm; Standard size: 135*60mm |
| 2607 | Splash Fill Spacer (Spacing tube) |  | PP | Inner hole: Dia. 4mm; Outer Dia: 12mm; length: 294mm/ 50mm/ or specified requirment |
| 2608 | Tension Wire and Wire Body Clamp with a set of Hex Cap- Lock screw |  | AISI 316 | Can be matched up between the Dia of wire and wire body clamp based on the design |
| 2609 | PVC Distribution Pipe |  | PVC | Based on the design |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|---|---|----------|---------------------|
| 2610 | Welding Elbow for PVC Distribution Pipe |  | PVC | Based on the design |
| 2611 | Fill Hanging system-Fastener for Slings |  | PA 6.6 | Based on the design |
| 2612 | Fill Hanging System-Hooks |  | AISI 304 | Based on the design |
| 2613 | Fill Hanging system-Spindles Plug |  | AISI 304 | Based on the design |
| 2614 | Fill Hanging system-Sling |  | AISI 304 | Based on the design |
| 2615 | Fill Hanging system-Spindles Pulley |  | AISI 304 | Based on the design |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|-----------------------------------|---|----------|--|
| 2616 | Fill Hanging System-Threaded Hook |  | AISI 304 | Based on the design |
| 2617 | Slope sheet |  | PVC | Based on the design |
| 2618 | Anti-Splashing Packe |  | PVC | Based on the design |
| 2619 | Sealing |  | EPT | Based on the design |
| 2620 | Embedded Part |  | AISI 316 | Based on the design |
| 2621 | Gasket/ HOBLLOT Joint |  | EPDM | Available Dimensions from ϕ 25mm to 315mm |







Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|-------------------------------|--|------------------------|-------------------------|
| 2622 | CLIP |  | AISI 304 | Ø6 FOR SPACER TUBE |
| 2623 | BAND |  | AISI 304/316, Monel | Based on the requirment |
| 2624 | BUCKLE |  | AISI 304/316, Monel | Based on the requirment |
| 2625 | STRAPPING MACHINE FOR BAND-IT |  | Manually/ Pneumatic | Based on the requirment |
| 2626 | Standard Parts |  | AISI 304 | Based on the requirment |
| 2627 | Hoeycomb D/E |  Honeycomb Drift | PP, PVC | Based on the requirment |





Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|-------------------|---|--|---|
| 2628 | Casing and Rubber |  | FRP Pultruded Profile | Based on the requirment |
| 2629 | Fan |  | Al Blade, FRP Pultruded Profile, Hand Lay-up FRP | Based on the requirment |
| 2630 | Motor |  | / | Based on the requirment |
| 2631 | Saddle |  | Polyethylene- foam | Based on the requirment |
| 2632 | Speed Reducer |  | / | Based on the requirment |
| 2633 | Finned tube |  | Al Fins + Steel tube/Stainless steel tube | Pitch: 11 FPR length and thickness: based on the design |


Issued on 27,Nov. 2019

LANTINO Environmetal Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|---|---|---|------------------|
| 2634 | A complete set of service of purchasing goods in China Market |  | <p>We has a set of supplier evaluation and qualificaitn system and has a compete datebase of qualified suppliers after the actural cooperation in more than 30 oversea projects; and our local experienced quality control team can manages all subsequent actions likes expediting, process quality control, inspection and delivery surveillance.</p> | |
| 2635 | Window blinds, ventilation |  | Aluminum alloy | Mechanical |
| 2636 | Spherical filler |  | PP | Internal padding |
| 2637 | PVC Glue |  | | |

Issued on 27,Nov. 2019

LANTINO Environmental Technology Co.,Ltd can provides the best products and servies:

| No. | ITEM | Reference Photo | Material | Size(mm) |
|------|---------------|---|----------|----------|
| 2638 | Cooling Tower |  | | |

Remark:

a) If some goods/parts are not in the above list you required, please send the email to me/Mr. LIU Zhao for the further inquiry; LATINO has the ability to provide the best products and service on your project;

b) Contact Information: Phone/WhatsApp: +86 0 15502267935; Email: latino-tianjin@vip.163.com;

Description
Services and Product Catalog