

No.	ITEM	Reference Photo	Material	Size(mm)
COOL	NG TOWER FILL			
9601	cross flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 19 width: 750、915、1050 、1520、1220 length: customized
9602	cross flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 19 width: 1520 length: customized
9603	cross flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 20 width: 950 length: 1270
9604	cross flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 20 width: 750 length: 800、1000、 1200
9605	cross flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 20 width: 1000 length: customized



No.	ITEM	Reference Photo	Material	Size(mm)
9606	cross flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 19 width: 800 length: customized
9607	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 20 width: 500 length: customized
9608	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 20 width: 500 length: customized
9609	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 15 or 19 width*length: 305*2stages*1220 305*2stages*1525 225*3stages*customized
9610	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 12、15、19 width: 305、610 length: customized



No.	ITEM	Reference Photo	Material	Size(mm)
9611	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 12 width: 610 length: customized
9612	counter flow cooling tower film fill	• Λ = Λ = Λ = Λ = Λ = Λ = Λ = Λ = Λ = Λ	PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 20 width: 610*2stages length: customized
9613	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 30 width: 610 length: customized
9614	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 20 width: 500 length: customized
9615	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 20 width: 750 or 500*2stages length: customized



No.	ITEM	Reference Photo	Material	Size(mm)
9616	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 35 width: 500 length: customized
9617	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 15 width: 730 length: customized
9618	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.42 sheet pitch: 19 or 20 width: 300*2 stages length: customized
9619	Cooling Tower Film Fill		PVC	Typical Module Length: 1998mm (n* 55.5mm); Sheet Pitch: 20mm; Typical Module height: 500;



No.	ITEM	Reference Photo	Material	Size(mm)
9620	Cooling Tower Film Fill		PVC	Typical Module Length: 2032mm (n* 508mm); Sheet Pitch: 20mm; Typical Module height: 500mm;
9621	Cooling Tower Film Fill		PVC	Typical Module Length: 1998mm (n* 55.5mm); Sheet Pitch: 18mm; Typical Module height: 500mm
9622	Cooling Tower Film Fill		PVC	Typical Module Length: 2000mm (n* 50mm); Sheet Pitch: 20mm; Typical Module height: 500mm



No.	ITEM	Reference Photo	Material	Size(mm)
9623	Cooling Tower Film Fill- Splash Fill		PVC	Customized
9624	Cooling Tower Film Fill		PVC or PP	Customized
9625	Cooling Tower Film Fill- Splash Fill		PP	



No.	ITEM	Reference Photo	Material	Size(mm)
9626	Cooling Tower Film Fill- Splash Fill		PP	
9627	counter flow cooling tower film fill		PVC	thickness: 0.3-0.6 density: 1.40-1.45 sheet pitch: 12 width: 305*2 length: customized
9628	counter flow cooling tower film fill (Civil tower)		PVC	thickness: 0.24-0.6 density: 1.40-1.45 sheet pitch: 15 width: 225/300 length: customized



No.	ITEM	Reference Photo	Material	Size(mm)
9629	counter flow cooling tower film fill		PVC	thickness: 0.24-0.6 density: 1.40-1.45 sheet pitch: 19 width: 1340 length: 610
9630	counter flow cooling tower film fill		PVC	thickness: 0.24-0.6 density: 1.40-1.45 sheet pitch: 12 width: 800/2 length: customized
COOLI	NG TOWER DRIFT	ELIMINATOR		
8601	cooling tower drift eliminator		PVC	thickness: 0.8 interval: 50 sheet pitch: 50 width: 160 length: customized
8602	cooling tower drift eliminator	TTITI	PVC	thickness: 0.8-1.0 interval: 45 sheet pitch: 45 width: 155 length: customized



No.	ITEM	Reference Photo	Material	Size(mm)
8603	cooling tower drift eliminator		PVC	thickness: 0.8-1.0 interval: 40 sheet pitch: 40 width: 170 length: customized
8604	cooling tower drift eliminator		PVC	thickness: 0.8-1.0 interval: 45 sheet pitch: 50 width: 170 length: customized
8605	cooling tower drift eliminator		PVC	thickness: 0.4-0.6 interval: 30 sheet pitch: 30 width: 150*2 stages length: customized
8606	cooling tower drift eliminator		PVC	thickness: 0.3-0.6 interval: 20 sheet pitch: 20 width: 150*2 stages length: customized



No.	ITEM	Reference Photo	Material	Size(mm)
8607	Drift Eliminator		PVC	Typical Size of Pannel: 2000*500*177 mm
8608	Drift Eliminator		PVC	Customized
COOLI	NG TOWER GARD	ENING WATER DEFECTOR		
7601	water defector		PVC	thickness: 0.5-0.6 sheet pitch: 20 width: 1100 length: customized
7602	water defector		PVC	thickness: 0.5-0.6 sheet pitch: 20 width: 750 length: customized



No.	ITEM	Reference Photo	Material	Size(mm)
7603	water defector		PVC	thickness: 0.5-0.6 sheet pitch: 15 width: 1020 length: customized
COOLI	NG TOWER WATE	R DEFECTOR		
6601	water defector (air inlet louver)		PVC	thickness: above 0.4 height: 400/500/600/ A multiple of 20 sheet pitch: 20 width: 65*2 stages length: customized
6602	water defector (air inlet louver)		PVC	thickness: 0.4-0.6 height: 350/ A multiple of 25 sheet pitch: 25 width: 65*2 stages length: customized
COOLI	NG TOWER NOISE	E ATTENUATOR		
5601	Noise Attenuator	A CONTRACTOR OF A CONTRACTOR O	PVC	Plate height: 166mm; Plate thicknes: 6mm; Plateh pitch: 111mm;



No.	ITEM	Reference Photo	Material	Size(mm)
5602	Noise Attenuator	i	FRP Pultruded Profile	Based on the design
COOLI	NG TOWER SPRA	Y		
4601	Cooling Tower Spray Nozzle		PP	reflection-type
4602	Cooling Tower Spray Nozzle		ABS	Spiral Target Nozzle



No.	ITEM	Reference Photo	Material	Size(mm)
4603	Cooling Tower Nozzle		PP or ABS	Spiral Target Nozzle
4604	Cooling Tower Nozzle		ABS	NS5A Series
4605	Cooling Tower Nozzle		ABS	Spray Arm Extender Adapter+ EPDM Grommet+Band-it (Counterflow Distrubtion Assembly)
4606	Cooling Tower Nozzle	2A 2AB 2AA 2AAA	PP	Threaded Spray Nozzles (General use in EVAPCO cooling towers and condensers)



No.	ITEM	Reference Photo	Material	Size(mm)
4607	Cooling Tower Nozzle	<image/>	ABS	Three Splashed Nozzle
4608	Cooling Tower Nozzle		PP	Two layer basket Splashed Nozzle



No.	ITEM	Reference Photo	Material	Size(mm)
4609	Cooling Tower Nozzle		PP & PVC	Brentwood cooling tower (Dek Spray Nozzle)
4610	Cooling Tower Nozzle		PP	Spiral Target Nozzle
4611	Cooling Tower Nozzle	Serrer Land Line Line Line Line Line Line Line Line	PP	



No.	ITEM	Reference Photo	Material	Size(mm)
4612	Cooling Tower Nozzle	California	ABS	Rotating Basket Spray Nozzle
FRP PF	ROFILE			
3601	FRP Recup		FRP Pultruded Profile	Based on the design
3602	Profile- H type		FRP Pultruded Profile	Normal Spacification or Based on the design
3603	Profile- I type		FRP Pultruded Profile	Normal Specification or Based on the design
3604	Profile- Angle		FRP Pultruded Profile	Based on the design



No.	ITEM	Reference Photo	Material	Size(mm)
3605	Deck Panel		FRP Pultruded Profile	Based on the design
3606	Ladder		FRP Pultruded Profile	Ladder Rung: 34*25*4.5mm or Based on the design
3607	Cage Ladder		FRP Pultruded Profile	Based on the design
3608	Grilles		FRP Pultruded Profile	Based on the design
3609	Structural shapes	STAIRWAY 楼梯 村质: FRP	FRP Pultruded Profile	Based on the design



No.	ITEM	Reference Photo	Material	Size(mm)
3610	Access Hatch		FRP Pultruded Profile	Based on the design
3611	Fan Stack		Hand Lay-up FRP	Based on the design
OTHER	R RELEVANT PRO	DUCTS	-	
2601	Gluing Machine		AISI 304	Width: 500 mm
2602	Hanging system for Water Collecting Device		AISI 304	Based on the design
2603	Extension Tube of Sprayer		PP	Long sie: 200mm; Standard: 140mm;



No.	ITEM	Reference Photo	Material	Size(mm)
2604	Sprayer Ring		PP	To match the different diameters of Distribution pipes: Dia. 150/200/250/300/above
2605	Sprayer		PP	Based on the design Size: Dia. 16/20/22/24/26/27/28/29/ 30/31/32/33/34/36/38
2606	Grid Support		PP	Big size: 150* 70mm; Standard size: 135*60mm
2607	Splash Fill Spacer (Spacing tube)		PP	Inner hole: Dia. 4mm; Outer Dia: 12mm; Length: 294mm/ 50mm/ or specified requirment
2608	Tension Wire and Wire Body Clamp with a set fo Hex Cap- Lock screw		AISI 316	Can be matched up between the Dia of wire and wire body clamp based on the design



No.	ITEM	Reference Photo	Material	Size(mm)
2609	PVC Distribution Pipe		PVC	Based on the design
2610	Welding Elbow for PVC Distribution Pipe		PVC	Based on the design
2611	Fill Hanging system- Fastener for Slings		PA 6.6	Based on the design
2612	Fill Hanging System- Hooks		AISI 304	Based on the design
2613	Fill Hanging system- Spindles Plug		AISI 304	Based on the design



No.	ITEM	Reference Photo	Material	Size(mm)
2614	Fill Hanging system- Sling		AISI 304	Based on the design
2615	Fill Hanging system- Spindles Pulley		AISI 304	Based on the design
2616	Fill Hanging System- Threaded Hook		AISI 304	Based on the design
2617	Slope sheet		PVC	Based on the design
2618	Anti-Splashing Packe		PVC	Based on the design



No.	ITEM	Reference Photo	Material	Size(mm)
2619	Sealing		EPT	Based on the design
2620	Embedded Part		AISI 316	Based on the design
2621	Gasket/ HOBLOT Joint	DISTRIBUTION PIPE	EPDM	Available Dimensions from ⊄25mm to 315mm
2622	CLIP		AISI 304	Ø6 FOR SPACER TUBE
2623	BAND		AISI 304/316, Monel	Based on the requirment



No.	ITEM	Reference Photo	Material	Size(mm)
2624	BUCKLE		AISI 304/316, Monel	Based on the requirment
2625	STRAPPING MACHINE FOR BAND-IT		Manually/ Pneumatic	Based on the requirment
2626	Standard Parts		AISI 304	Based on the requirment
2627	Hoeycomb D/E	Honeycomb Drift Eliminator	PP, PVC	Based on the requirment
2628	Casing and Rubber	CASING 遍板 ARBBER-SELLANT 定年委+被病政	FRP Pultruded Profile	Based on the requirment



No.	ITEM	Reference Photo	Material	Size(mm)
2629	Fan	PAR RLADE 人本方 作者: 银. FRP	AL Blade, FRP Pultruded Profile, Hand Lay-up FRP	Based on the requirment
2630	Motor	Motor 电机 品牌:	/	Based on the requirment
2631	Saddle	SADDLE (鞍型托架) 材质:泡沫	Polyethylene- foam	Based on the requirment
2632	Speed Reducer	に する に た の に の に の に の に の に の に の に の に の に の に の に の に の に の の の の の の の の の の の の の	/	Based on the requirment
2633	Finned tube		Al Fins + Steel tube/Stainless steel tube	Picth: 11 FPI Length and thickness: based on the design



LANTINO Environmetal Technology Co., Ltd can provides the best products and servies:

No.	ITEM	Reference Photo	Material	Size(mm)
2634	A complete set of service of purchasing goods in China Market		We has a set of supplier evaluation and qualificaitn system and has a compete datebase of qualified suppliers after the actural cooperation in more than 30 oversea projects; and our local experienced quality control team can manages all subsequent actions likes expedting, process quality control, inspection and delivery surveillance.	

Remark:

a) If some goods/parts are not in the above list you required, please send the email to me/Mr. LIU Zhao for the further inquiry; LATINO Trading has the ability to provide the best products and service on your project;

b) Contact Information: Phone/WhatsApp: +86 0 15502267935; Email: latino-tianjin@vip.163.com;

Description Services and Product Catalog